

**STRIKE BAC DETERGENT/
DISINFECTANT .5 OZ.**

Cleaner	Disinfectant
Detergent	Fungicide
Deodorizer	(against pathogenic fungi)
Sanitizer	Virucide*
Mildewstat (on hard inanimate surfaces)	

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
dimethyl benzyl ammonium chlorides	6.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	
dimethyl benzyl ammonium chlorides	6.25%
INERT INGREDIENTS	87.50%
TOTAL	100.00%

**"ONLY FOR SALE, TO, USE, AND STORAGE BY SERVICE PERSONS."
DANGER**

See side panels for additional precautionary and first aid statements.

EPA REG. NO. 37265-28
EPA EST. NO. 37265-CA-01

Manufactured By **GENERAL CHEMICAL CORP.**
5568 Schaeffer Ave • Chino, CA 91710 • (714) 591-8451

ACCEPTED
with COMMENTS
in EPA Letter Dated

NOV 24 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
37265-28

Strike Bac is a phosphate free concentrated detergent/disinfectant provides effective cleaning, deodorizing, disinfection, and sanitization. Strike Bac detergent/disinfectant has been designed specifically for hospital homes, schools, food processing plants and other institutions. Housekeeping is of prime importance in controlling the hazards of contamination.

Strike Bac when diluted at the rate of 1/2 ounce per gallon of water is a disinfectant against the organism *Pseudomonas aeruginosa* and meets the requirements for hospital use. When used as directed, Strike Bac is effective to disinfect inanimate hard surfaces such as walls, floors, sinks, tubs, bowls, tables, chairs, telephones and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, the product is used to provide both general cleaning and disinfecting.

In addition, Strike Bac deodorizes those areas which generally are hard to fresh smelling, such as garbage storage areas, empty garbage bins, toilet bowls and any other areas which are prone to odors from microorganisms.

DISINFECTION-At 1/2 ounce per gallon dilution, Strike Bac exhibits disinfectant activity against the following:

<i>Pseudomonas aeruginosa</i> PRD-10	<i>Brevibacterium ammonium</i>
<i>Escherichia coli</i>	<i>Streptococcus faecalis</i>
<i>Klebsiella pneumoniae</i>	<i>Shigella dysenteriae</i>
<i>Salmonella schulttmuelleri</i>	<i>Staphylococcus aureus</i>
<i>Salmonella choleraesuis</i>	<i>Enterobacter aerogenes</i>
<i>Streptococcus salivarius</i>	

At this level the product is also fungicidal against the pathogen *Trichophyton mentagrophytes*.

VIRUCIDUAL* ACTIVITY: The product when used on environmental hard surfaces at 1/2 ounce per gallon of water exhibits effective activity.

BEST BY DATE

E

ated detergent/disinfectant which
infection, and sanitization. Strike
d specifically for hospitals, nursing
s and other institutions where
controlling the hazards of cross

one per gallon of water is an effective
monas aeruginosa and meets all
s directed, Strike Bac is formulated
as walls, floors, sink tops, toilet
frames. For larger areas such as
restrooms, the product is designed
acting.

as which generally are hard to keep
as, empty garbage bins and cans,
are prone to odors caused by

tion, Strike Bac exhibits effective

Brevibacterium ammoniagenes
Streptococcus faecalis
Shigella dysenteriae
Staphylococcus aureus
Enterobacter aerogenes

dal against the pathogenic fungi,

used on environmental inanimate
water exhibits effective virucidal*

activity against Influenza A₂ - Asian (representative of the common flu virus),
Herpes simplex (causative agent of fever blisters and mononucleosis), Adeno
virus type 5 (causative agent of upper respiratory infections), and Vaccinia virus
(representative of the pox virus group).

Efficacy tests have demonstrated that Strike Bac is an effective bactericide,
fungicide, and virucide* in the presence of organic soil (5% blood serum).

MOLD AND MILDEWSTAT -Strike Bac prevents and controls mold and mildew
and the odors they cause on hard non-porous inanimate surfaces.

SANITIZATION - When used for sanitization of previously cleaned food
equipment or food contact items limit active quaternaries to 200ppm. At this
level POTABLE WATER RINSE is required.

Strike Bac is an effective sanitizer when diluted in water up to 600ppm hardness
(CaCO₃).

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED
BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL - Pesticides that cannot be used or chemically
reprocessed should be disposed of in a landfill approved for pesticides or buried
in a safe place.

CONTAINER DISPOSAL - Triple rinse (or equivalent) and dispose in an
incinerator or landfill approved for pesticide containers, or bury in a safe place.

To disinfect toilet bowls, flush toilet, add 1/2 ounce Strike Bac
Detergent/Disinfectant .5 oz directly to the bowl water. Swab the bowl
completely using a scrub brush or toilet mop, making sure to get under the rim.
Let stand for 10 minutes and flush. For heavily soiled areas, a pre-cleaning step
is required and recommended. Prepare a fresh solution for each use.

9/5
MILDEWSTAT-To control mold and mildew
surfaces (such as floors, walls, table tops) at
water. Apply solution with a cloth, mop,
surfaces completely. Let air dry. Prepare a
application at weekly intervals or when mildew
SANITIZATION-To sanitize previously cleaned
surfaces, prepare 200ppm active quaternary
gallons of water. To sanitize immobile item
counter tops), flood the area with 200ppm
cloth or sponge, making sure to wet all
seconds. RINSE THOROUGHLY WITH POTABLE
solution for each use.

To sanitize mobile items (such as drinking g
200ppm Strike Bac solution for at least 60
completely. REMOVE AND RINSE THOROUGHLY
Prepare a fresh solution daily or more frequ

PRECAUTIONARY STATEMENT
HAZARD TO HUMANS AND DOMESTIC ANIMALS
DANGER

Keep Out of Reach of Children. Causes severe
in eyes, skin or on clothing. Harmful if swallowed
and rubber gloves when handling. Avoid contact with
wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT:
In case of contact, immediately flush eyes with
least 15 minutes. For eyes, call a physician. For
clothing before reuse. If swallowed, drink milk or water
these are not available, drink large quantities of water.
NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate
Measures against circulatory shock, respiration
be needed.

BEST DOCUMENT AVAILABLE

7/30/00

against Influenza A₁ - Asian (representative of the common flu virus), Adenovirus type 5 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pox virus group).

Tests have demonstrated that Strike Bac is an effective bactericide, fungicide, and virucide* in the presence of organic soil (5% blood serum).

MILDEWSTAT - Strike Bac prevents and controls mold and mildew odors they cause on hard non-porous inanimate surfaces.

SANITIZATION - When used for sanitization of previously cleaned food contact surfaces, Strike Bac limits active quaternaries to 200ppm. At this concentration, a **POTABLE WATER RINSE** is required.

Strike Bac is an effective sanitizer when diluted in water up to 600ppm hardness.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

LANDFILL DISPOSAL - Pesticides that cannot be used or chemically treated should be disposed of in a landfill approved for pesticides or buried in a safe place.

LANDFILL DISPOSAL - Triple rinse (or equivalent) and dispose in an approved landfill approved for pesticide containers, or bury in a safe place.

TOILET BOWLS - Flush toilet, add 1/2 ounce Strike Bac Disinfectant .5 oz directly to the bowl water. Swab the bowl thoroughly using a scrub brush or toilet mop, making sure to get under the rim. Flush for 10 minutes and flush. For heavily soiled areas, a pre-cleaning step is advised and recommended. Prepare a fresh solution for each use.

BEST DOCUMENT AVAILABLE

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard non-porous surfaces (such as floors, walls, table tops) add 1/2 ounce Strike Bac per gallon of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION - To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200ppm active quaternary Strike Bac by adding 1 ounce to 5 gallons of water. To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200ppm Strike Bac solution or apply with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. **RINSE THOROUGHLY WITH POTABLE WATER.** Prepare a fresh solution for each use.

To sanitize mobile items (such as drinking glasses, eating utensils), immerse in 200ppm Strike Bac solution for at least 60 seconds making sure to immerse completely. **REMOVE AND RINSE THOROUGHLY WITH POTABLE WATER.** Prepare a fresh solution daily or more frequently as soil is apparent.

**PRECAUTIONARY STATEMENTS:
HAZARD TO HUMANS AND DOMESTIC ANIMALS**

DANGER

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.


3. The confirmatory efficacy data are acceptable. Please note that Accession Number 248615 has been assigned to the data.

4. Please tell us whether or not the address for General Chemical, Inc., has been changed from 3500 West Carriage Drive, Santa Ana, CA 92708 to 5568 Schaefer Avenue, P.O. Box 1697, Chino, CA 91710.

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767)

Enclosures