

STRIKE BAC DETERGENT/DISINFECTANT 1 OZ.

Cleaner
Detergent
Deodorizer
Sanitizer
Mildewstat (on hard inanimate surfaces)

Disinfectant
Fungicide (against Pathogenic fungi)
Virucide*

ACCEPTED
JAN 25 1983
U.S. Environmental Protection Agency
Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 37265-34

ACTIVE INGREDIENTS:

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl ethylbenzyl ammonium chlorides | 4.50% |
| n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides | 4.50% |
| INERT INGREDIENTS | 91.00% |
| TOTAL | 100.00% |

EPA REG. NO. 37265-34
EPA EST. NO. 37265-CA-01

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panels for additional precautionary and first aid statements.

**FOR SALE TO AND USE AND STORAGE
BY MAINTENANCE PERSONNEL ONLY**

NET ONE GALLON
GENERAL CHEMICAL CORP.
3568 Schaeffer Ave • Chino, CA 91710 • (714) 591-8451

**DIRECTIONS FOR USE
General Classification**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Strike Bac Detergent Disinfectant 102 has been designed specifically for use in processing plants and other institutions where housekeeping is of prime importance.

DISINFECTION-To disinfect hard inanimate surfaces (such as walls, floor, etc.) use 1 ounce Strike Bac per gallon of water. Apply solution with mop, cloth or brush to wet thoroughly. Allow to remain wet for 15 minutes and then let air dry.

To disinfect toilet bowls, flush toilet, add 1 ounce Strike Bac directly to the toilet bowl. Use a scrub brush or toilet mop, making sure to get under the rim. Let stand for 15 minutes. For heavily soiled areas, a pre-cleaning step is required and recommended.

MILDEWSTAT-To control mold and mildew on pre-cleaned, hard non-porous surfaces, add 1 ounce Strike Bac per gallon of water. Apply solution with a cloth or brush to wet thoroughly. Let air dry. Prepare a fresh solution for each use. Repeat when mildew growth reappears.

SANITIZATION-To sanitize previously cleaned and rinse non-porous food contact surfaces, add 1 ounce NP 90 to 3 1/2 gallons of water. To sanitize immobile items (such as tanks, chopping blocks, counter tops, etc.) use 1 ounce per gallon solution or apply with a cloth or sponge, making sure to wet all surfaces completely. Prepare a fresh solution for each use. To sanitize mobile items (such as drinking glasses, eating utensils) immerse for at least 60 seconds making sure to immerse completely. REMOVE AND RINSE WITH POTABLE WATER. Prepare a fresh solution daily or more frequently as soil is apparent.

**PRECAUTIONARY STATEMENTS
Hazard to Human and Domestic Animal**

Keep Out of Reach of Children. Causes severe eye and skin damage. Do not get in eyes. If swallowed, wear goggles or face shield and rubber gloves when handling. Wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove and wash all contaminated clothing before reuse. If swallowed, drink large quantities of water. Call a physician if symptoms persist.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Respiratory depression and convulsion may be needed.



DIRECTIONS FOR USE
General Classification

Use this product in a manner consistent with its labeling.
This disinfectant 102 has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance.
To disinfect hard inanimate surfaces (such as walls, floors, table tops), add 1 ounce Strike Bac per gallon of water. Apply solution with mop, cloth or sponge or mechanical sprayer so surface remains wet for 15 minutes and then let air dry.
To disinfect toilet bowls, flush toilet, add 1 ounce Strike Bac directly to the bowl water. Swab the bowl completely with toilet mop, making sure to get under the rim. Let stand for 10 minutes and flush.
To control mold and mildew on pre-cleaned, hard non-porous surfaces (such as floors, walls, table tops), a pre-cleaning step is required and recommended. Prepare a fresh solution for each use. Add 1 ounce Strike Bac per gallon of water. Apply solution with a cloth, mop, or sponge making sure to wet all surfaces. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mold or mildew reappears.
To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200ppm active solution by adding 1 ounce NP 90 to 3 1/2 gallons of water.
To sanitize food contact items (such as tanks, chopping blocks, counter tops), flood the area with 200ppm Strike Bac solution with a cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. RINSE WITH POTABLE WATER. Prepare a fresh solution for each use.
To sanitize drinking glasses, eating utensils, immerse in 200ppm Strike Bac solution for at least 15 minutes, making sure to immerse completely. REMOVE AND RINSE THOROUGHLY WITH POTABLE WATER. Repeat solution daily or more frequently as soil is apparent.

PRECAUTIONARY STATEMENTS
Hazard to Human and Domestic Animals

Irritant. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harmful to fish and aquatic life. Use face shield and rubber gloves when handling. Avoid contamination of food. Remove from clothing.

STATEMENT OF PRACTICAL TREATMENT

Immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin if not available. Drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Large doses may contraindicate the use of gastric lavage. Measures against circulatory shock and convulsion may be needed.

Strike Bac is a phosphate free concentrated detergent/disinfectant which provides effective cleaning, deodorizing, disinfection and sanitization. Strike Bac detergent/disinfectant has been designed specifically for hospitals, nursing homes, schools, food processing plants and other institutions where housekeeping is of prime importance in controlling the hazard of cross contamination.

Strike Bac when diluted at the rate of 1 ounce per gallon of water is an effective disinfectant against the organism *Pseudomonas aeruginosa* and meets all requirements for hospital use. When used as directed, Strike Bac is formulated to disinfect inanimate hard surfaces such as walls, floors, sink tops, toilet bowls, tables, chairs, telephones and bed frames. For larger areas such as operating rooms, patient care facilities and restrooms, the product is designed to provide both general cleaning and disinfecting.

In addition, Strike Bac deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and any other areas which are prone to odors caused by microorganisms.

DISINFECTION-AI 1 ounce per gallon dilution, Strike Bac exhibits effective disinfectant activity against the following:

- | | |
|--------------------------------------|------------------------------------|
| <i>Pseudomonas aeruginosa</i> PHD 10 | <i>Brevibacterium ammoniagenes</i> |
| <i>Escherichia coli</i> | <i>Streptococcus faecalis</i> |
| <i>Klebsiella pneumoniae</i> | <i>Shigella dysenteriae</i> |
| <i>Salmonella schultzei</i> | <i>Enterobacter aerogenes</i> |
| <i>Salmonella enteritidis</i> | <i>Staphylococcus aureus</i> |
| <i>Streptococcus salivarius</i> | |

At this level the product is also fungicidal against the pathogenic fungi: *Trichophyton mentagrophytes*.

VIRUCIDAL ACTIVITY: The product when used on environmental inanimate hard surfaces at 1 ounce per gallon of water exhibits effective virucidal activity against Influenza A: - Asian (representative of the common flu virus), Herpes simplex (causative agent of fever blisters and mononucleosis), Adeno virus type 2 (causative agent of blisters and mononucleosis), Adeno virus type 2 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pox group).

Efficacy tests have demonstrated that Strike Bac is an effective bactericide, fungicide, and virucide* in the presence of organic soil (5% blood serum).

MOLD AND MILDEWSTAT - Strike Bac prevents and controls mold and mildew and the odors they cause on hard non-porous inanimate surfaces.

SANITIZATION: When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaries to 200ppm. At this level POTABLE WATER RINSE is required. Strike Bac is an effective sanitizer when diluted in water up to 250ppm hardness (CaCO₃).

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL: Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.