STRIKE BAC® STEP ONE DISINFECTANT

Disinfectant-Cleaner-Sanitizier-Fungicide-Mildewstat-Virucide-Deodorizier with Organic Soil Tolerance for Hospitals, Institutions and Industrial Use

ACTIVE INGREDIENTS:

AOTITE HADILETO.	
Octyl Decyl Dimethyl Ammonium Chloride 1.14%	į
Dioctyl Dimethyl Ammonium Chloride	ı
Didecyl Dimethyl Ammonium Chloride	į
Alkyl (C14 50%, C12 40%, C16 10%) Dimethyl Benzyl Ammonium Chloride 1.52%	,
INERT INGREDIENTS:96.20%	
TOTAL INGREDIENTS:100,00%	

Strike Bac Step One Disinfectant has been formulated to aid in the reduction of cross-contamination in institutions, schools and hospitals.

Strike Bac Step One Disinfectant cleaner is effective against a broad spectrum of bacteria, is virucidal, fungicidal, and will prevent the growth of mold and mildew and their odors when used as directed. Strike Bac Step One Disinfectant is an effective one step sanitizer-cleaner for use on non-food contact surfaces. When used as directed, Strike Bac One Step Disinfectant will deodorize surfaces in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacteria growth can cause mallodors.

DANGER: KEEP OUT OF REACH OF CHILDREN.

(See back panel for additional precautions)

NET 1 GALLON (3.78 LITERS)

EPA REG. NO. 37265-37

EPA EST. NO. 37265-CA-01

Distributed By: GENLABS

5568 Schaefer Ave., Chino, CA 91710 - (909) 591-8451

Directions For Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

"This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced on any surface or body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection."

Strike Bac Step One Disinfectant is a proven one-step cleaner-disinfectant-sanitizer-fungicide-mildewstat-virucide in the presence of moderate amounts of organic soil.

Apply Strike Bac Step One Disinfectant to walls, floors and other hard (inanimate) non-porous surface such as tables, chairs, countertops, sinks and bedframes with a cloth, mop, or mechanical spray device so as to thoroughly wet all surfaces. For heavily soiled areas a prliminary cleaning is required. Prepare a fresh solution daily, or when solution becomes visibly dirty.

Disinfection: To disinfect hard, non-porous surface in hospitals, add 2 ounces per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use-level, Strike Bac Step One Disinfectant is also virtudal fungicidal, and mildewstatic. At 1 ounce per gallon Strike Bac Step One Disinfectant will disinfect hard non-porous surfaces in schools, industry and non-medical institutions.

Sanitizing: To sanitize porous or non-porous, non-food contact surface, add ½ ounce per gallon of water. Treated surfaces must remain wet for 60 seconds.

For Hospitals and nursing homes: Add 2 oz. per gallon of water. The broad spectrum of Strike Bac Step One Disinfectant has been evaluated in the presence of 5% serum and found to be effective against the following organisms by the AOAC Use-Dilution test.

Pseudomonas aeruginosa-Escherichia Coli-Enterobacter Aerigebes-Shigella Dysenteriae Staphylococcus Aureus-Serratia Marcescens-Salmonella Schottmuelleri Brevibacterium Ammoniagenes-Salamonella Choleraesuis-Klebsiella Pneumoniae-Steptococcus Faecalis

AOAC Fungicidal Test

Strike Bac Step One Disinfectant at one ounce per gallon is effective fungicide against Trichophyton Mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc.

Mold and Mildew Control: At ½ oz. per gallon Strike Bac Step One Disinfectant will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

Virucidal Performances: *At 1 oz. per gallon use-level Strike Bac Step One DisInfectant was evaluated in the presence of 5% serum and found to be effective against influenza A/Brazil Virus on inanimate environmental surfaces.

For Schools, non-medical institutional and industrial surfaces (such as floors, walls, tables, etc.)

At 1 oz. per gallon of water Strike Bac Step One Disinfectant is an effective sanitizer against Staphylococcus aureus and Kiebsiela pneumoniae in the presence of 5% serum on porous and non-porous environmental surfaces.

ACCEPTED

FEB 1 2 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 37265-37...

2/12/20/

Precautionary Statements Hazardous to Human and Domestic Animals

DANGER: Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Wear googles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food. STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place away from any moisture or direct sunlight. Do not stack over 4 cases high. Open containers carefully followed by immediate closure once diluted. If leaked or spilled, soak up material separate and away from other pesticides, fertilizer, food and feed, PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinse water that cannot be used according to Federal or approved State procedures under subtitle C of the Resource Conservation and Recovery Act. Wastes resulting from the use of this product may be disposed of an site or at an approved waste disposal facility. CONTAINER DISPOSAL: Do not reuse empty container. Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities. If burned, stay away from smoke.

FIRST AID			
Dermal exposure, Skin irritation	If on skin or dothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.		
Ingestion	If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		
Eyes:	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.		
Inhalation:	If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.		
	HOT LINE NUMBER		
	with you when calling a poison control center or doctor, or going for treatment. 800-424-9300 for emergency medical treatment information.		
	NOTE TO PHYSICIAN		

convulsion may be needed

ACCEPTED

FEB 1 2 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 37265-37