



10% QUAT RINSE

ACTIVE INGREDIENTS:

Alky (C₁₄, 50%; C₁₂, 40%; C₁₆, 10%)10.00%
dimethyl benzyl ammonium chloride90.00%

INERT INGREDIENTS:90.00%
TOTAL INGREDIENTS:100.00%

This product fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in water up to 700ppm of hardness calculated CaCO₃ when tested by the A.O.A.C. Germicidal and Detergent Sanitizers- "Official Method."

"This disinfectant is effective at 1 oz./gal. against *Pseudomonas aeruginosa* PRD-10, *Salmonella choleraesuis* ATCC 10708, and *Staphylococcus aureus* ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for pre-cleaned, non-porous hard surfaces. This disinfectant is an effective virucide against influenza virus Type A Brazil at 1 oz./gal. on pre-cleaned, non-porous hard surfaces.

KEEP OUT OF REACH OF CHILDREN DANGER

(See Additional Precautions on Side Panels)

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes: Call physician. Remove and wash contaminated clothing before reuse. If swallowed drink promptly a large quantity milk, raw egg whites, gelatin solution or if these or not available, drink large quantity of water. Avoid alcohol. Call physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA REG. NO. 37265-40

EPA EST. NO. 37265-CA-01

NET CONTENTS: 1 U.S. GAL

Manufactured By:

GENERAL CHEMICAL CORP.

5566 Schaefer Ave., Chino, CA 91710 • (714) 591-8451

When used as directed, this product is an effective disinfectant, deodorant. This product mixes with water to form clear, stable use solutions that are non-staining to most common metals, plastics and tile.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER

Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Harmful if swallowed. Avoid contamination of food. Avoid breathing spray mist.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with NPDES Permit. Do not contaminate water by cleaning of equipment or by disposing of wastes.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place away from any moisture or direct sunlight. Do not stack over 4 cases high. Open containers carefully followed by immediate closure once diluted. Do not get on skin or in the eyes. If leaked or spilled, soak up material with an absorbent cloth. Keep this material separate and away from other pesticides, fertilizers, food and feed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Plastic containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities. If burned, stay out from smoke.

USE DIRECTIONS

General Use Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. **DISINFECTION IN HOSPITALS, RESTAURANTS, HOMES AND PUBLIC ROOMS.** This product may be used on floors, walls, woodwork, bedframes, furnishings and equipment.

BEST AVAILABLE COPY

Types of surfaces suitable for disinfection include glass, smooth metal washable painted wood or metal, vinyl, glazed porcelain, plastic, furnished leather, finished wood and similar non-porous, hard, smooth surfaces.

Always preclean surfaces with suitable detergent and rinse well with water before disinfection. After cleaning apply solution containing 1 oz. of disinfectant per gallon of water for usual disinfecting applications. For disinfecting contagious disease areas, use 1½ ounces per gallon of water.

This solution should be applied using a clean mop, sponge or by a mechanical spraying device. Surfaces must remain moist for at least 10 minutes to assure proper germicidal action. Food contact surfaces treated with this concentration of disinfectant must be rinsed with potable water before reuse. Prepare fresh solutions daily. Discard solution when visibly soiled.

FLANK AND UDDER WASHING: Use 1 oz. of Disinfectant per 4 gallons of water. Use a separate clean towel for each cow. Never dip a used towel back into the disinfectant solution. Prepare fresh solution of each milking. Prepare solution in non-corrodible containers (stainless steel, plastic). Discard solution if they become visible soiled or turbid. To prevent residue in milk, allow udder to air dry or dry with clean towel before attaching to milker.

FOR DEODORIZING GARBAGE CANS, GARBAGE TRUCKS, INDUSTRIAL WASTE RECEPTACLES, AND GARBAGE HANDLING EQUIPMENT: Preclean with a suitable detergent and rinse well, then, apply wetting solution of 2 oz. of THIS PRODUCT per gallon of water. This product has not been tested for effectiveness against MYCOBACTERIUM TUBERCULOSIS, and must not be relied upon when a Tuberculocidal product is desired.

FOR SALE TO, USE & STORAGE BY SERVICE PERSONS ONLY

BEST AVAILABLE COPY