*Kills Pseudomonas, Salmonella and Staphylococcus.

*Virucidal

ACTIVE INGREDIENTS:

| 205 | E0/. |
|---|------|
| Pine Oil3.95 | J 70 |
| Alkyl (C14, 58%, C10, 28%, C12, 14%) dimethyl benzyl ammonium chloride1.9 | 7% |
| INERT INGREDIENTS:94.0 | 8% |
| | |
| TOTAL INGREDIENTS:100.00 | U% |

*This disinfectant is effective at 6 oz./gal. against Pseudomonas aeruginosa PRD-10. Salmonella choleraesuls ATCC 10708 and Staphylococcus aureus ATCC 6538 when tested by the A.O.A.C. Use Dilution Test Method for precleaned hard non-porous surfaces.

**This disinfectant is also an effective virucide at 6 oz./gal for inlfuenza virus. Type A. Brazil on inanimate environmental surfaces.

This product may be used for cleaning and deodorizing one-step cleaning and disinfection or disinfection of precleaned non-porous, inanimate hard surfaces.

THIS DISINFECTANT is effective against a wide variety of gram-positive and gram-negative bacteria. It is also an excellent deodorant and is especially effective in controlling odors that are bacterial in orgin.

THIS DISINFECTANT mixes with water to form clear, stable use solution. Use solutions are non-corrosive and non-staining to plastic, vinyl, synthetics, enamel, tile and most common metals. Has a pleasant pine odor.

DANGER: KEEP OUT OF REACH OF CHILDREN.

(See back panel for additional precautions)

NET 1 GALLON (3.78 LITERS)

EPA REG. NO. 37265-42

EPA EST. NO. 37265-CA-01

Distributed By: **GENLABS**5568 Schaefer Ave., Chino, CA 91710 - (909) 591-8451

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food. Wear googles or face mask and rubber gloves when handling.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

"This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection."

APPLICATION INFORMATION: Select the proper dilution of THIS PRODUCT for your use from the directions below. Apply the use solution with a clean mop, sponge, cloth, squeegee, or mechanical scrubber. Prepare fresh use solutions daily. Do not reuse solutions. Discard solutions when they become visibly soiled. For disinfection, thoroughly wet the surfaces to be treated. Surfaces must remain moist for at loast 10 minutes to assure proper germicidal action.

This product may be used for cleaning and disinfecting hard, non-porous, inanimate environmental surfaces (glass, metal, glazed, porcelain, tile, smooth leather, vinyl, enameled and finished wood surfaces) on walls, floors, appliances and furnishings.

glazed, porcelain, title, smooth leather, vinyi, enameled and initished wood sendos, on make, most feet of the area to be cleaned, CLEANING: To clean and deodorize or to preclean prior to disinfection, depending on the soil level of the area to be cleaned, use 3 to 12 oz. of THIS PRODUCT per gallon of water.

DISINFECTING: Hospitals, Veterinary Clinics, Nursing Homes and other Medically related uses: Use 7½ oz. of THIS PRODUCT per gallon of water (1 part to 16 parts water) for one-step cleaning and disinfection of areas with light to medium soil loads. For heavily soiled areas, preclean as described above and then disinfect with THIS PRODUCT at 6 oz. per gallon (1 part to 20 parts water).

Industrial areas, Barber shops, Restrooms, Restaurants, Food and Meat Processing Plants, (non-food processing areas). Public rooms, other Non-Medical uses: Preclean surfaces. Then, disinfect with a solution of 4 oz. of THIS PRODUCT in a gallon of water (1 part to 31 parts water). Alternatively clean and disinfect in one operation using 7½ oz. of THIS PRODUCT per gallon of water.

For decodorizing garbage cans, garbage trucks, industrial waste receptacies, and garbage handling equipment. It is especially important to preclean for the product to perform properly. Then apply a wetting concentration of 16 oz. of THIS PRODUCT per gallon of water. THIS PRODUCT may be used through automatic floor scrubbing equipment.

This disinfectant has not been tested for effectiveness against Mycobacterium Tuberculosis and must not be relied upon when Tuberculocidal activity is intended. THIS PRODUCT must not be used on food contact surfaces.

ACCEPTED

FEB 1 2 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 37265-42

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place away from any moisture or direct sunlight. Do not stack over 4 cases high. Open containers carefully followed by immediate closure once diluted. If leaked or spilled, soak up material separate and away from other pesticides, fertilizer, food and feed.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture, or rinse water that cannot be used according to Federal or approved State procedures under subtitle C of the Resource Conservation and Recovery Act. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Plastic Containers: Triple rinse (or equivalent) then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities. If burned, stay away from smoke.

| | FIRST AID |
|---|---|
| Dermal exposure, Skin irritation | If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| Ingestion | If swallowed: Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| Eyes: | If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| Inhalation: | If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. |
| | HOT LINE NUMBER |
| | with you when calling a poison control center or doctor, or going for treatment. 800-424-9300 for emergency medical treatment information. |
| · · · · · · · · · · · · · · · · · · · | NOTE TO PHYSICIAN |
| Probable mucosal damage may con convulsion may be needed. | traindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and |

ACCEPTED

FEB 1 2 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as armended, for the pesticide, registered under EPA Reg. No. 37265 ーメス