

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION

HARMFUL IF SWALLOWED. May cause eye irritation.
 Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE

Use a solution of Bora-Kill to treat the product in a manner inconsistent with its label use.
 Apply liberally, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer. Fill into openings around drains, water pipes and electrical conduits in attics and crevices along baseboards and in corners of cabinets, cupboards and closets. Remove lower cabinet drawers in bath and kitchen and scatter liberally in drawer well. When treating large areas, such as wall voids, and sub-urban road in new and existing construction dust liberally using dusting applications equipment. Reapply as necessary. Any powder residue after application must be brushed into cracks and crevices or removed. Avoid contact with food or feed. **Do not apply only in areas inaccessible to children and pets.** For use in homes, markets, warehouses, factories, offices, hotels, motels, new construction, hospitals, zoos and libraries.

SQUEEZE SPRAY BOTTLE
NO SPOONING. NO MESS
KILLS IN 7-10 DAYS

SUPER BORA-KILL ROACH KILLER

ACTIVE INGREDIENT:
 BORIC ACID 100.00%
 Inert Ingredients 0.00%
 100.00%

KEEP OUT OF REACH OF CHILDREN
STATEMENT OF PRACTICAL TREATMENT

Immediately contact Physician or Poison Control center if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

MELANUNIS, INC.

SEE SIDE OR BACK PANEL FOR ADDITIONAL CAUTIONS

MANUFACTURED BY:
 MELANUNIS LABORATORIES, INC.
 2010 WEST 41ST STREET
 CHICAGO, ILLINOIS 60632
 E.P.A. Registration No. 17146
 E.P.A. Establishment No. 17146-III-1

FOOD AND FEED HANDLING ESTABLISHMENTS
 Places other than private residences in which exposed food or feed is held, processed, prepared or served.

FOOD AREA APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY

Include areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, prepared, processed or served. Serving areas (where food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticide directly into cracks and crevices, in points between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing, and electrical switch boxes where cockroaches hide. Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces or introducing the material into the air. Avoid contamination of food or feed processing surfaces.

Application of this product in the food and feed areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

DISPOSAL

Do not reuse empty container. Wrap and put in trash container.

ACCEPTED
 NOV 2 1982
 U.S. DEPARTMENT OF AGRICULTURE
 ARS
 21346-12

