

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves (PVC or Nitrile) when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, estuaries, oceans or public waters unless in accordance with the requirements of the National Pollutant Discharge Elimination Systems (NPDES) permit and the Permitting Authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

NO WARRANTY, EXPRESS OR IMPLIED, OR MERCHANTABILITY FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE IS MADE, EXCEPT THAT THE PRODUCT CONFORMS TO SELLER SPECIFICATIONS. BUYER ASSUMES ALL RISK OF USE, STORAGE AND HANDLING. SELLER SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING DIRECTLY OR INDIRECTLY IN CONNECTION WITH THE PURCHASE, USE, STORAGE AND HANDLING OF THIS PRODUCT.

**NET CONTENTS :
LOT # :**

Manufactured by
Advanced Skin Technologies
7143 Bernville Rd.
Bernville, Pa. 19506 Ph. 610-488-7643

JAN 10 2003

37365-20001

**AST. INC. CHLORINATED
SANITIZER**

ACTIVE INGREDIENTS: % BY WT.
SODIUM HYPOCHLORITE.....12.5%
OTHER INGREDIENTS87.5%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID	
IF SWALLOWED	*Call your local poison control center or doctor immediately for treatment advice. *Drink promptly a large quantity of water. *Do not induce vomiting unless told to do so by the poison control center or doctor. *Do not give anything by mouth to an unconscious person.
IF IN EYES	*Hold eyes open and rinse slowly and gently with water for 15-20 minutes. *Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. *Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	*Take off contaminated clothing *Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HAVE A PRODUCT LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT

NOTE TO PHYSICIAN:
Probable mucosal damage may contraindicate the use of gastric lavage.

AST. CHLORINATED SANITIZER IS A LIQUID SANITIZER FOR USE IN DAIRY PLANTS, DAIRY FARMS AND ALL FOOD HANDLING EQUIPMENT

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH IT'S LABELING.

NOTE : This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of chlorine.

SANITIZATION OF NONPOROUS FOOD CONTACT SURFACES

RINSE METHOD - A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 oz. of this product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2 oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight.

Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment and do not soak equipment overnight.

Sanitizers used in automated systems may be used for general cleaning but may not be re-used for sanitizing purposes.

STORAGE AND DISPOSAL:

Store in a cool dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Triple rinse empty container. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. Product or rinsate that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment

EPA Reg. No.
EPA Est. No. 037365-PA-001
FOR 24 HOUR EMERGENCY INFORMATION
CALL CHEMTREC 1 (800) 424-9300

37365-20001
1/10/2003
Page 1 of 1

01/09/2003 16:05 FAX 6104880336
AST INC
002