





HUMAN: Harmful if swallowed or inhaled. Avoid breathing mist. Avoid contamination of food. Wash hands with a soap and water after using.

Œ

ACCEPTED DEC 1 8 1985

Under the Passeral Insecticide.

Fundicide, c., J. Rodenheide, Act,

as amended, for the pesticide

Prebau bores

ANIMAL: Avoid treatment of nursing puppies, kittens and foals under 6 weeks of age. If treatment is necessary, follow ! special instructions.

ENVIRONMENTAL HAZARDS: This product is toxic to lish. Do not add directly to water. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS: FLAMMABLE. Keep away from heat and open flame. Contains alcohol. Do not apoly to painted or finished wood : surfaces.

DIRECTIONS FOR USE CATS, DOGS & HORSES

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use Only In A Well Ventilated Area

Cover animal's eyes with hand and with a firm fast stroke, to get a proper spray mist, spray head, ears and chest until damp. With fingertips rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired dogs, rub your hand against the lay of the hair. spraying the ruffled hair directly behind the hand. Make sure spary thoroughly wets ticks. Repeat treatment as needed.

REPELLENT SPRAY With LANOLIN, ALOE VERA and PABA SUNSCREEN

FOR DOGS - CATS - PUPPIES KITTENS . HORSES . FOALS

KILLS

FLEAS - LICE - TICKS

TEMPORARILY REPELS

GNATS - FLIES - MOSOUITOES

ACTIVE INGREDIENTS:

Pyrethrins	0.150%
*Piperonyl butoxide, technical	1.500%
N-Octyl Bicycloheptene	
Dicarboximide	0.500%
2,3:4,5-bis(2-butylene)tetrahydr	0-
2 luraldehyde	C.500%
Petroleum distillate	0.600%
"INERT INGREDIENTS	96.750%
Total	100 000%

*Equivalent to 1,20% of [butylcarbity]) (6-propylpiperonyl) ether and .30% of related compounds. **Inert ingredients include grooming additives to ease combing and brushing of the coat to remove dead (leas, ticks and lice.

KEEP OUT OF REACH OF CHILDREN CAUTION See side panel for precautionary statements

EPA Est. No. 37425-FL-1 EPA Reg. No. 37425-2

Net Contents 12 Fl. Ounces / 355 ML.

DIRECTIONS FOR USE (Cont.)

Nursing Puppies, Kittens & Foals Spray only along back or on your fingertips and rub into coat.

Pets Sleeping Quarters

Spray around baseboards, windows, door frames, wall cracks and local area of 'floors. If mosquitoes, gnats or flies are present, spray lightly into the air. Repeat as needed. The pet's bedding should be sprayed, making sure the area beneath the bedding is sprayed too. After spray has dried, remove old bedding and replace with fresh bedding. Treat pets with one of our registered Flea and Tick Control products before allowing them to enter treated area.

HORSES

For use on horses to control stable flies. hore flies, deer flies, house flies and face flies apply to face, legs, flanks, top line and other body areas commonly attacked by these flies. Repeat treatment as needed.

STORAGE AND DISPOSAL.

STORAGE: Store in a cool, dry area away from heat and open flame. On not contaminate water, food or field by storage or disposal. Do not transfer contents to other containers.

OISPOSAL: On not re-um container. Ringe thorough ly and were container in several layers of newcosper and dix ard in train.

Sold Only Through Licensed Veterinarians

Stock No. 218

Adams Veterinary Research Laboratories, Inc. P. O. Box 971039 – Miami, Florida 33197