

# ADAMS FLEA OFF<sup>TM</sup> DIP

## PRECAUTIONARY STATEMENTS CAUTION

**HAZARD TO HUMAN AND DOMESTIC ANIMALS:** Harmful if swallowed, inhaled, or absorbed in the skin. Avoid prolonged or repeated contact with the skin. Wash face and hands with soap and water after use and before smoking or eating.

**NOTE:** PHYSICIAN: FLEA OFF<sup>TM</sup> DIP is a cholinesterase inhibitor. ATROPINE is antidotal.

Avoid contamination of food or feed products. Avoid treatment of nursing animals. Do not treat kittens or puppies under 3 months of age. Do not treat tranquilized animals or animals that are taking any type medication or using any other type flea and tick control products without consulting your Veterinarian first.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Keep out of lakes or ponds, streams, tidal marshes and estuaries. Do not apply where runoff is likely to occur.

**PHYSICAL OR CHEMICAL HAZARDS:** Keep away from heat and open flame. Concentrate is harmful to painted surfaces.

Sold Only Through Licensed Veterinarians

## Flea, Tick, Lice & Sarcoptic Mange Mite Control on Dogs & Cats

<b>ACTIVE INGREDIENTS</b>	
Malathion, 0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate	53.00%
Xylene	15.00%
<b>INERT INGREDIENTS</b>	32.00%
<b>TOTAL</b>	<b>100.00%</b>

### Keep Out of Reach of Children

**CAUTION:** See Side Panel for Precautionary Statements  
**FOR EXTERNAL USE ONLY**

### STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

**IF IN EYES:** Flush immediately with clean water. Get medical attention if irritation persists.

**IF ON SKIN OR CLOTHING:** Immediately remove clothing and wash skin with warm, soapy water. Thoroughly launder clothing before wearing again. Prolonged or repeated contact with this product may result in an allergic reaction.

EPA Est No. 37425-FI-1  
EPA Reg No. 37425-9  
ONE GALLON

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To kill and repel fleas, ticks, lice and sarcoptic mange mites on dogs and cats, thoroughly mix 1/2 fluid ounce (one tablespoonful) of FLEA OFF<sup>TM</sup> DIP with 1 gallon of warm water.

Bathe animal with a good cleaning shampoo. Rinse well with warm water and while still wet, sponge or dip the animal with the diluted Flea Off<sup>TM</sup> Dip solution, making sure all areas are soaked. Do Not Rinse Off. Let dip dry on animal. For outside animals or in resistant flea areas, use 1 ounce (2 tablespoonfuls) to one gallon water. Do not use more than once every 1-3 weeks as directed by your veterinarian.

**FOR KENNEL and YARD SPRAY:** Thoroughly mix 2 1/2 ounces to one half gallon of water (covers 500 sq. ft.). Remove animals before spraying. Spray on ground, grass, runs and pets' quarters. Do not spray vegetation, plants or trees with this concentration. After spray has dried, remove old bedding and replace with fresh bedding. Treat pets with one of our registered Flea and Tick Control products before allowing them to enter treated area.

Repeat treatment if necessary.

**STORAGE and DISPOSAL:** Store in a cool place away from heat and open flame.

Do not re-use empty container. Wrap empty container and put into trash collection.

Stk. No.210

ADAMS VETERINARY RESEARCH LABORATORIES, INC.  
P. O. Box 971039 / Miami, FL 33197

