# ADAMS<sup>™</sup> Å<sup>®</sup> FLEA AND TICK DIP

## PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

HUMAN: Harmful if swallowed, inhaled or absorbed in the skin. Avoid contact with skin. Wash face and hands with soap and water after use and before smoking or eating.

NOTE TO PHYSICIAN: ADAMS FLEA AND TICK DIP is a cholinesterase inhibitor. Atropine is antidotal.

ANIMAL: Avoid contamination of food or feed products. Avoid treatment of nursing animals. Do not treat puppies under 3 months of age. Do not treat tranquilized animals or animals that are taking any type medication or using any other type flea and tick control products without consulting your veterinarian.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not add directly to water. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS: Keep away from heat and open flame. Do not apply to painted or finished wood surfaces.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To kill and repel fleas and ticks on dogs, thoroughly mix 1/2 Iluid ounce (one tablespoonful) of ADAMS FLEA AND TICK DIP with 1 gallon of warm water. Bathe animal with ADAMS TEARLESS SHAMPOO. Rinse well with warm

#### KILLS AND REPELS FLEAS AND TICKS ON DOGS

ACTIVE INGREDIENTS:

Ņ	ia	a	h	ion	, Q,	Q	Hdi	me	ihy	l pi	hos	pl	ю	0

<ul> <li>dithioate of diethyl mercaptosuccinate</li> </ul>	53.00%
Xylene	. 15.009
INERT INGREDIENTS	
τοται	100 009

KEEP OUT OF REACH OF CHILDREN

## CAUTION

See Side Panel for Precautionary Statements FOR EXTERNAL USE ONLY

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. IF IN EYES: Flush immediately with clean water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING; Immediately remove clothing and wash skin with warm, soapy water. Thoroughly launder clothing before wearing again. Prolonged or repeated contact with this product may result in an altergic reaction.

EPA Est. No. 37425-FL-1 EPA Reg. No. 37425-9 Net Contents 4 fl. oz./118 ml

Directions For Use (continued):

water and while still wet, sponge or dip the animal with the diluted ADAMS FLEA AND TICK DIP solution, making sure all areas are soaked. DO NOT RINSE OFF. Let dip dry on animal. For animals housed outdoors or in resistant flea areas, use 1 oz. (2 TBS.) to 1 gallon water. Do not use more than once every 1-3 weeks, or as directed by your veterinarian.

FOR KENNEL AND YARD SPRAY: Thoroughly mix 2½ ounces to one half gallon of water (covers 500 sq. ft.). Remove animals before spraying. Spray only ground, grass, runs and pet's quarters. Do not spray vegetation, plants or trees with this concentration. After spray has dried, remove pet's old bedding and replace with fresh bedding. Treat pets with one of our registered Flea and Tick Control products before allowing them to enter treated area. Repeat treatment if necessary.

STORAGE AND DISPOSAL. STORAGE: Store in a cool, dry area away from heat and open flame. Do not contaminate water, food or feed by storage or disposal. Do not transfer contents to other containers. DISPOSAL: Do not reuse container. Rinse thoroughly and wrap container in several layers of newspaper and discard in trash.

Sold Only Through Licensed Veterinarians 8912 85-6824-02

# ADAMS Veterinary-Strength Products™

ADAMS VETERINARY RESEARCH LABORATORIES, INC. Subsidiary of Norden Laboratories, Miami, FL 33197, U.S.A.

0661 7 2 801 37 3 30



