

ACCEPTED

23 JAN 1995

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act

37425-12

# ADAMS<sup>TM</sup>

## FLEA AND TICK MIST

### PRECAUTIONARY STATEMENTS

Hazards to Humans  
and Domestic Animals

#### CAUTION

**HUMAN:** Harmful if swallowed or inhaled. Avoid breathing mist. Avoid contamination of food. Wash hands with soap and water after using.

**ANIMAL:** Avoid treatment of nursing puppies and kittens. If treatment is necessary, follow special instructions. Do not oversaturate, especially on cats. Avoid spraying of genital areas.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish. Do not add directly to water. Do not apply where runoff is likely to occur.

**PHYSICAL OR CHEMICAL HAZARDS:** FLAMMABLE. Keep away from heat and open flame. Contains alcohol. Do not apply to painted or finished wood surfaces.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Only  
in a Well Ventilated Area

#### DOGS AND CATS

Remove safety cap and insert sprayer. Cover animal's eyes with hand and with a firm, fast stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Then spray neck, middle and hindquarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired dogs, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed.

### INSECTICIDE, REPELLENT & DEODORANT FOR DOGS - PUPPIES - CATS - KITTENS

#### KILLS

FLEAS - LICE - TICKS

TEMPORARILY REPELS

GNATS - FLIES - MOSQUITOES

#### ACTIVE INGREDIENTS:

|   |         |
|---|---------|
| Pyrethrins.....                           | 0.15%   |
| *Piperonyl butoxide, technical.....       | 1.50%   |
| N-Octyl bicycloheptene dicarboximide..... | 0.50%   |
| Di-n-propyl isocinchomeronate.....        | 0.50%   |
| **INERT INGREDIENTS.....                  | 97.35%  |
| TOTAL.....                                | 100.00% |

\* Equivalent to 1.20% of butylcarbityl (6-propylpiperonyl) ether and 30% of related compounds.

\*\* Inert ingredients include grooming additives to ease combing and brushing of the coat to remove dead fleas, ticks and lice.

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

See Side Panel for Precautionary Statements

EPA Est. No 37425-FL-1

EPA Reg. No. 37425-12

Net Contents 32 fl. oz./946 ml

### Directions For Use (continued):

#### NURSING PUPPIES AND KITTENS

Spray only along back or on your fingertips and rub into coat.

#### PET'S SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and local area of floors. If mosquitoes, gnats or flies are present, spray lightly into the air. Repeat as needed. The pet's bedding should be sprayed, making sure the area beneath the bedding is also sprayed. After spray has dried, remove old bedding and replace with fresh bedding. Treat pets with one of our registered flea and tick control products before allowing them to enter treated area.

#### HORSES

1. To control stable flies, horse flies, deer flies and face flies, apply to face, legs, flanks, top line and other body areas commonly attacked by these flies. Repeat treatment as needed.

### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool, dry area away from heat and open flame. Do not contaminate water, food or feed by storage or disposal. Do not transfer contents to other containers.

**DISPOSAL:** Do not reuse container. Rinse thoroughly and wrap container in several layers of newspaper and discard in trash.

Sold Only Through  
Licensed Veterinarians

912 85-6834-05

SmithKline Beecham Animal Health  
West Chester, PA 19380

1 Caution: do not use on horses intended for food.

BEST COPY AVAILABLE