# SEP 1 2 1991

Dr. Alan Wagner SmithKline Beecham Animal Health P.O. Box 971039 Miami, Florida 33197

Dear Dr. Wagner:

Subject: Final Printed Labeling

Adams Flea and Tick Dust II EPA Registration No. 37425-13 Your Letter Dated June 13, 1991

The revised labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (H7505C)



# **ADAMS** FLEA AND TICK DUST II

#### PRECAUTIONARY STATEMENTS

Hezerde to Humans and Domestic Animals

#### CAUTION

HUMAN: Harmful if swallowed or in-haled. Avoid breathing of dust Wash hands and face thoroughly after handling.

ANMAL: Avoid treatment of nursing animals. Do not treat puppies or lutters under 4 weeks of age. Avoid contaminating arimal's food or water

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

## DOGS AND CATS

To full fleas, ticks and lice, apply pow-der liberally to body of animal, working in dust by rubbing against the lay of the hair until dust penetrates to the akin Avoid getting dust in eyes, nose and mouth of animal. Do not use on nursing animals. Do not use on pregnent dogs and cats. Repeat treatment as necessary.

## **ODORLESS**

RESIDUAL INSECTICIDE POWDER FOR DOGS - PUPPIES - CATS - KITTENS

#### Over 4 Weeks of Age KILL8

FLEAS - TICKS - LICE **ACTIVE INGREDIENTS:** 

Pyrethrins	0.10%
*Piperoriyl butoxide, technica	d , 1.00%
"Carbaryl (1-Naphthyl	
N-methylcarbamate)	12 50%
Silica Gel	10 00%
INERT INGREDIENTS	. 76 40%
TOTAL	100.00%
* Equivalent to 0.8% of butyloa	rbityl (6-propyl-
piperonyl) ether and 0.2% relate	
"Sever-Trademark of Union Ca	
for Carbaryl.	
	CHII DOEN

#### KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Precautionary Statements EPA Est. No. 34797-IA-02 EPA Reg. No. 37425-13 Net Contents 6 oz./170 gms Directions For Use (continued):

## PUPPIES AND KITTENS

Do not use on puppies and litters under 4 weeks of age. For puppies and kitters over 4 weeks of age, treat the same as described for dogs.

PET'S SLEEPING QUARTERS For lumnels and living quarters, dust bedding and floor at the rate of 1 oz. per 50 sq. ft. of surface. Repeat as

STORAGE AND DISPOSAL STORAGE: Store in a cool, dry location. Do not contaminate water, food or feed by storage or disposal. Keep cap lightly closed when not in use to avoid moisture absorption. Do not transfer contents to other containers.

DISPOSAL: Do not reuse contamer. Wrap container in newspaper and put in trash.

> Sold Only Through Licensed Veteringhans 912 85-6829-03

SmithKline Beecham Animal Health West Chester, PA 19380

ACCEPTED!

SEP 1 2 1991

a l'ederal Insecticiue, Fungici te, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 37495-13

BEST MANAGE POPP