

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

April 22, 2003

Jean Butler
Pet Chemicals
PO Box 18993
Memphis, TN 38181-0993

Subject:

Revised Labeling per PR Notices 2001-1 and 2001-6

Adams Flea and Tick Dust II EPA Reg. No. 37425-13

Submission date: August 12, 2002

Dear Ms. Butler.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you make the following changes before you release the product for shipment bearing the amended labeling:

- 1. One page two of the labeling, the statement "Do not repeat treatment for one week" must be revised to read "Do not retreat within thirty days". See PR Notice 96-6.
- 2. On page two of the labeling, revise the statement "This product should not be applied by children" to read "Do not allow children to apply this product".
- 3. Revise the Note to Physician to read as follows: "Carbaryl is a N-methyl carbamate the inhibits cholinesterase. Atropine is antidotal. Do not use 2-PAM (pyridene-2-aldoxime methiodide), opiates or cholinesterase inhibiting drugs. Probable mucosal damage may contraindicate the use of gastric lavage."

Submit two copies of your final printed labeling before you release the product for shipment. A stamped copy is enclosed for your records. If you have questions, please contact

me at (703) 305-6736 or electronically at edwards.joanne@epa.gov.

Sincerely,

Joanne S. Edwards, Entomologist Insecticide-Rodenticide Branch Registration Division (7505C)

ADAMS FLEA & TICK DUST II


ODORLESS

RESIDUAL INSECTICIDE POWDER

Kills Fleas, Ticks, & Lice

FOR DOGS, PUPPIES, CATS, KITTENS OVER 12 WEEKS OF AGE

ACTIVE INGREDIENTS:	
Pyrethrins	0.10%
*Piperonyl Butoxide, technical	1.00%
**Carbaryl (1-Naphthyl	
N-Methylcarbamate)	12.50%
Silica Gel	10.00%
INERT INGREDIENTS:	<u>76.40%</u>
TOTAL	100.00%



- * Equivalent to 0.8% of butylcarbityl (6-propyl piperonyl) ether and 0.2% related compounds.
- ** Sevin Trademark of Union Carbide Corporation for Carbaryl.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Precautionary
Statements

NET CONTENTS: 4 OZ. (113 g)

MANUFACTURED BY:
PET CHEMICALS
P. O. Box 18993
Memphis, TN 38181-0993

EPA Est. No. 11715-TN-1

EPA Reg. No. 37425-13

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

HUMAN: Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

ANIMALS: Avoid contaminating animal's food or water. Avoid treatment of nursing animals. Do not treat puppies or kittens under 12 weeks of age. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

This product contains a cholinesterase inhibitor. Do not use this product on animals simultaneously or within 30 days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticides or chemicals. However, flea and tick collars may be immediately replaced.

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS, CATS, PUPPIES & KITTENS

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DOGS AND CATS: Use product only outside or in a well ventilated area. Wearing household latex or rubber gloves, dust entire animal, avoiding pet's eyes, nose, mouth and genital areas. Rub or brush pet's hair to work dust down to the skin. Consult a veterinarian before using this product on debilitated, aged, nursing animals, or animals on medication. Do not use on pregnant animals. Do not use on animals under 12 weeks of age. Do not repeat treatment for one week. Dust pet bedding and doghouse using a shaker can or other dust applicator. This product should not be applied by children.

	FIRST AID
IF SWALLOWED	 Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
	abel with you when calling a poison control center or doctor, or going for treatment. You M43 for emergency medical treatment information.
Contains an N-methyl carbama injection is antidotal.	NOTE TO PHYSICIAN/VETERINARIAN te that inhibits cholinesterase. Carbaryl is a cholinesterase inhibitor. Atropine by

USER SAFETY REQUIREMENTS

Wear long sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product. Change clothing as soon as possible after use. Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area. Do not contaminate water, food or feed by storage or disposal. Keep cap tightly closed when not in use to avoid moisture absorption. Do not transfer contents to other containers.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

{In case of emergency or for product use information call [7:30 a.m. thru 4:30 p.m. CS1
Monday thru Friday.}	•
{Phone numbers and days/hours of operations may vary}	

Ntsvr:/WORD/37425-13amend-08/12/02jb