PRECAUTIONARY STATEMENT WARHING

Adams Equine Residual Fly Mist/Wipe combines Oil of Aloe with other emollients to moisturize the skin and produce a show condition coat.

Contains two insecticide systems and two repellents for use on horses for immediate and residual control of face flies, stable flies, house flies, mosquitoes, gnats, mites, chiggers and lice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HORSES

Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with ADAMS KLEAN SHAMPOO. Wait until coat is completely dry before applying MIST/WIPE.

Cover entire surface of animal with spray, but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Brush coat against grain while spraying to insure adequate penetration of product. As a wipe, apply liberally with a clean cloth or sponge. Make sure spray has completely dried before covering with any tack.

DOGS

Cover animal's eyes with hand and with a firm, fast stroke to get a proper spray mist, spray head, ears and chest until damp. With finger tips, rub into face, around mouth, nose and eyes. Next spray neck, middle and hind quarters, finishing lets last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired animals, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks.

For initial treatment, apply Equine "Residual" Fly Mist/Wipe daily for 2 - 3 days. As infestation sublides, repeat treatment every 5 - 10 days or as prescribed by a veterinarian. Also re-apply every time animal is weshed or exposed to a heavy rain.

	•		••	•	•••	:
•	•••		:	•••		:
:	:::	٠.	••	··.	•	••

COAT CONDITIONERS
With LANOLIN, ALOE VERA and PABA SUNSCREEN
For HORSES - FOALS - DOGS - PUPPIES
REPELLENT SPRAY

CONTAINS TWO INSECTICIDE SYSTEMS AND TWO RE-PELLENTS FOR IMMEDIATE AND RESIDUAL CONTROL OF

Gnats - Flies - Mosquitoes - Mites - Chiggers - Fleas
Ticks and Lice

ATIME INCOCCIONAL.								
CTIVE INGREDIENTS:								
permethrin, [(3-phenoxyphenol) methyl (±) cis,trans-3							i-J	
(2,2-dichloroethyenyl) 2,2-timethyl cyclopropane								
carboxylate								0.20%
Pyrethrins								0.20%
*Piperonyl butoxide technical								0.50%
N-Octyl bicycloheptene dicarboximide								2.00%
Di-n-propyl Isocinchom wo hate								1.001
Butoxypolypropylene glycol								-5.00%

*Equivalent to 0.40% (butylcarbityli(E-propylpiperonyl) other and 0.10% of related compaunds.

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN — WARNING -See Side Panel for Precautionary Statements

EPA Est. No. 37425-FL-1' EPA Reg. No. 37425-17
NET CONTENTS 32 (L ez. / 146 ml.

PRECAUTIONARY STATEMENTS

HUMAN: Do not get on eyes, skin or clothing. May cause eye injury. Wear safety glasses or other appropriate eye protection Harmful if swallowed. Avoid breathing vapors. Wash hands with soap and water after using. Do not contaminate foodstuffs Remove contaminated clothing and wash before reuse. Do not smoke while using. If accidental contact occurs see statement of practical treatment.

ANIMAL: Avoid contact with eyes or mucous membranes. Avoid treatment of nursing puppies, kittens and foals under 6 weeks of age unless prescribed by a veterinarian.

PHYSICAL OR CHEMICAL HAZARDS: Flammable. Keep away from heat and open flame, Contains alcohol. Do not apply to painted or finished wood surfaces.

ENVIRONMENTAL HAZARDS: This product is toxic to fish Do not add directly to water. Do not apply where runoff is likely to pecur.

STATEMENT OF PRACTICAL TREATMENT

1F SWALLOWED: Call a physician or Poison Control Center Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Get medical attention if Irritation persists!

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL


Storage: Store in a cool, dry area awey from heat or open flame. Do not contaminate water, food or feed by storage or disposal. Do not transfer contents to other containers.

Disposal: Do not reuse empty container. Rinse thoroughly and wrep container in several layers of newspaper and discard in trash.

SmithKline Beecham Animal Mealth West Chester, PA 19380

BEST AVAILABLE COPY





. .

UMAN: Do not get in eyes, on shin or clothing. May cause eye injury, tear salety glasses or other appropriate eye projection. Hermful if wallowed, Avoid breathing vapors. Wash hands with soap and water ter using. Do not contaminate foodstutts. Remova contaminated lobbing and wash before reuse. Do not smoke while using, it accidental antest popula see statement of practical treatment.

2000


HIMAL: Avoid contact with eyes or mucous membranes. Avoid treatrent of nursing puppies under 6 weeks of age unless prescribed by a starinarian.

HYSICAL OR CHEMICAL HAZARDS: Flammable. Keep every from estand open fiame. Contains stochol. Do not apply to painted or Entered rood aurisces.

NYIRONMENTAL HAZARDS: This product is toxic to fish, Do not addirectly to water, Do not apply where runoil is likely to occur.

ETATEMENT OF PRACTICAL TREATMENT

- * SWALLOWED: Call a physician or Poison Control Center. Drink 1 or glasses of water and induce vomiting by touching back of throat with nger. Do not induce vomiting or give enything to an unconscious person. * WEYES: Flush with plenty of water. Get medical attention if kritation eralate.
- ON SKIN: Wash with plenty of soap and water. Gat medical attention irritation persists.



Coat Conditioners
With Langlin, aloe yera
And Pada Sunscreen
For Dogs - Puppes
Contains two unsecticide systems
And . Tud Repellents for immediate
Control of ticks

ACTIVE INCREDIENTS: Fermelirin, K3-phenoxyphenot methyl (±) c	is.
Wene-3(2,2-sichloroethyenyt) 2, 2-simethyl cyclopropene carboxytate	6.234
Pyrallulus	0.399
*Piperonyl butezide, technical	2.004
Di-n-propyl laocinchomeronate	. 1.00
ionical series and series of the series of t	5.004 . 51.104
TOTAL	100.004
* Equivalent to 0.40% but/icarbity (8-propylpiparonyl) 2.10% of related compayinds.	

KEEP OUT OF REACH OF CHILDREN
WARNING

See Side Panel for Precautionary Statements
EPA Est. No. 37425-FL-1 EPA Reg. No. 37425-17
Net Contents 32 tt. 02/946 mt

SmithKline Beecham Animal Realth West Chester, PA 19380 ADAMS TICK KILLER combines Oil of Aloe with other emotients to moisturize the skin. Contains two insecticide systems and sive repetents for use on dogs for immediate control of ticks.

DIRECTIONS FOR USE

it is a violation of Federal law to use this product in a manner inconsistent with its labeling.

0003

Cover animal's eyes with hand and with a firm, last croke to get a proper tyray milet, apray hand, ears and chest until damp. With langurings, rub into face around mouth, nose and eyes. Next spray neck, middle and hindquarters, finishing legs tast, for best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haved animals, rub your hand against the lay of the hair, apraying the nuffled hair directly behind the hand. Make sure apray thoroughly well ticks. For hills trasiment, apply ADAMS TICK KILLER daily for 2-3 days. As followed animals, and a second animals, and a second animals.

For Millal trainment, apply ADAMS TICK KULLER duity for 2-3 days. As infestation exhibitors, repeat treatment every 5-10 days or as prescribed by a veterinarian. Also reapply every time unimal is washed or exposed to heavy rain.

STORAGE AND DISPOSAL

SYORAGE: Store in a cool, dry area away from heat and open flame. Do not contaminate water, food or feed by storage or disposal. Do not transfer contents to other containers.

DISPOSAL: Do not reuse empty container. Rinse thoroughly and wren container in several layers of newspaper and decard in track.

Sold Only Through Licensed Veterinariana

1.50

2012 RS-6691

7-37 %





PRECAUTIONARY STATEMENTS

Hazarda to Humans and Domestic Animals

CAUTION

HUMAN: Harmful it swallowed or inhaled. Avoid breathing mist. Avoid contamination of food. Wash hands with soap and water after USING.

ANIFIAL: Avoid treatment of nursing puppies and futtens. If treatment is necessary, follow special instructions. Do not oversaturate, especially on cals. Avoid spraying of genital areas.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not add directly to water. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZ-ARDS: FLAMMABLE. Keep away from heat and open flame. Contains alcohol. Do not apply to painted or finished wood surfaces.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use Only in a Well Ventilated Area

DOGS AND CATS

Remove salety cap and insert sprayer. Cover animal's eyes with hand and with a firm, last stroke to get a proper spray mist, spray head, ears and chest until damp. With Imperties, rub into face around mouth, nose and eyes. Then spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the him, direct spray against the natural tay of the heir. On long haired dogs, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed.



INSECTICIDE, REPELLENT & DEODORANT

FOR DOGS - PUPPIES - CATS - KITTENS

KILLS FLEAS - LICE - TICKS TEMPORARILY REPELS GNATS - FLIES - MOSQUITOES

ACTIVE INGREDIENTS:			
Pyrethrins			0.15%
*Piperonyl butoxide, technical	 		1.504
N-Octyl bicycloheptene dicarboximide			0.50%
Di-n-propyl isocinchomeronate			
"INERT INGREDIENTS	 		.97.35%
TOTAL		•	

* Equivalent to 1,20% of butylcarbityl (6-propylpiperonyl) ether and .30% of related compounds. ** Inert ingredients include grooming additives to ease combing and

brushing of the coat to remove dead Reas, licks and lice. KEEP OUT OF REACH OF CHILOREN CAUTION

See Side Panel for Precautionary Statements EPA Est. No. 37425-FL-1 EPA Reg. No. 37425-12

Net Contents 32 fl. oz./946 ml

SmithKline Beecham Animal Health West Chester, PA

Directions For Use (continued):

NURSING PUPPIES AND KITTENS

Spray only along back or on your fingertips and rub into coat.

PET'S SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and local area of floors. If mosquiloes, gnats or flies are present, spray lightly into the air. Repeat as needed. The pet's bedding should be sprayed, making sure the area beneath the bedding is also sprayed. After spray has dried, remove old bedding and replace with Iresh bedding. Treat pets with one of our registered flex and tick control products before allowing them to enter treated area.

HORSES

To control stable flies, horse flies, deer thes and face tiles, apply to face, legs, flanks, lop line and other body areas commonly attacked by these flies. Repeat treatment as needed

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat and riper flame. Do not conta ninate water, food or feed by storage or disposal. Do not transfer contents to Other containers

DISPOSAL: Do not reuse container. Rinse thoroughly and wrap container in several layers of newspaper and discard in Irash.

905 85-6834-01



