



HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HUMAN: May cause eye injury. Harmful if swellowed or inhaled. Avoid breething mist. Avoid contact with skin, eyes or clothing. Remove contaminated clothing and wash before reuse. Wash hands with soap and weter after using. Do not contaminate foodstuffs. Do not smoke while using. If accidental contact occurs, see statement of practical treatment.

ANIMAL: Avoid contact with eyes or mucous membranes. Avoid treatment of nursing pupples, kittens or foals under 6 weeks of age.

PHYSICAL OR CHEMICAL HAZARDS: Keep away from heat and open flame. Do not apply to painted or finished wood surfaces.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water. Do not apply where runoff is likely to occur.

CAUTION: Do not use on horses intended for food.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash with plenty of soop and water. Get medical attention if irritation persists.

INDICATIONS: Adams Animal Repellent Concentrate contains two insecticide systems and two repellents for use on animals for immediate and temporary control of face flies, stable flies, horse flies, deer flies, fleas, ticks, mosquitoes, gnats, mites chiggers, lice and house flies.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

HORSES

Thoroughly brush the horse's coat, prior to application, to remove loose dirt and debris. For dirty horses, and as a preparation for show grooming, clean the coat with Adams Klean Shampoo. Use at a 1 to 4 ratio with water. Put required amount of concentrate into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray).

Cover entire surface of animal with spray, but avoid getting product into horse's eyes or other sensitive areas such as mouth or nose. Spray horse's coat especially around shoulders, flanks, neck and legs. Brush coat against grain while spraying to insure

FOR HORSES - FOALS - DOGS
PUPPIES - CATS - KITTENS
With PYRETHRINS, PERMETHRIN, LANOLIN,
ALOE VERA and PABA SUNSCREEN
FOR IMMEDIATE AND TEMPORARY CONTROL OF
Face Flies - Stable Flies - Horse Flies - Dee: Flies - Flees
Ticks - Mosquitoes - Grats - Mites - Chiegers - Lice
Repols House Flies 2 - 3 Days

| ACTIVE INGREDIENTS: | |
|---|---------|
| Permethrin ${ m I}$ (3-phenoxyphenol) methyl (\pm) cis, | |
| trans-3(2,2-dichloroethyenyl) 2,2-dimethyl | |
| cyclopropane carboxylate | . 1.00% |
| Pyrethrins | . 0.50% |
| Piperonyl butoxide, technical | . 1.85% |
| N-Octyl-bicycloheptene dicarboximide , | . 3.10% |
| Di-n-propyl isocinchomeronate, | 1.25% |
| 2.3:4.5-bis (2-butylene) tetrahydro-2-furaldehyde | 1.25% |
| INERT INGREDIENTS | 91.05% |
| TOTAL | 100.00% |

KEEP OUT OF REACH OF CHILDREN — CAUTION —

*Equivalent to 1.48% of (buty/carbityl)(6-propylpiperonyl)

See Side Panel for Precautionary Statements

EPA Est. No.37425-F.L-1

ether and 0.37% of related compounds.

EPA Reg. No. 37425-21

NET CONTENTS 18 ft. ez./473 ml.



adequate penetration of product. Make sure application has completely dried on heir coat before covering with tack. As a wipe, apply liberally with a clean cloth or sponge. For initial treatment, apply Adams Animal Repellent Concentrage delly. As infestation subsides and protection builds, reapply every 2 - 3 days as needed. Also, reapply every time animal is washed or exposed to a heavy rain.

DOGS AND CATS

Cover animal's eyes with hand and with a firm, fast stroke, to get a proper spray mist, spray head, ears and chest until damp. With finger tips, rub into face, around mouth, nose and eyes. Next spray neck, middle and hind quarters, finishing legs last. For best penetration of spray to the skin, direct spray against the natural lay of the hair. On long haired animals, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks.

For initial treatment, apply Adams Animal Repellent Concentrate at a 1 to 4 ratio with water. Put the required amount of concentrate into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray). As infestation subsides and protection builds, reapply every 2-3 days as needed or as prescribed by a veterinarian. Also reapply every time animal is washed or exposed to a heavy rain. Depending on reinfestation levels in the animal's environment, extended insecticide and repellent actions have been demonstrated with Adams Animal Repellent Concentrate containing stabilized pyrethrins.

*U.S. Patent Pending

FOR KENNEL AND YARD SPRAY: Thoroughly mix concentrate as a 1 to 4 ratio with water. Put the required amount into sprayer or mixing container and add appropriate amount of water (one pint of concentrate makes five pints of spray). Remove animals before spraying. Spray only ground, grass, runs and pet's quarters. Do not spray vegetation, plants or trees with this concentration. Repeat treatment if necessary.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat and open flame. Do not contaminate water, food or feed by storage or disposal. Do not transfer contents to other containers.

DISPOSAL: Do not reuse container. Rinse thoroughly and wasp container in several layers of newspaper and discard in trash.

Adams Veterinary Research Laboratories, Inc. P.O. Box 971039 — Miami, Florida 33197

NOT REVIEWED

In Accordances with 10 Hotice 82-2.

Based on Druft I. 1. 1. 1. Dated 2

5-19-86