ABAMS[™] 14 DAY FLEA DIP

JULY 7, 1988 Under the Act, as amended, for the periods separated under the period separated under the periods se

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

HUMAN: Causes eye injury. Do not get into eyes or on clothing. Wear safety glasses or eye protection. Harmful if swallowed or absorbed through the skin, Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequent repeated skin contact may cause allergic reactions to some individuals.

ANIMAL: Avoid contact with eyes or mucous membranes. Avoid treatment of nursing pupples and littlens under 6 months of age unless prescribed by a veterinarian.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not add to water. Do not apply where runoff is likely to occur.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water, Get medical attention. IF ON SKIN: Wash with soap and water, Get medical attention if irritation persists.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE

COAT CONDITIONERS
With Aloe Vera Extract, Lanolin and Sunscreens
For DOGS.& CATS

KILLS

FLEAS - TICKS - LICE
Repels Gnats, Mites, Mosquitoes, Chiggers and Flies
ACTIVE INGREDIENTS:

Permethrin,I (3-phenoxyphenol) methyl (±) cls, trans-3 (2,2-dichloroethyenyl) 2,2-diemethyl	
cyclopropane carboxylate	3.•4
Pyrethrins	034
*Piperonyl Butoxide, tech.	
N-Octyl bicycloheptene dicarboximide	
2,3:4,5-bls (2-butylene) hydro-2-furaldehyde	
Di-n-propyl isocinchomeronate	4.00%
INERT INGREDIENTS	78.70%
TOTAL	

*Equivalent to 2.904% of butylcarbityl (6-propylpiperonyl) ether and .726% of related compounds.

KEEP OUT OF REACH OF CHILDEN DANGER

See Side Hanel For Precautionary Statements

RECOMMENDED FOR USE BY LICENSED VETERINARIANS ONLY

U.S. Patent No. 4,668,666

EPA Est. No. 37425-FL-1 EPA Reg. No. 37425-22

Net Contents 4 fl. oz./120 ml.

DOGS AND CATS: To kill fleas, ticks and lice thoroughly mix one ounce (2 tablespoons) of Adams 14 Day Flea Dip with 1 gallon of warm water. For outdoor animals in areas of severe intestation, two ounces (4 tablespoons) may be used. If animal's cost is dirty, bathe first with Adams Flea and Tick Shampoor Adams Tearless Shampoo. Dip should be applied to dry or damp (not wet) cost. Dip animal with diluted Adams 14 Day Flea Dip making sure all areas are soaked to the skin. Let drip dry on animal. DO NOT RINSE OFF. Used concentration can be retained and reused up to 30 days, but must be stirred thoroughly before dipping animal with solution. Dependent on reinfestation levels in the animal's environment, extended insecticide and repellent activity up to 14 days against fleas on dogs and cats; 9 days against ticks on cats and 4 days against ticks on dogs has been demonstrated with Adams 14 Day Flea Dip.

ANIMAL'S ENVIRONMENT: For comprehensive control of fleas, ticks and biting flies, it is essential to control both eggs and larvae which occur both indoors and outdoors. To control fleas and ticks on animal premises, use Adams Anti-Crawl premise spray or other EPA registered insecticide premises sprays.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame. Do not contaminate water, food or feed by storage or disposal. Do no' ransfer contents to other containers.

DISPOSAL: Do not reuse container. Rinse thoroughly and wrap container in several layers of newspaper and discard in trash.

Sold Only Through Licensed Veterinarians

884 CS-ARTS



Subsidiary of Norden Laboratories, Mlami, FL 33197, U.S.A.

A