

PM-10

Reg # 37425-32

19 1-

ACCEPTED

MAY 1996

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this product is registered under 37425-32
EPA Reg. No. (continued)

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING

HUMAN: Causes substantial but temporary eye irritation. Do not get in eyes or on clothing. Wear safety glasses. Harmful if swallowed or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ANIMAL: Avoid treatment of pets under 6 weeks of age. If treatment is necessary, use special instructions. Do not oversaturate, especially on cats. Avoid spraying of genital areas.

ENVIRONMENTAL

HAZARDS: This product is toxic to fish. Do not add directly to water. Do not apply where runoff is likely to occur.

PHYSICAL OR CHEMICAL HAZARDS:

FLAMMABLE. Keep away from heat and open

flame. Contains alcohol. Do not apply to painted or finished wood surfaces.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling:

Use Only in a Well-Ventilated Area

DOGS AND CATS

Remove safety cap and insert sprayer. Cover animal's eyes with hand and with a firm, fast stroke to get a proper spray mist, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Then spray neck, middle and hindquarters, finishing legs last. For best penetration of spray to skin, direct spray against the natural lay of the hair. On long haired dogs, rub your hand against the lay of the hair, spraying the ruffled hair directly behind the hand. Make sure spray thoroughly wets ticks. Repeat treatment as needed.

ESBIOTHRIN FLEA AND TICK MIST

INSECTICIDE, REPELLENT & DEODORANT FOR DOGS-PUPPIES-CATS-KITTENS

KILLS FLEAS-TICKS-LICE

TEMPORARILY REPELS GNATS-FLIES-MOSQUITOES

ACTIVE INGREDIENTS:

Esbiothrin	0.30%
N-Octyl bicycloheptene dicarboximide	0.50%
Di-n-propyl isocinch-omeranate	0.50%
Inert ingredients	98.70%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

See Side Panel for Precautionary Statements

EPA Est. No. 37425-FL-1
EPA Reg. No. 37425-32

Net Contents 32 fl.oz./946 ml

**Pfizer Animal Health
Exton, PA 19341**

Directions for Use (continued)
NURSING PUPPIES AND KITTENS

Spray only along back or on your fingertips and rub into coat.

PET'S SLEEPING QUARTERS

Spray around baseboards, windows, door frames, wall cracks and local area of floor. If mosquitoes, gnats or flies are present, spray lightly into the air. Repeat as needed. The pet's bedding should be sprayed, making sure the area beneath the bedding is also sprayed. After spray has dried, remove old bedding and replace with fresh bedding. Treat pets with one of our registered flea and tick control products before allowing them to enter treated area.

HORSES

To control stable flies, horse flies, deer flies and face flies, apply to face, legs, flanks, top line and other body areas commonly attacked by these flies. Repeat treatment as needed. Do not use on horses intended for food.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat and open flame. Do not contaminate water, food, or feed by storage or disposal.

DISPOSAL: Do not reuse container. Rinse thoroughly and wrap container in several layers of newspaper and discard in trash.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water for 15 minutes. Call a physician.

IF SWALLOWED: Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are unavailable, drink large quantities of water. Induce vomiting by touching the back of the throat with finger. Do not induce vomiting in an unconscious person. Avoid alcohol.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

Sold Only Through Licensed Veterinarians