(Chlorinating Solution)

ACTIVE INGREDIENT: SUDIUM HYPOCHLORITE.....

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water, if in eyes, flush with water for at least 15 crimites. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give venegir or other acids. Do not induce vomiting. Get prompt medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage, May be fetal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors nave dissipated.

ENVIRONMENTAL MAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or pords. Treated affluent - annot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Potential Page 1997. mental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions, Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and m icous membranes.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistant with its labeling.

DIRECTIONS FOR SWIMMING POOL CHLORINATION

For a new pool or for spring start-up, superchlorinate with one (1) pint (16 flu, ozs.) of sodium hypochlorite solution for each 2500 gzillons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

by weight.

FOR POOL MAINTENANCE

A) Adjust pool water pH to 7.6 7.2 range and maintain.

B) Add manually or by a feeder device, sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm, One half pint (8 flu, ozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight, Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and number of swimmers. Use test kit to make certain the pH and chlorine residual are in the proper range.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chloring.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight, in case of spill, flood area with large quentities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved land fill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning or equipment.

SODIUM HYPOCHLORITE HAMILTON LAWN AND POOL SUPPLIES 1301 N. Dixie Highway Pompano Beach, Florida 33060 Phone (305) 781-0432

EPA REG. NO. 37430-1

EMA EST NO. 37420 FL-1

Ŵ.

NET CONTENTS: 2.5 GALLONS

DATE PACKAGED:

NOT FOR USE AFTER:

177.0 1 1981 e teral lastre (17). (Padane dile A.4 .. i. the perticide . Mer I ader EPA Roy. Ho.