

ACCEPTED

25 AUG 1978

37471-1

UNDER THE FEDERAL INSECTICIDE ACT
EPA REG. NO. 37471-1
EPA EST. NO. 37471-1
EPA UNDER NO. 37471-1
IC ATTACHED COMMENTS

SODIUM HYPOCHLORITE SOLUTION

"FOR SWIMMING POOL CHLORINATION AND SANITIZING."

ACTIVE INGREDIENT

SODIUM HYPOCHLORITE

9.2%

INERT INGREDIENTS

90.8%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. May cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not get on until fumes have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, ponds, etc. Treated effluent may not be discharged into lakes, streams, ponds, or public waters without a valid discharge permit. For guidance, consult the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with organic filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

NEPTUNE POOL SERVICE, INC.

4832 Candia Street

Cape Coral, FL 33904

EPA REG. NO. 37471-1 EPA EST. NO.

NET CONTENTS

DIRECTIONS FOR USE GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION

1. Always start with a superchlorinate with one (1) pint (16 fl. oz.) of this sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 1 ppm available chlorine by weight.

2. Maintain a level of 0.6 to 1.0 ppm available chlorine by weight.

3. Add manually or by a feeder device this sodium hypochlorite solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. One half pint (8 fl. oz.) of this sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend upon temperature and number of swimmers. Adjustments to maintain the proper chlorine residual are in the proper range.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS

1. Mix this sodium hypochlorite solution in the ratio of one part sodium hypochlorite solution to 9 parts softened water. Mix sodium hypochlorite solution and water thoroughly and feed the solution with a hypochlorinator (metering pump). Maintain a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system as determined by a DPD chlorine test kit. Bactericidal treatment must be continued at a frequency no less than that prescribed by the local health department. Drinking Water Regulations. Check water frequently with a DPD chlorine test kit.

2. For use in the water supply system for other sets.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT

1. Clean equipment in the normal manner. Just before using, rinse all surfaces thoroughly with this sodium hypochlorite solution containing 200 ppm available chlorine. Maintain contact with disinfectant for a minimum of two minutes. Do not rinse with water after treatment with sodium hypochlorite solution. Do not soak overnight. Addition of 1/2 fluid oz. (2 fl. oz.) of this sodium hypochlorite solution per 4 gallons of water will provide approximately 200 ppm available chlorine by weight.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to maintain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product residue that cannot be used should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed storage, feed, or drinking equipment.