

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 37568-1	DATE OF ISSUANCE SEP 24 1985
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Extra Value Dusting Sulfur	

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION
 (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

[Lykes Agri Sales P.O. Box 97 Dade City, FL 34297-0097 L	656 157219 17 1
--	--------------------

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.
 Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Registration Standard Guidance package, EPA has reregistered the product listed above. This registration is granted under the authority of Section 3(a) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comment listed below. Five copies of the final labeling must be submitted.

- 1. Add paragraph 11 A-7 from PR Notice 83-2, Farmworker safety.

Henry M. Jacoby
 Product Manager (21)
 Fungicide-Herbicide Branch
 Registration Division (TS-767)

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *Henry M. Jacoby* DATE: 9/24/85

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION

Harmful if inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in air ignites easily. Keep away from heat, sparks, and flame. Do not smoke while applying this product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT: Do not re-enter treated crop area prior to 24 hours after application.

GENERAL WORKER PROTECTION STATE-

MENTS: Do not apply this product in such a manner as to directly, or through drift, expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until dusts have settled.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration; or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



LYKES



AGRI SALES

ACCEPTED
with COMMENTS
to EPA Letter Dated

REREGISTERED
SEP 24 1985

Under the Federal Insecticide,
Fungicide, and Herbicide Act
as amended, for the pesticide
registered under EPA Reg. No.
37568-1

**EXTRA VALUE
DUSTING SULFUR**

50 Lbs. Net Weight

ACTIVE INGREDIENTS:

Sulfur 93.0%

INERT INGREDIENTS:..... 7.0%

Sulfur Fineness: 93% Passing No. 325 U.S. Sieve . . . 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENTS OF PRACTICAL TREATMENT

If on skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Flush with water for at least 15 minutes and get medical attention.

See side panel for additional precautionary statement.

Manufactured By

LYKES AGRI SALES
P. O. Box 1685
Eaton Park, Florida 33840

EPA Reg. No. 37568 - 1
EPA Est. No. 37568 - FL - 03

**OBSERVE THE FOLLOWING
USE PRECAUTIONS**

Sulfur may cause severe fruit and foliage injury to certain crops. Use only if local use has proved that sulfur does not damage crops in your area. Sulfur may burn foliage when temperature is high. Do not apply if temperature during, or within 3 days after application is expected to exceed 90° F.

When growing crops for processing, consult the processor before applying sulfur.

Do not use sulfur within 3 to 4 weeks of an oil spray.

APPLES: Scab, Powdery mildew. Apply 30 to 40 lbs. per acre. Make first application in Green Tip Stage. Repeat application in Pink Bud Stage. Use low rate on smaller trees, increasing rate according to size of tree. Use high rate on larger trees. Use on sulfur tolerant varieties only.

CITRUS: Six Spotted and citrus rust mites. Apply 80 lbs. per acre; (½ to 1-½ lbs. per tree, depending on size, for citrus rust mite in Florida). Citrus flat and Yuma spider mites. Apply 100 lbs. per acre; citrus thrips - Apply 100 lbs. per acre in three applications; mid-March, Petal fall and 2-4 weeks later. Do not apply within 3 to 6 weeks of an oil spray.

PEACH, NECTARINE: Brown rot blossom blight, Fruit brown rot, Coryneum blight, Rust, Peach silver mite, Powdery mildew. Apply 50 lbs. per acre at Blossom, Petal-fall, Shuck-fall, and four weeks before harvest.

BEANS: Powdery mildew, Rust, Spider mites. Apply 15-30 lbs. per acre. For Rust control, start applications as soon as the first true leaves form and continue at weekly intervals until blossom time.

CAUTION: May cause injury to some varieties of beans. Use low rate when plants are small; increase rate as plants increase in size. Use high rate on larger plants. Use high rate when infection is severe.

COTTON: Atlantic mite, Cotton rust. Apply 25 to 30 lbs. per acre. For Rust control, start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. Use low rate when plants are small; increase rate as plants increase in size. Use high rate on larger plants. Use high rate when infection is severe.

PEAS: Powdery mildew. Apply 15 to 20 lbs. per acre. Begin application at first bloom or first disease appearance. Continue applications at weekly intervals until 4 days prior to harvest. Use the low rate when plants are small; increasing to the high rate as plants grow larger. Use the high rate during cool, humid weather or following application of irrigation water. Use the high rate if infection is severe.

PEANUTS: Rust, Leaf spot. Apply 15 to 20 lbs. per acre. Begin applications at first appearance of disease. Continue applications at 14 day intervals, until 4 days prior to harvest. Use the low rate when plants are small, increasing to the high rate when plants are 35 days old. Use the high rate if infection is severe.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose