REG. #37568-2

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460

37568-2

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION REPRESISTRATION

(Under the Federal Insecticide, Funticide, and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Wettable Sulrur

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

_

Lykes Agri Sales P.O. Box 97 Dade City, FL 34297-0097

656 158 956 17

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your -- spinse to the Registration Standard Guidanic package, SPA has reregistered the ground disted above. This registration is granted uncer the authority or Section 3(g) of the Federal Insecticies, Funqueide, and Rodenticide Act (FirPA), as amended.

The lancing referred to above, submitted in composion with registration under the edera: Insecticide, Fungicide, and Rodenticide Act, is acceptable suggest to the comment dister below. The copies of the finished can ling sust be sebmitted.

- 1. Remove the statement "Do not enter treated areas without projective clothing until sprays have dried."
- Add paragraph II A-7 from Pa Notice 87-2, Paraworker Salety.

Henry M. Jacoby Product Minager (21) Pungicted - Herbicid - Branch registration Digision (To-7:7)

				15				

SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-74)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND, DOMESTIC ANIMALS

CAUTION

÷

Hermful If Inheled or absorbed through skin, Avoid breathing spray mist, Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before re-use.

: ENVIRONMENTAL HAZÁRDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wester. Do not apply when weather conditions fevor drift from treated areas.

PHYSICAL AND CHEMICAL HAZARDS

Sulfur dust suspended in sir ignites essity.
Keep away from heet, sparks, and fiame. Do not smoke while applying this product.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT: Do not re-enter treatdrop area prior to 24 hours after application.

ENERAL WORKER PROTECTION STATE-

MENTS: Do not apply this product in such a manner as to directly, or through drift, expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive re-entry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry place.

PESTICIDE DISPOSAL: Waster resulting from the use of this product must be disposed of on site, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration; or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.



Under the Finderal Innecticide, Fungicule, and iludenticide Act as Amendai, and the posticide registered under EPA Reg. No.

37568-2

WETTABLE SULFUR

50 Lbs. Net Weight

ACTIVE INGREDIENTS:
Sulfue90.0%
INERT INGREDIENTS:10.00%
Sulfur Fineness:93% Passing No. 325 U.S. Sieve100.0%

KEEP OUT OF REACH OF CHILDREN fruit and greasy spot of leaves.

CAUTION

STATEMENTS OF PRACTICAL TREATMENT

If on skin: Wash with plenty of soap and water. Get medical attention.

If in Eyes: Flush with water for at least 15 minutes and get medical attention.

See side panel for additional precautionary statement.

Manufactured By

LYKES AGRI SALES P. O. Box 1685 Eaton Park, Florida 33840

EPA Reg. No. 37568 - 2 EPA Est. No. 37568 - FL • 03

OBSERVE THE FOLLOWING USE PRECAUTIONS

Sulfur may cause severe fruit and foliage injury to a certain crops. Use only if local use has proved that sulfur does not demage crops in your area. Sulfur may burn foliage when temporature is high. Do not apply if temperature during or within 3 days after application is expected to exceed 90° F.

Do not use within 2 weeks of an oil spray treatment or on citrus within 80 days. When growing crops for processing consult the processor before applying sulfur.

APPLES, PEARS: Scab, Powdery Mildew: Use 6 to 8 lbs. per 100 gals. Reduce Sulfur to 2 lbs. If hot weather threatens. Make first application in Green Tip Stage. Repet; application in Pink Bud Stage.

CITRUS: Rust Mites: Use 10 to 18 lbs. per 100 gals. Begin application at first sign of damage and repeat as necessary. Rust mites should be controlled at all times of the year to prevent russeting of fruit and greasy spot of leaves.

PEACH: Brown rot blossom blight, Fruit brown rot, Scab: Use 6 to 8 lbs. per 100 gallons in Pink, cover, and pre-harvest sprays.

BEANS, PEAS: Powdery Mildew, Rust: Use 6 to 8 lbs. in sufficient water to cover. Start application as soon as the first true leaves form. Repeat every 8 to 14 days as necessary.

IMPORTANT: Use higher dosage rates during periods of heavy rainfall or rapid growth. Keep new growth covered with light uniform coating.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty or merchantability or fitness for a particular purpose express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.