

U.S. ENVIRONMENTAL PROTECTION AGENCY
REGISTRATION DIVISION (22-917)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

37589-6

DATE OF ISSUANCE

DATE OF ISSUANCE

APR 16 1990

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Mountain Stream Bacteriostatic
Renaturalizer Water Unit

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Registered, Inc.
442 South Dixie Highway East
Pompano Beach, FL 33069

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is hereby registered in accordance with FIFRA sec. 4(d)(7)(A) provided that you:

1. Submit/submit data required for registration/reregistration of your product under FIFRA sec. 4(d)(7) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 37589-6."
 - b. Revise "Silver (or metallic silver)" to read
Metallic Silver
 - c. Decimal point in the ingredient statement must be aligned.
 - d. It is preferred that the ingredient statement appear directly below the product name.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

e. Revise

"...efficiency of the unit in removing chlorine, color, and taste..."

to read

"...efficiency of the unit in removing chlorine taste, color and odor..."

- f. Clearly indicate that this unit is an under counter In/line Unit.
- g. Provide an approximation of the useful life of filter.

Revise

"...200 gallons of water per day"

to read

"...200 gallons of water per day for a period of one year".

3. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosures

BEST AVAILABLE COPY

Bestech, Inc.

Page 1 of 1

MOUNTAIN STREAM

**BACTERIOSTATIC
RENATURALIZER
WATER UNIT**

↑
UP

↑
UP

KEEP OUT OF REACH OF CHILDREN
...CAUTION...

ACTIVE INGREDIENT:
Silver (as metallic silver) 0.08%

INERT INGREDIENTS 99.92%

**FOR PROPER USE REFER TO
FURNISHED INSTRUCTIONS.**

CONTAINER DISPOSAL:

When unit is exhausted call your dealer for media replacement or wrap securely in newspaper and dispose with trash

EPA Registration No. _____
EPA Establishment No. 37589-FL-1

Bestech Inc.
442 South Dixie Highway, East
Palm Beach, Florida 33480
(305) 786-4888

NET CONTENTS

**ONE (1) MOUNTAIN STREAM BACTERIOSTATIC
WATER RENATURALIZER**

APR 10 1990

37589 6

BEST AVAILABLE COPY

MOUNTAIN STREAM
BACTERIOSTATIC RENATURALIZER WATER UNIT
WHOLE HOUSE INSTALLATION

ACCEPTED
DATE: 4/16/90

APR 16 1990
37589-6

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INSTALLATION AND OPERATION INSTRUCTIONS

The Mountain Stream Bacteriostatic Renaturalizer Water Unit is a unit designed to improve the quality of your present water supply. It should be plumbed into the main supply line into the house.

CAUTION:

Do not run hot water into this unit. It is not for use on uncertain water supplies. This unit is designed for use on municipally treated tap water or with wells that have been tested for bacteriological safety.

- #1. Plumb incoming water supply line to inlet of unit.
- #2. A. The unit must be flushed before connecting the outlet. Allow water to flow at a high rate for 5 - 10 minutes or until it is clear. The discharge can be collected in a bucket or a garden hose adapter may be used. Do not use this water.
- B. If unit is equipped with optional back wash system, put in service position for 1 minute, then through a regular back-wash cycle. Place in service position until it runs clear. Do not use this water.
- #3 Connect the outlet into the house supply line. Unit is now ready for service.

The Mountain Stream Bacteriostatic Renaturalizer Water Unit is effective through 75,000 gallons of water. It is estimated that a family of three will use 200 gallons of water per day. An indication of exhaustion would be a loss in efficiency of the unit in removing chlorine, color and taste or if the flow of water begins to diminish. At first sign of exhaustion, call your Mountain Stream Bacteriostatic Renaturalizer Water Unit dealer to replace the media.

SPECIFICATIONS

For Cold Water Use Only	
Maximum Flow Rate	8 G.P.M.
Maximum Operating Pressure	100 PSI
Unit Material	Fiberglass

BEST AVAILABLE COPY

REPLACEMENT OF MEDIA
MOUNTAIN STREAM BACTERIOSTATIC WATER RENATURALIZER

DIRECTION FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The replacement of the Media is to be done only by a trained representative of your Dealer.

1. Shut off water and relieve pressure to the unit. Disconnect supply lines and remove the closure cap. Place a heavy duty trash bag over the top of the unit. Pick the unit up with the bag in place, invert and shake until empty.
2. With running water, rinse the side walls and the distributor tube. Empty the residue into the plastic bag. Three rinse cycles are required.
3. DISPOSAL: Securely wrap bag in several layers of newspaper and discard with trash. CAUTION: KEEP OUT OF REACH OF CHILDREN.
4. Inspect the tube and distributor closely. Replace as necessary.
5. Add one (1) pint of household bleach (5.25% sodium hypochlorite) to the tank and fill with water completely. Place distributor tube in the tank. Let stand for 45 minutes. Empty tank completely.
6. Place tape over open end of distributor tube. No gravel or media should be allowed to fall into the distributor tube. Center the tube in the tank and add 14 lbs. of filter gravel. Shake for even distribution. Add 20 lbs of the granular activated carbon media along with 3 lbs. of the silver carbon media. Precautions should be taken to avoid inhalation of dust. Remove tape from distributor tube and replace closure cap.

Refer to installation for initial start-up.

BEST AVAILABLE COPY

APR 16 1990

37589-6