

PM 31

37589-8

10/5

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

37589-8

DATE OF ISSUANCE

OCT 28 1996

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Next Generation

NOTICE OF PESTICIDE: ☐ REGISTRATION
☐ REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Bestech, Inc.
442 South Dixie Highway Road
Pompano, FL 33060

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:


1. Submit /cite all data required for registration/reregistration of your product under FIFRA section 3(c) (5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment: (Main Label).

- Add the phrase "EPA Registration No. 37589-8."
- Include the appropriate EPA Establishment No. 37589-FL-1.
- In the proposed label, delete the statement: "with X-462 TM from below the product name, it is misleading.
- Revise the statement, "The Next Generation is a unit designed to improve the quality of the present water supply," to read as follows; "The Next Generation improves the quality of water."

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE

- e. Place the appropriate instructions for the disposal of the container and spent media. These instructions should read as follows:

"Disposal. Do not reuse empty container. Discard empty container in the trash. Wrap spent media in newspaper and discard in the trash."

- f. The user must have some method of determining when the filter is no longer effective and when a replacement is necessary. Identify the usage factors which indicate that the maximum gallon capacity of the unit has been reached. For example, "This unit has a capacity of up to _____ gallons. It is capable of treating X gallons of cold tap water daily for a period of 12 months. Towards the end of the 12 months you will notice a diminishing water flow. This will indicate that the unit is nearing the end of its useful life."
- g. Place the following statements, "Use with cold water only", "This product inhibits the growth of bacteria in the filter", and "This product is designed to remove objectionable tastes, odors, and color from municipally treated tap water."
- h. Include the statements:

DIRECTIONS FOR USE

to appear directly above the statement:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


- i. Indicate clearly the total gallonage this unit will treat.

A stamped copy of the labeling is enclosed for your records.

Submit one copy of final printed labeling before releasing the product in channels of trade with the revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Sincerely,

A handwritten signature in dark ink, appearing to be 'M. J. Johnsons', written over the word 'Sincerely,'.

Marion J. Johnsons
Product Manager (31)
Antimicrobial Program Branch
Registration Division (7505C)



NEXT GENERATIONTM

**BACTERIOSTATIC
WATER CONDITIONER**

with **X-462**TM

ACTIVE INGREDIENT:

Silver(as metallic).....0.10%

INERT INGREDIENTS:.....99.90%
100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FOR PROPER USE REFER TO FURNISHED INSTRUCTIONS

When unit is exhausted call your dealer for media replacement . This product will provide bacteriostatic protection for up to 125,000 gallons. However, media may become exhausted before that capacity due to local water quality. We suggest service if objectionable tastes or odors occur. Otherwise, change media yearly.

ACCEPTED
with COMMENTS
in EPA Letter Based

OCT 28 1996

Under the provisions of the Federal Insecticide, Fungicide, and Rodenticide Act, this product is hereby registered for use as a bacteriostatic water conditioner.

37589-8

**EPA Registration No.
EPA Establishment No. 37589-FL-1**

BESTECH, inc
Pompano Beach, Florida

Net Contents
One(1) Next Generation Water Conditioner

Bestech, Inc.

Next Generation

Installation

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INSTALLATION AND OPERATION INSTRUCTIONS

The Next Generation is a unit designed to improve the quality of the present water supply. It should be plumbed into the main supply line to the house.

CAUTION

Do not run hot water into the unit. It is not for use on uncertain water suppliers. This unit is designed for use on municipally treated tap water or with wells that have been tested for bacteriological safety.

- #1. Plumb incoming water supply to inlet of unit.
- #2. Unit should be flushed on service at a high flow rate for 5-15 minutes or until it runs clear. Do not use this water.
- #3. Place unit in service mode and initiate a regeneration cycle. After complete cycle, unit is ready to use.

The Next Generation has a 30,000 grain capacity for conditioning. The silver impregnated activated carbon media will have a capacity of 125,000 gallons before changing. Contact your dealer for a carbon media change.

SPECIFICATIONS

For Cold Water use only

Maximum flow rate

9 GPM

Maximum Operating Pressure

100 psi

ACCEPTED
WITH COMMENTS
IN EPA Letter Dated

OCT 28 1986

37589-8