


CLEANER
SANITIZER



DEODORANT
DISINFECTANT

PIONEER DISINFECTANT

ACTIVE INGREDIENTS:

- n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chlorides.....4.5%
- n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl ethylbenzyl ammonium chlorides.....4.5%
- Tetrasodium ethylenediamine tetraacetate.....2.0%
- Sodium Carbonate.....4.0%


INERT INGREDIENTS:..... 85.0%

E.P.A. Reg. No: 37064-4 E.P.A. EST. # 37064-MN-1

DANGER KEEP OUT OF REACH OF CHILDREN

See side panel for first aid and additional precautions. **CONTAINER DISPOSAL:** When empty, rinse out thoroughly with water and destroy by crushing or burying in a safe place.

**PIONEER CHEMICAL
LABORATORIES**
Minneapolis, Minnesota



Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (1.4 ounces per 5 gallons of water). Sanitized surfaces which may come in contact with food must be rinsed with clean water of drinking quality. This product when used on environmental, inanimate, hard surfaces at 1 ounce per gallon of water, is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

Phenol Coefficients	
Guaranteed Minimum	
S. aureus	78
S. typhosa	48

**DANGER
KEEP OUT OF
REACH OF CHILDREN**

Severe eye irritant. May cause eye and skin damage. Do not get in eyes or on skin or clothes. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID. Eyes: In case of contact with eyes flush immediately with plenty of water for 15 minutes. Get prompt medical attention.

Skin: In case of contact with skin flush immediately with plenty of water for 15 minutes.

Clothing: Remove and wash contaminated clothing before reuse.

Internal: If swallowed do not induce vomiting. Drink large amounts of fluid and get medical attention immediately.

NOTE TO PHYSICIAN: PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAVAGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.

ACCEPTED
NOV 19 1975
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 37064-4

gicide
ch as,
be of
from

pitals,
itions.
Food

occlus

ent of
aces
water

against
led

against

op and

ACCEPT
July 13, 19
UNDER THE FEDERAL
FOR ECONOMIC POISON RE
ED UNDER NO. 13805-4

SOUTHERN TESTING AND
RESEARCH LABORATORIES

DANGER 376

DIRECTIONS:

- 1) In freshly filled pools or pools showing no visible algae growth add one gallon Nox-Alge per 50,000 gallons of water to prevent algae growth.
- 2) If algae growth is observed, add one gallon Nox-Alge for each 20,000 gallons of water to kill and control those algae species most commonly found in swimming pools. When existing growth is dead, clean the pool, drain and refill if necessary, and add one gallon Nox-Alge per 50,000 gallons of water.
- 3) If the pool water treated as in (1) or (2) is recycled, add one gallon of Nox-Alge per 50,000 gallons of water every five to seven days to maintain between two and five parts per million active ingredient. See serviceman for test kit.
- 4) If the pool water treated as in (1) or (2) above is not recycled or not filtered it should be tested periodically to determine the active ingredient content. When necessary, one gallon Nox-Alge per 50,000 gallons of water should be added to maintain two to five parts per million of active ingredient.

Manufactured By
**SOUTHERN TESTING AND
RESEARCH LABS., INC.**
Water-Guard Division
607 Park Ave. Wilson, N. C.
237-4175

**NOX-ALGE
Swimming Pool Algaecide**

Active Ingredients

n-Alkyl (50% C₁₄, 40% C₁₂, 10%
C₁₆) dimethyl benzyl ammonium
chloride10%
Inert Ingredients90%

EPA Registration No. 13805-4

Net Contents - 1 Gallon (U.S.)

RINSE EMPTY CONTAINER
THOROUGHLY WITH WATER
AND DISCARD IT

Keep out of reach of Children

Corrosive, cause severe eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call physician immediately.

Note To Physician

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent convulsions not controlled by the cautious intravenous injection of a short-acting barbiturate

This product is toxic to fish. Treated effluent should not be discharged where it drains into Lake, Streams, Ponds or Public Water. Apply this product only as specified on this label.