

FRONT PANEL

PENNWALT

PENNSAN^R XXX
SANITIZER

ACTIVE INGREDIENTS:

Phosphoric Acid	48.75%
Dodecylbenzene Sulfonic Acid	7.77%
Sodium Mono (1 alkenyl*)	
Phenoxybenzene Disulfonate	4.73%
Sodium Di (1 alkenyl*)	
Phenoxybenzene Disulfonate	2.02%

*C9-10

INERT INGREDIENTS: 36.73%

READ PRECAUTIONS ON BACK PANEL.


To sanitize with PENNSAN XXX solution by brush, spray or soak, use 1 ounce to 5 gallons of water or 200 ppm available sanitizer as determined by the use of PENNSAN XXX Test Kit according to its instructions. Allow 2 minutes exposure. Discard sanitizing solution when test indicates 100 ppm.

This product contains 11.4 lbs./gal.

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT



If Swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician immediately.

Note to Physician - Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

For skin, immediately flush skin with plenty of water.


If in eyes, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

PENNCHEM DEPARTMENT
PENNWALT CORPORATION, PHILA., PA. 19102

EPA Est. No. 335-1L-1
EPA Reg. No. 335-180

NET CONTENTS:
GALLON

ACCEPTED WITH COMMENTS

LEFT PANELPENNSAN XXXDANGER:

Corrosive to tissues, causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. Avoid breathing spray or fogging mist.

Rinse empty container thoroughly with water and discard it.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE IN DAIRY AND FOOD PLANTS:

TANK TRUCK, HOLDING TANKS, VATS AND PLANT EQUIPMENT - Sanitize equipment with PENNSAN XXX solution (1 oz. per 5 gallons water) applied by spray or brush. Drain PENNSAN XXX solution from equipment.*

CIP LINES - CLOSED SYSTEMS - Prepare PENNSAN XXX (1 oz. per 5 gallons water) and pump through lines to sanitize. Do not circulate. Drain solution from lines.*

BACTERIOPHAGE CONTROL, CHEESE PLANTS - Sanitize all cheese equipment with PENNSAN XXX solution (2 oz. per 5 gallons water). Drain solution from equipment. By means of space sprayer, fog cheese rooms with PENNSAN XXX solution (2 oz. per 5 gallons water) until dense fog is produced. Close rooms and let stand overnight.*

SOFT FREEZE MACHINES

Rinse machine thoroughly with tap water. Disassemble machine and brush all parts with warm (110°-120°F) PENNSAN XXX solution (1 oz. per 5 gallons water). Drain solution from machine.*

BEVERAGE PLANTS

PRE-MIX AND POST-MIX VENDING MACHINES - Follow directions of parent company (if franchise), using PENNSAN XXX solution (1 oz. per 5 gallons water). Write or contact local Penwalt representative for details.*


(LEFT PANEL)
contd.

PENNSAN

RESTAURANTS

1. Scrape and prewash utensils and glasses whenever possible.
2. Wash with a good detergent.
3. Rinse with clean water.
4. Sanitize in a PENNSAN XXX solution of 1 oz. to 5 gallons of water (200 ppm). Immerse all utensils and glasses for at least two minutes or for contact time specified by governing sanitary code.
5. Place sanitized utensils and glasses on rack or drainboard to air dry.*

* RINSE EQUIPMENT WITH POTABLE WATER FOLLOWING THE SANITIZING RINSE.



Comment

ACCEPTED

APR 18 1975

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER 11709-2

37666-1

and stable
operations.
rinse after

ONS
food, meat
an the sur-
water. Then
1 ounce of
nal potable
ion.

ts, cocktail
olution of 1
r effectively
utensils.

1 ounce of
ed on food
table water

SPECTED
HMENTS,
CENTRA-
ND UTEN-
MONIUM
1 OUNCE
R 4 GAL-
F WATER.


Net Contents:
1 U.S. Gallon

SAN-TIZE

SANITIZER • DEODORANT DISINFECTANT

Concentrated

ACTIVE INGREDIENTS
 n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl benzyl
 ammonium chloride 10%
 Ethanol 2%
INERT INGREDIENTS 88%

E.P.A. Est. #11709-MN-1 E.P.A. Reg. #11709-2

DANGER
 KEEP OUT OF REACH OF CHILDREN
 See side panel for first aid and additional precau-
 tions. CONTAINER DISPOSAL: When empty, rinse
 out thoroughly with water and destroy by crushing
 or burying in a safe place.



BIO CHEM LABORATORIES INC.
 745 Boone Avenue North
 Minneapolis, Minnesota 55427



DANGER
 KEEP OUT OF
 REACH OF CHILDREN

Severe eye irritant. May cause eye and skin damage. Do not get in eyes or on skin or clothes. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID

Eyes: In case of contact with eyes flush immediately with plenty of water for 15 minutes. Get prompt medical attention.
Skin: In case of contact with skin flush immediately with plenty of water for 15 minutes.
Clothing: Remove and wash contaminated clothing before reuse.
Internal: If swallowed do not induce vomiting. Drink large amounts of fluid and get medical attention immediately.