

ACCEPTED  
 July 13, 1975  
 UNDER THE FEDERAL INSECTICIDE ACT  
 FOR ECONOMIC POISON REGISTERED UNDER NO. 13805-4

37648-6

SOUTHERN RESEARCH TESTING AND LABORATORIES

DANGER

or pools  
 growth add  
 30 gallons  
 growth.  
 ved, add  
 ach 20,000  
 d control  
 commonly  
 hen exist-  
 the pool,  
 and add  
 100 gallons

**NOX-ALGE**  
**Swimming Pool Algaecide**

**Active Ingredients**

- n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>) dimethyl benzyl ammonium chloride .....10%
- Inert Ingredients .....90%

EPA Registration No. 13805-4

Net Contents - 1 Gallon (U.S.)

RINSE EMPTY CONTAINER  
 THOROUGHLY WITH WATER  
 AND DISCARD IT

**Keep out of reach of Children**

Corrosive, cause severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**First Aid:**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.  
 If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**Note To Physician**

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into Lake, Streams, Ponds or Public Water. Apply this product only as specified on this label.

as in (1)  
 gallon of  
 of water  
 to maintain  
 per million  
 ceman for

NG AND  
 l., INC.  
 vision  
 son, N. C.

APR 10  
 UNDER THE FEDERAL  
 FUNGICIDE AND RO  
 FOR ECONOMIC POW  
 ED UNDER NO. 117  
 TO ATTACHED COM

**DESCRIPTION**

SAN-TIZE II — An economical and stable bactericide designed for sanitizing operations. For use as a sanitizing or disinfecting rinse after cleaning. Contains no metals, iodides, peroxides and does not release free chlorine. Will not leave a "taste".

**DIRECTIONS • APPLICATIONS**

**Hospitals**

For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well Sink Tops, Garbage Pails, Telephones and Restrooms, use SAN-TIZE II at 3½ ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level SAN-TIZE II will be effective against Pseudomonas aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.


**Food Processing Equipment**

For sanitization of previously cleaned food processing equipment and food utensils dilute 1 ounce SAN-TIZE II per 4 gallons of water to provide 200 ppm of active quaternaries. At this level, **No Potable Water Rinse** is required.

**Dairies**

To sanitize dairy equipment such as tanks, lines, pails, and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce SAN-TIZE II to 4 gallons of water (200 ppm). At this level, **No Potable Water Rinse** is required. Follow recommendations of local Health Board.



  
**SANITIZER**      **DEODORANT**  
**SAN-TIZE II**  
**Concentrated**

Net Contents: 1 U.S. Gallon  
**ACTIVE INGREDIENTS:**

- n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethyl benzyl ammonium chlorides..... 5%
- n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl ammonium chlorides ..... 5%

**INERT INGREDIENTS:**..... 90%  
 EPA Est. 11709-MN-1      EPA REG. NO. 11709-8

**DANGER KEEP OUT OF REACH OF CHILDREN**  
 See side panel for first aid and additional precautions. **CONTAINER DISPOSAL:** When empty, rinse out thoroughly with water and destroy by crushing or burying in a safe place.




**BIO CHEM LABORATORIES INC.**  
 745 Boone Avenue North  
 Minneapolis, Minnesota 55427

Resto  
 Dishes  
 deter  
 1 ou  
 Rinse  
 This  
 ounce  
 Simple  
 When  
 maxi  
 200  
 gallon  
 Seven  
 on s  
 hand  
 FIRE  
 plen  
 Skir  
 for  
 Clot  
 inte  
 fluid  
 NO  
 TR  
 CIF  
 VU

APR 10 1975

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 11709-8 SUBJECT  
TO ATTACHED COMMENTS.

37666-4



**Concentrated**

Net Contents: 1 U.S. Gallon

**ACTIVE INGREDIENTS:**

- n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethyl benzyl ammonium chlorides..... 5%
- n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) dimethyl ethylbenzyl ammonium chlorides ..... 5%

**INERT INGREDIENTS:**..... 90%  
EPA Est. 11709-MN-1                      EPA REG. NO. 11709-8

**DANGER KEEP OUT OF REACH OF CHILDREN**

See side panel for first aid and additional precautions. **CONTAINER DISPOSAL:** When empty, rinse out thoroughly with water and destroy by crushing or burying in a safe place.

**Restaurant and Bar Rinse**

Dishes, glassware, silverware, cooking utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce SAN-TIZE II to 4 gallons of water. **No Terminal Potable Water Rinse Required.**

This product when used on environmental, inanimate, hard surfaces at 3½ ounces per 5 gallons of water is effective against Influenza A<sub>2</sub>, Herpes Simplex, Adenovirus type 5, and Vaccinia Viruses.

When used in federally inspected meat and poultry establishments, the maximum allowable concentration for use on equipment and utensils is 200 ppm quaternary ammonium chloride or 1 ounce SAN-TIZE II per 4 gallons of water.

**DANGER  
KEEP OUT OF  
REACH OF CHILDREN**

Severe eye irritant. May cause eye and skin damage. Do not get in eyes or on skin or clothes. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

**FIRST AID. Eyes:** In case of contact with eyes flush immediately with plenty of water for 15 minutes. Get prompt medical attention.

**Skin:** In case of contact with skin flush immediately with plenty of water for 15 minutes.

**Clothing:** Remove and wash contaminated clothing before reuse.

**Internal:** If swallowed do not induce vomiting. Drink large amounts of fluid and get medical attention immediately.

**NOTE TO PHYSICIAN:** PROBABLE MUCOSAL DAMAGE MAY CONTRAINDICATE THE USE OF GASTRIC LAUGE. MEASURES AGAINST CIRCULATORY SHOCK, RESPIRATORY DEPRESSION AND CONVULSION MAY BE NEEDED.



BIO CHEM LABORATORIES INC.  
745 Boone Avenue North  
Minneapolis, Minnesota 55427

