



**COMPANY
NUMBER** 37686-

**PRODUCT
SERIAL NO.** 29

**LABEL
APPROVAL
DATE** 12-13-84

107 #5461-74 110

DEC 13 1984

Mr. Robert Conoly
Chestnut, Inc.
P.O. Box 3706
1918 Ledo Road
Albany, GA 31706

Dear Mr. Conoly:

**Subject: Updated Storage and Disposal Statements and the Farmworker
Safety Portions as per FR Notices 83-2 and 83-3, and
Confidential Formula
EPA Registration No. 37686-29
Your Submission Dated November 13, 1984**

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your record.

The Confidential Statement of Formula has been made a part of your records.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

Jog-85016; Ellenberger; RD-55; cac; Kendrick; 898-1270; 12/11/84; Del. 12/19/84

CONCURRENCE

SYMBOL								
SUBSTANCE								
DATE								

CENTER PANEL

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

METHYL PARATHION 4
EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENT	
*O,O-dimethyl-O-p-nitrophenyl phosphorothioate.....	43.3%
*Related compounds.....	2.3%
Aromatic Petroleum Derivative Solvent.....	47.9%
INERT INGREDIENTS.....	6.5%
TOTAL	100.0%

*Equivalent to 4.0 lbs. methyl parathion parathion and related compounds per gallon

KEEP OUT OF REACH OF CHILDREN

POISON

DANGER


PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC 13 1984

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.



NOT FOR HOME USE

FIRST AID TREATMENT

"STATEMENT OF PRACTICAL TREATMENT"

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. If doctor cannot come, take victim to clinic or hospital.

Move victim immediately from the area where methyl parathion is present.

IF INHALED, remove victim to fresh air. If not breathing, immediately give artificial respiration, preferably mouth-to-mouth, and maintain until doctor sees victim. If breathing is difficult, give oxygen.

IF IN EYES OR ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated personal clothing and shoes to avoid continued possible exposure to victim or persons in attendance.

IF SWALLOWED, induce vomiting immediately by giving two glasses of water and by touching back of throat with finger. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Have victim lie down and keep quiet.

Manufactured For:

CHEMNUT, INC.

P.O. BOX 3706 - 1918 Ledo Road-Albany, GA 31706


(912)883-7050

EPA Reg. No. 37686-29

EPA Est. No. 9859-FL-1

EPA Est. No. 51036-GA-1

Net Contents: 5 Gals.



LEFT PANEL

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

BEST AVAILABLE COPY

DANGER! PELIGRO!

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicada ampliamente.

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.
RAPIDLY ABSORBED THROUGH SKIN.

REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

Do not breathe vapors or dust. Do not get in eyes, on skin or on clothing.

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headaches, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

POISON

ATROPINE IS AN ANTIDOTE
CONSULT PHYSICIAN FOR
EMERGENCY SUPPLY

If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in the chest, do not wait for a doctor but give two atropine tablets (each 1/100 grain or 0.65 milligrams) at once. (One tablet to children under five years of age.)

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine which is a symptomatic and often life saving antidote. DO NOT GIVE MORPHINE OR TRANQUILIZERS BECAUSE THESE ANTIDOTES MAY PRODUCE ADVERSE EFFECT ACCENTUATING THE PHARMACOLOGIC EFFECT OF THIS PRODUCT. This product is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvements; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
(2) Wear safety goggles. (3) Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and the National Institute for Occupational Safety and Health under the provisions of 30 CFR part II. (4) Wear heavy duty, natural rubber gloves.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes, and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

RE-ENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas for 48 hours unless appropriate protective clothing is worn.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product.

ORAL WARNINGS shall inform workers of areas or fields that may not be entered, without protective equipment and clothing specified on this label, during treatment or for 48 hours following treatment. Follow First Aid

(Continued on Right Panel)

RIGHT PANEL

Treatment instructions shown on this label in case of accidental exposure.

When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

WRITTEN WARNINGS must include the following information.

DANGER - Area treated with methyl parathion on _____ (date) _____. Do not enter without appropriate protective clothing for 48 hours. Follow First Aid Treatment instructions shown on this product label in case of accidental exposure.

ATTENTION

To avoid excessive residues of methyl parathion on food or forage crops always observe the statements found under "Directions for Use," limiting the time before harvest when parathion may be applied.

Because this material is poisonous by skin contact, inhalation or swallowing it should not be used in such a manner or under weather conditions as will permit drift of the spray onto areas not intended to be treated.

Do not apply or allow drift to areas occupied by unprotected humans or beneficial animals.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE AND HANDLING:

1. Handle container carefully so as to avoid damage and prevent leakage.
2. Do not use or store in or around the home.
3. Store container in a well ventilated place.
4. Empty container retains vapor and product residue. Observe all labeling safeguards until container is cleaned, reconditioned or destroyed.
5. Keep out of reach of children and domestic animals.

DISPOSAL:

Wastes of this pesticide are acutely hazardous. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of federal law. If these wastes cannot be disposed of according to label use instructions, contact your state pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Triple rinse empty containers with 5% caustic soda solution. Flush with water. Then offer for recycling or reconditioning or puncture to prevent other use and dispose of in an approved landfill, or by other procedures approved by state and local authorities.

