



**COMPANY
NUMBER** _____

37686.

**PRODUCT
SERIAL NO.** _____

51

**LABEL
APPROVAL
DATE** _____

6-23-78

**STOP — READ LABEL BEFORE USING!
NOT FOR HOME USE**

EXTREMELY POISONOUS LIQUID. RAPIDLY AB
SORBED THROUGH SKIN AND EYES. POISONOUS IF SWALLOWED
INHALED OR ABSORBED THROUGH THE SKIN, EYES OR
THROUGH CONTAMINATED CLOTHING



DANGER—POISON—PRECAUTIONS ☠

POISONOUS IF SWALLOWED

This product can kill you if swallowed even in
small amounts. Spray mist or dust may be fatal if
swallowed.



POISONOUS IF INHALED

Persons if touched by mist or spilled or splash of
this product on skin or clothing (liquid goes through
clothes).



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in
treated areas may be killed. Keep out of any body of water. Do not apply
when weather conditions favor drift from treated areas. Do not apply
where runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or
residues on crops. Protective information may be obtained from your
Cooperative Agricultural Extension Service.

POST TREATED AREA

consult your State Agricultural Extension Service or Experiment Station
regarding posting treated areas.

DIRECTIONS FOR USE

Application can be made by aircraft or ground power equipment by
trained personnel only using approved protective equipment. Do not
apply with hand equipment. Pour specified amount of this product into
neatly filled spray tank. Add balance of water to fill tank. Maintain
agitation during filling and spraying operations. Use a screen net finer
than 50 mesh in entire system. Do not combine with emulsifiable liquids
or wettable powders unless previous experience has proven physically
compatible and safe to plants. Always thoroughly mix emulsifiable
concentrates or wettable powders with at least half of total water before
adding this product.

NOTE: Preparation of nurse tank emission (for transfer of smaller
amounts to application rigs) should provide for efficient agitation to
prevent emulsion settling.

Rinse spray equipment and containers. Discharge liquid waste in pit in
non-crop lands located away from water supplies.

Do not get on skin and eyes. Do not breathe vapor or spray mist.

Wear a mask or respirator of a type passed by the U.S. Bureau of Mines
for Parathion protection. Wear natural rubber gloves, rubber overshoes,
water proof protective clothing and goggles.

Wash with soap and water after handling and before drinking, eating or
smoking. Wash all contaminated clothing with soap and hot water before
re-use.

Take bath or shower using only of soap and water after work. Keep all
unprotected persons out of operational area of vicinity where there may
be danger of drift.

Not for use or storage in or around the home. Do not contaminate or store
near food or feed.

WORK SAFETY RULES

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE
CLOTHING AND EQUIPMENT: (1) wear waterproof pants coat that

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons
under their direct supervision and only for those uses covered
by the Certified Applicator's certification.



Master

BRAND

PARATHION - METHYL PARATHION 6-3 E

ORGANOPHOSPHOUS INSECTICIDE — EMULSIFIABLE LIQUID

ACTIVE INGREDIENTS:

Parathion (O O-diethyl O-p-nitrophenyl phosphorothioate)	57.39%
O-dimethyl O-p-nitrophenyl phosphorothioate	28.69%
INERT INGREDIENTS:	13.92%

TOTAL 100.00%

Content Toxicant per gallon: 6 lbs. Parathion; 3 lbs. Methyl Parathion

PROTECT FROM TEMPERATURES BELOW 20° F. (Product crystallizes at lower temperatures.
Warm or store at higher temperatures and mix to re-dissolve crystals and insure uniformity
before use.)

Keep Out of Reach of Children

POISON

DANGER

CAN KILL YOU

CAN KILL YOU



ALWAYS CALL A PHYSICIAN IN CASES OF SUSPECTED POISONING
ATROPINE IS ANTI-DOTAL

FIRST AID TREATMENT: If victim has stopped breathing, immediately remove from contaminated area, then start
artificial respiration, preferably by mechanical means.
IF SWALLOWED, and victim is conscious, induce vomiting immediately. Give tablespoon of salt in glass of warm water.
Repeat until vomit fluid is clear. Never give anything by mouth to unconscious person. Have victim lie down and keep
quiet.

INHALATION: Remove patient from contaminated area.

SKIN: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.
Avoid abrasions. When skin appears clear, balm or swab with ethyl alcohol.

EYES: In case of contact, flush immediately with water for at least 15 minutes.

INFORMATION FOR PHYSICIAN: Initial measures include removal of secretions, maintenance of a patent airway and
if necessary, artificial respiration. When cyanosis has been relieved atropine may be administered in large therapeutic
doses, repeated as necessary to the point of tolerance. If symptoms warrant further treatment, Protopam Chloride
(Pardoxime chloride, 2-PAM Chloride) has shown utility as adjunctive therapy. Never use morphine or tranquilizers.
Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. Very close
supervision of the patient is indicated for at least 48-72 hours.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured By

STEVENS INDUSTRIES, INC.
DAWSON, GEORGIA 31742

EPA Est. No. 2459-GA-1

EPA Reg. No. 2459-222

BEST AVAILABLE COPY