MAY 17 2001

Sunco Pool Company, Inc. P.O. Box 2186 3609 Highway 501 Myrtle Beach, S.C. 29578

Attention:

Mike Graffunder

Director of Operations

Subject:

)


Sun-Clor

EPA Registration Number 37731-20001 Your Amendment Dated April 12, 2001

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, to revise the First Aid Statement per PR Notice 2001-1 is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended label.

- 1. Under the "First Aid" Statement revise the "Inhalation" to read:
 - Move person to fresh air
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to mouth.
 - Call a poison control center or doctor for further treatment advice.
 - Have the product label with you when calling or going for medical treatment.
- 2. Under the "Directions for Use" change the dose 54 to 108 oz. to read: 52 to 104 oz. in the first and third paragraph.
- 3. Under the "Directions for Use" in the second paragraph, change 12 oz. to read 11 oz.

A stamped copy is enclosed for your records. Submit one copy of the final printed label before you release the product for shipment bearing the amended label.



If you have any questions regarding this letter, please contact Delores Williams at (703) 308-6372.

Sincerely.

Robert S. Brennis Product Manager 32

Regulatory Management Branch II Antimicrobials Division (7510C)



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER! Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed, absorbed through skin or inhaled. Do not get in eyes, on skin, and on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Do not mix with chlorine-type bleaches or other chemicals.

ENVIRONMENTAL HAZARDS: This Product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES), permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs, and mucous membranes.

FIRE FIGHTING PROCEDURES: Flood with water or carbon dioxide. Wear NOSHA certified gas mask with canister for chlorine or self-contained breathing apparatus. Material is a strong oxidizer; contact with combustibles may irritate or promote combustion. Acid and heat speed decomposition. Decomposition products may include chlorine.

KEEP OUT OF THE REACH OF CHILDREN DANGER FIRST AID

Inert Ingredients 87.5%

Total 100%

Route Of Exposure And First Aid Statement INGESTION:

It's swallowed, call poison control center or medical physician immediately for transment advice. Have the product label when calling or going for medical treatment. Have exposed person sip a glass of water if albet to swallow. DO NOT INDUCE VOMITING unless told to do so by poison control center or medical physician. DO NOT chip swallong to a presence of the prese NOT give anything to an unconscious person.

If on skin or clothing, take off all contaminated clothing and rinne skin immediately with plenty of water for 15-20 minutes. Cell a poison control center or medical physician for treatment advice. Have the product label with you when calling or going for medical treatment.

INHALATION:

If initialed, move exposed person to fresh air. If a person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, it possible poison control center or medical physician for further treatment advice. Have the product label with you when calling or going for medical treatment.

EYE:

If in eyes, hold eye open and rinse slowly and gently with plenty of water for 15-20 minutes. Remove contact longes, it present, after 5 minutes, then continues friesing eye for 10-15 minutes. Call a polson control center or medical physician for further treatment activice. Have the product label with you when calling or going to medical treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Packaged by SUNCO POOL COMPANY 3609 Hwy 501 Myrtle Beach, SC 29579 (843) 236-7597

EPA REG. NO. 37731-20001 EPA EST. NO. 37731-SC-001 **DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 54 to 108 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to hetween 72 to 76 pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

To maintain the pool, add manually or by a feeder device 12 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers. Every 7

davs. or as necessary. superchlorinate the pool with 54 to 108 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

SEE ADDITIONAL USES ON COLLATERAL LABELING

STORAGE AND DISPOSAL: Store this product in a cool dry area, ewey from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water, Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary s Do not contaminate food or feed by storage, disposal or cleaning of equipment.

2.5 GALLONS	5 GALLONS	30 GALLONS	BULK
-------------	-----------	------------	------

ACCEPTED with CO101 m EPA Letter .

MAY 17 2001

37731-20001