




ACTIVE INGREDIENT

Poly (oxyethylene (diethyliminio) ethylene-
diamine dimethyl ethylene dichloride) 15.0%

INERT INGREDIENT 85.0%

This product contains 1.29 lb. of active ingredient per gallon
and weighs 8.58 lb. per gallon

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors.
Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of
milk, egg whites, gelatin solution, or if these are not available,
drink large quantities of water. Avoid alcohol. Call a physician
immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish.
Keep out of lakes, streams, or ponds. Permits may be required
for discharges containing this pesticide into lakes, streams, ponds
or public water. For guidance, contact the regional office of
the Environmental Protection Agency.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent
with its labeling.

WIL-CHEM MICROBIOCIDES-W is used to control algae, bacteria, and fungi in
recirculating commercial and industrial water cooling towers. Pre-treatment
systems must be cleaned to remove algal growth, microbiological
other deposits.

An initial slug addition of 4.0 to 10.0 fluid ounces of WIL-CHEM
BIOCIDES-W per 1000 gallons of water to provide a concentration of 1.29 to
parts per million of WIL-CHEM MICROBIOCIDES-W, based on the total
of water in the system, is recommended. Repeat initial dosages if
is evident.

Subsequent slug additions of 1.0 to 10.0 fluid ounces of WIL-CHEM
BIOCIDES-W per 1000 gallons of water, 8 to 80 parts per million of
MICROBIOCIDES-W) should be employed every 2 to 5 days. The
frequency of addition depends upon the relative amount of
severity of the microbiological problem. Slug additions should be made to the
sump of water cooling towers.

STORAGE & DISPOSAL: Keep container closed when not in use.
Do not contaminate water, food, or feed by storage, disposal, or cleaning.
The container must be triple rinsed for equivalent and after treatment
reconditioning, or disposal in an approved landfill or buried. Rinse water
Rinsate that cannot be used or reprocessed should be disposed of in an
approved for pesticides or buried in a safe place away from water.
Open dumping is prohibited.

ACCEPTED
30 JAN 1978
37752-2
UNDER THE FEDERAL INSECTICIDES
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
EPA UNDER NO.

Manufactured by:

Williard Inc.

Highland Ave. • Jenkintown, PA 19046 • 215-351-1000
V Street N.E. • Washington, D.C. 20018 • (202) 871-1000

A subsidiary of 

EPA REG. NO. 37752-2

EPA EST. NO. 833-PA

Net Contents: