

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin and clothing. Avoid breathing vapors or spray mist. Keep away from food, feedstuffs and domestic water supplies. Wash thoroughly after handling. If swallowed, do not induce vomiting. Call a physician immediately.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not spray air in rooms or use on plants. Apply as a surface spray only as specified on this label. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils if contaminated with this product.

NOTE TO PHYSICIAN: Contains petroleum distillate. If gastric lavage is deemed necessary, undertake only after proper placement of a cuffed endotracheal tube. Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE Do not smoke while using. Do not use, pour, spill or store near heat or open flames.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food and feed by storage or disposal. Open dumping is prohibited.

Pesticide spray, mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place.

Consult federal, state or local disposal authorities for approved alternate procedures.

ACCEPTED
DEC 28 1991
Under the authority of the
Federal Government
as amended by the
registered
EPA Reg. No. 37761-1



ROACH-GO II

• PYREBROK® Insecticide Provides Fleeting Action and Fast Knockdown
• Control Cockroaches, Ants, Silverfish, Spiders, Crickets, Earwigs and Brown Bugg
Ticks

• Use In and Around Homes, Apartments, Carports, Similar Residential Structures,
Institutions, Restaurants and Food Processing Plants
• Use Baiting As An Aid In Reducing Ants from Flaps and Windows Entering
the Home

ACTIVE INGREDIENTS	
• Pyrethrin	0.05%
• Pyrethrin Butoxide Technical	0.20%
• Chlorpyrifos 0.045% (0.15%)	
• Trichloro 2 pyridyl phosphorothion	0.50%
• Fipronil Butoxide	0.75%
INERT INGREDIENTS	0.45%
	100.00%

(Equivalent to 0.200% (methylcarbonyl (E)-propylperoxy) ether and 0.062% related compounds)
U.S. Patent No. 3,244,588

PYREBROK® Registered trademark of Fairfield American Corporation
DUREBAN® Trademark of the Dow Chemical Company

**CAUTION
KEEP OUT OF REACH OF CHILDREN.**

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply respiration if indicated.

If on skin - Wash immediately with soap and water.

If in eyes - Flush eyes for at least 15 minutes with water. Call a physician immediately.

Manufactured by
CONTROL CHEMICAL ENTERPRISES, INC.

1368 N. Killian Drive
Lake Park, Florida 33403

EPA Reg. No. 37761-1

EPA Est. No. 37761

Net Contents _____ Gals BATCH

29

BASE ART 100% BLACK



ROACH-GO II

For Flying Ants and Termites
 For Fleas, Lice, and Bed Bugs
 For Mosquitoes, Crickets, Earwigs, and Brown Bats
 Use in and Around Homes, Apartments, Garages, Shelter, Recreational Structures, Schools, Hotels, Restaurants and Food Processing Plants
 Use Outdoors to Aid in Reducing Abundance from Fleas and Mosquitoes Entering the Home

INGREDIENTS		
0.15%	0.20%	(Equivalent to 0.20% polyhexamethylene biguanide chloride ester and 0.85% related compounds)
0.15%	0.20%	** U.S. Patent No. 3,264,500
0.15%	0.20%	PTC 9000: Registered trademark of Fertilizer America Corporation
0.15%	0.20%	900000: Trademark of the Dow Chemical Company
100.00%		

CAUTION
 KEEP OUT OF REACH OF CHILDREN.

PRACTICAL TREATMENT
 Call a physician immediately. Gastric lavage is indicated if material was taken. **INDUCE** vomiting unless other treatment is not available. Vomiting may cause pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water, then a finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting by mouth to an unconscious person. Move victim to fresh air. Apply respiration if indicated. Wash immediately with soap and water. Keep eyes for at least 15 minutes with water. Call a physician immediately.

Manufactured by
CONTROL CHEMICAL ENTERPRISES, INC.
 1368 N. Kilian Drive
 Lake Park, Florida 33403

EPA Est. No. 13761

Gals BATCH

29

BASE ART 100% BLACK

37761-1

THE UNIVERSITY
 OF ALABAMA
 LIBRARY

30

DIRECTIONS FOR HOUSEHOLD AND OUTDOOR USE IN NON-FOOD AREAS: Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required. Controls Cockroaches, Ants, Silverfish, Spiders, Crickets, Earwigs and Brown Dog Ticks.

BROWN DOG TICKS: Apply thoroughly as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these insects may be present. Fresh bedding should be placed in animal quarters following treatment of pest areas. Do not spray pets with this product.

FLIES AND MOSQUITOES: Use only on outdoor surfaces. Spray outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

DIRECTIONS FOR FOOD HANDLING ESTABLISHMENTS: (Places other than private residences in which exposed food is held, processed, prepared or served)

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements or construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

FOOD AREAS-APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

TO CONTROL COCKROACHES, ANTS, EARWIGS, WATER BUGS, SILVERFISH, SPIDERS AND CRICKETS: Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, junction or switch boxes. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in ON position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

WARRANTY

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its mis-use as such or in combination with other materials. Statements concerning the use of these products are not to be construed as recommending the infringement arising out of any such use is assumed.

BEST DOCUMENT AVAILABLE