37831-9

TERM OF ISSUANCE

MAY 0.9 1994

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460

L

NOTICE OF PESTICIDE: The GISTRATION TO REPEST THE TION

(Under the Federal Insecticide, Fungicide and Rodenticide Act. as amended)

NAME OF PESTICIDE PRODUC

7

Cu,O Antifouling Marine Paint FR-4800

NAME AND ADDRESS OF REGISTRANT (Include ZIP Lode)

Products Research Service, Inc. P.O. BOX 159 Belle Chasse, LA 70037

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time Suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit/cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 37831-9".
 - b. Add the referral statement to the end of the front panel precautionary statements.
 - c. Delete the Note to Physician section. This statement is not warranted for this product based upon the signal word.
 - d. Based upon the data submitted, the Physical and Chemical Hazards section should be revised to read: Flammable. Keep away from heat and open flame.

ATTACHMENT IS APPEICABLE		
SIGNATURE OF APPROVING OFFICIAL		

EPA Form 8570 6 (Rev. 5-76)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

- 2 -

e. Revise the statement: "...Wear goggles or face shield, gloves, long-sleeved shirt, long pants..." to read: Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants..."

f. Revise the statement: "... Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors, dust, or spray mist. Avoid contract with skin, eyes or clothing... * to read:

Causes eye irritation. Harmful if absorbed through skin . Avoid contact with skin, eyes or clothing. May be fatal if swallowed or inhaled. Do not breathe dust, vapor or spray mist. Remove contaminated clothing and wash before reuse.

g. Delete the statements: "...Exposure to product may cause dizzines, headache and nausea. Repeated and prolonged occupational overexposure to solvents in this product may cause permanent brain and central nervous system damage. Intentional misuse by diliberately concentrating and inhaling this proudct may be fatal or harmful.

NOTE: These statements are not warranted since these statements are not first aid or practical treatments.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Marshall Swindell

Acting Product Manager (31) Antimicrobial Program Branch Registration Division (H7505C)

CONCURRENCES							
SYMBOL							
SURNAME							
DATE				•••••	1		
EPA Form 1220 1	A (1400)	Patas.	lan Banata I Bana		OFFICIAL	L FILE COPY	

j

BEGIN FRONT PANEL

١

)

P.R.S. ENGINEERED COATINGS

ACCEPTED with COMMENTS in EPA Letter Details

MAI : 9 1994

Under the Federal Insecticide, Fungicide, and R. dent in the amended, for the lide registered under EPA keg. No.

Cu₂O Antifouling Marine Paint FR-4800

ACTIVE INGREDIENT:

(*28.0% copper as metal)

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREAMENT:

IF IN EYES: Flush immediately with large amounts of water, lifting upper and lower lids occasionally. Get medical attention.

IF ON SKIN: Thoroughly wash exposed area with soap and water. Get medical attention.

IF INHALED: Move to fresh air. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting. Get medical attention. Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Manufactured by:

Products Research Service, Inc. 9229 Highway 23 Belle Chasse, LA 70037

EPA REG. NO. 37831-

1946

EPA EST. NO. 37831-LA-1

NET CONTENTS:

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 0 9 1994
US 7 The Property Inserticing

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: WARNING. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors, dust, or spray mist. Avoid contract with skin, eyes, or clothing. Exposure to product may cause dizziness, headache and nausea. Repeated and prolonged occupational overexposure to solvents in this product may cause permanent brain and central nervous system damage. Intentional misuse by deliberately concentrating and inhaling this product may be fatal or harmful. Wear an appropriate, properly-fitted, NIOSH/MSHA-approved respirator during and after application, unless air monitoring demonstrates vapor/mist levels are below applicable limits. Follow respirator manufacturer's directions for use. Wear goggles or face shield, gloves, long-sleeved shirt, long pants and hat when handling. Use with adequate ventilation. Wash thoroughly with soap and water after handling and before eating, drinking or smoking.

ENVIRONMENTAL HAZARDS: This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

PHYSICAL OR CHEMICAL HAZARDS: Extremely flammable liquid and vapors. Vapors may cause flash fire. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

)

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, dry area with suitable ventilation. Do not store near heat or open flame. Close container after each use.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER DISPOSAL: Triple rins: (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanifactoried with COMMENTS landfill, or by other procedures approved by state and local in EPA Letter Dated: authorities.

MAY 0 9 1994

DIRECTIONS FOR USE: FOR COMMERCIAL USE ONLY. Read antide the record insecticide, understand the technical data bulletin about this product predictions the use of the control of the use. Do not breathe dust, vapors, or spray mist. When this product, or formula containing it, are used in enclosed areas, sprayed on surfaces or removed from surfaces by sanding, wear a dust mask or respirator jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration.

Consult P.R.S. representative for surface preparation and primer coats before application.

)

)

Thinning - Not usually required. If necessary, use thinner #27 or #3 sparingly.

Application - Apply by spray, brush or roller. When applying this product over coal tar epoxy, apply while coal tar is still uncured (within 5 to 24 hours). Recommended application is two coats at a dry film thickness of 2.0 mils per coat. Allow to dry 20 minutes or more between coats. Allow to dry 24 hours before immersion.

IMPORTANT: Read and understand the Material Safety Data Sheet prior to opening this container.

For application to steel, fiberglass, wood and aluminum boat and ship hulls and bottoms. For use against marine fouling organisms, tubeworms, barnacles, and algae.

LIMITED WARRANTY: Products Research Service, Inc. makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. If this product is defective,

loof 6

replacement product will furnished free of charge or a refund of the product's cost will be made at manufacturer's option. Labor costs are not covered by this warranty. Responsibility for claims of any kind is strictly limited to the purchase price of this product.

END FRONT PANEL

j

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 0 9 1994

Under the Pederal Insecticite, Provide a Principal Insecticite, amende in Principal Insecticity registered under EPA lies. In

ti k