PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Ľ

I

Ţ

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. May be fatel-if swaltowed. Avoid breathing vapors. Do not get in eyes, on skin or og . clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, punds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as foces, urine, etc., or with ammonia, acids, detergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes. distributed by:

SUNSHINE POOLS, INC. 2801 N.W. 22nd Avenue Miami, FL. 33142

EPA EST. NO. 37839-FL-01 EPA REG. NO. 37839 -1 NET CONTENTS: 1.0 GALLONS

DATE PACKAGED:

4 . 1

NOT FOR USE AFTER:

ACCEPTED 378.39-/ SUNSHIN SEP 2 2 1900 GENERAL CLASSIFICATION GENERAL CLASSIFICATION General taw to use this products as of the period to the period to the period to the test of the period to the test of test of the test of SUN-CLOR Reg. No.

CHLORINATING SOLUTION

ACTIVE INGREDIENT: SODIUM HYPOCHLORITE...... 9% INERT INGREDIENTS:.... **KEEP OUT OF REACH OF CHILDREN** DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solu-tion or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

BEST DOCUMENT AVAILABLE

12.

DIRECTIONS FOR SWIMMING POOL CHLO For a new pool or for spring start-up, superchlorin pint (16 flu. ozs.) of sodium hypochlorite solutio gallons of water. This dosage is equivalent to ! chlorine by weight.

FOR POOL MAINTENANCE:

A) Adjust pool water pH to 7.6 - 7.2 range and m. B) Add manually or by a feeder device, sodiu solution at a rate to maintain an available child 0.6 to 1.0 ppm. One half pint (8 flu. ozs.) of sodi solution for each 6000 gallons of water will available chlorine by weight. Frequency of maintain 0.6 to 1.0 ppm available chlorine temperature and of number swimmers. Use certain the pH and chlorine residual are in the

NOTE: This product degrades with age. Use a chick increase dosage as necessary, to obtain the r available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry direct sunlight. In case of spill, flood area with la water. Rinse empty container thoroughly with return to manufacturer or discard by placing in tr burying in an approved land fill. Product or rinsat used, should be diluted with water and disposed sewer. Do not contaminate food or feed by stor cleaning of equipment.

EMENTS RESTIC ANIMALS

hirritation of chemical May be fatel if swall in eyes, on skin or of . d rubber gloves when andling. Vecate poorly not return until odors


pe is toxic to fish, keep d affluent cannot be public waters unless a e, contact the regional j∘ncy.

STRONG OXIDIZING liabel directions. Mixing ces, urine, etc., or with chemicals will release ind mucous membranes.

hnc.

inu¢

PA EST. NO. 37839-FL-01 ALLONS



CHLORINATING SOLUTION

Ľ

ACTIVE INGREDIENT: KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

1).

DIRECTIONS FOR USE

ACCEPTED 37.8.37-SEP 2 2 1980

SUNSHIN SEP 2 2 1980 SUNSHIN Sector the Federal Insecticide, SUNSHIN Sector the Federal Insecticide, SUNSHIN Sector the Federal Insecticide, Condicide, and Rodentipide Seviolation of federal law to use this product in a manner of amended, for the presidentistent with its labeling. Togistered under Togistered u pint (16 flu. ozs.) of sodium hypochlorite solution for each 2500 gallons of water. This dosage is equivalent to 5 ppm available chlorine by weight.

FOR POOL MAINTENANCE:

A) Adjust pool water pH to 7.6 - 7.2 range and maintain. B) Add manually or by a feeder device, sodium hypochlorite

solution at a rate to maintain an available chlorine residual of 0.6 to 1.0 ppm. Che half pint (8 flu. ozs.) of sodium hypochlorite solution for each 6000 gallons of water will provide 1.0 ppm available chlorine by weight. Frequency of additions to maintain 0.6 to 1.0 ppm available chlorine will depend on temperature and of number swimmers. Use test kit to make certain the pH and ct lorine residual are in the proper range.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quai "les of water. Rinse empty container thoroughly with water and either water. Timbe empty container thoroughly with water and enter return to manufacturer or discard by placing in trash collection or burying in an approved land fill, Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

32A

بنتيته وراعي من خت

BEST DOCUMENT AVAILABLE 1 - ---