

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

37910-1

APR 1 0 1997

NOTICE OF PESTICIDE:

<u>x</u> Registration Reregistration Term of Issuance: Conditional

(under FIFRA, as amended)

Name of Pesticide Product:

EPA Reg. Number:

Nissan D.C.C. Na

E.D.W.

Name and Address of Registrant (include ZIP Code):

Nissan Chemical America Corporation 303 South Broadway, Suite 223 Tarrytown, NY 10591

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 37910-1".
- 3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official: leve 1. Dollar

APP 10 007

BEST AVAILABLE COPY

NISSAN D.C.C.Na E.D.W.

Active Ingredient	: Sodium Dichloro-s-triazin	etrione 97.5%
Inert Ingredients	:	•
;	Provides 62% Available Chlor	TOTAL 100%
	T.	

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED, drink promptly large quantities of water. DO NOT induce vomiting. Avoid alcohol. Never give anything by mouth to an unconcious person. Call a physician or poison control center immediately.

IF INHALED, remove person to fresh air. If not breathing, give artificial respiration, preferably, mouth-to-mouth. Get immediate medical attention.

IF ON SKIN, Wash with plenty of soap and water. Get medical attention, if irritation persists.

IF IN EYES, Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Lot No. Packer Net Wt. 2.0 Lbs.

EPA Est. No. 935-IL-1 EPA Reg. No. 37910- R Manufactured For

NISSAN CHEMICAL AMERICA CORPORATION

303 South Broadway
Tarrytown, N.Y. 10591

Made in U.S.A.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

Under the Federal Insecticide,
Fungucide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 3 79/0

(Side Panel)

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals:
CORROSIVE: Causes irreversible eye damage and skin burns. May be fatal if absorbed through skin. May be fatal if inhaled. Do not breathe dust or spray mists. Irritating to nose and throat. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, protective clothing and rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARD: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board of Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARD: Strong Oxidizing Material. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, dirt, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of fire, flood with large quantity of water. In the event of contamination or decomposition, do not reseal container. If possible isolate container in open air or well ventilated area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SWIMMING POOL APPLICATIONS

This product is intended for use in controlling bacteria in swimming pools and spas. This product should be added directly to the surface of circulating water according to the directions. Each ounce of this product will provide about 0.5 ppm (mg/L) of available chloring to 10,000 gallons of water.

Reentry into treated swimming pools or spas is prohibited above levels of 3 ppm of chlorine.

Start Up

Before using this product, make sure that the filtration system is clean and operating properly. Adjust the pH of the water to range of 7.2-7.6 using suitable products and a reliable test kit. Adjust the alkalinity of the water to a minimum of 125 ppm (mg/L), based on the test kit reading.

Add a sufficient amount of this product directly to the surface of circulating water to raise the free chlorine level in the water to 5-6 ppm (mg/L), based on the test kit reading. As a guide, for swimming pools addition of 10 ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 5 ppm (mg/L). For spas, addition of one ounce of this product for each 1,000 gallons of water will increase the free residual chlorine by 5 ppm (mg/L).

Shock Treatment

Superchlorinating or shocking is necessary whenever the combined chlorine level is above 0.5 ppm (mg/L). Combine chlorine is the difference between total and free chlorine, as measured by a suitable test kit.

Add a sufficient amount of this product directly to the surface of circulationg to raise the free chlorine level in the water to 5-6 ppm (mg/L) based on the test kit reading. As a guide, for swimming pools, addition of 10 ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 5 ppm (mg/L). For spas, addition of one ounce of this product for each 1,000 gallons of water will increase the free residual chlorine by 5 ppm (mg/L). If the combined chlorine reading is not below 0.5 ppm (mg/L) and the water has been restored to its normal clarity, repeat the shock treatment described above.

Do not enter until free available chlorine is reading is below 3 ppm (mg/L), combined chlorine is below 0.5 ppm (mg/L) and the water is restored to its normal clarity.

Maintenance Treatment

Add this product daily or as needed to maintain the free chlorine residual in the water at 1-3 ppm (mg/L) as indicated by a reliable test kit. Each ounce of this product will provide about 0.5 ppm (mg/L) of available chlorine to 10,000 gallons of water. Weather and usage effect sanitizer levels. Maintain the pH at 7.2-7.6 and the alkalinity at a minimum of 125 ppm (mg/L).

As a guide, for swimming pools, addition of four ounces of this product for each 10,000 gallons of water will increase the free residual chlorine by 2 ppm (mg/L).

FOR USE IN INDUSTRIAL COOLING TOWERS

Treatment with this product is an effective way to control the growth of bacterial and algae in industrial water cooling towers.

Badly fouled systems should be cleaned prior to initiating treatment.

Initial Dosage: When the system in just noticeably fouled, add 10-13 oz of this product per 10,000 gallons of water contained in the system. Repeat this dosage, if necessary, to maintain available chlorine level reading of 1.0 to 2.0 ppm (as determined by use of a reliable and suitable test kit) until fouling is gone.

Maintenance Dosage: Add 1 to 3 oz. of this product per 10,000 gallons of water daily or as needed to obtain available chlorine reading of 0.5 to 1.0 ppm.

This product should be added to the system at a point where adequate flow is maintained. Variations in water temperature, chlorine demand, and flow rate will affect the product dissolution rate. Warmer seasons may require an increase of available chlorine.

EMERGENCY DRINKING WATER USE

This product may be used to disinfect raw or pre-treated (settled, coagulated and/or filtered) water supplies intended for use as drinking water for humans and domestic animals on an emergency basis as defined in 40 CFR, Part 165-179.

The source of the water to be treated may be a river, lake, well, cistern or similiar system. To obtain the desired sanitization results, the water to be treated should be clear and free of dirt and organic debris. If the source of the water is cloudy and contains dirt and organic debris, the water should be held in holding tanks or ponds, treated with coagulating agents and filtered to remove the dirt and organic debris.

DRINKING WATER - Dissolve 0.1 ounce of this product in 50 gallons of water (150 milligrams per 10 liters) to obtain a concentration of 10 ppm (mg/L) of available chlorine. Let the water stand seven to fifteen minutes before using. A residual of 0.2 ppm (mg/L) of available chlorine, as measured by a reliable test kit, should be maintained in the water to insure disinfection.

STORAGE AND DISPOSAL

STORAGE: Keep product dry in a tightly closed container when not in use. Store in a cool, dry, ventilated area away from heat or open flame. In case of decomposition, isolate container, if possible, in open air or well ventilated area. Flood with large volumes of water if necessary to dissolve all material before discarding container in trash. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

<u>PESTICIDE DISPOSAL</u>: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Fiber Drum:

Completely empty liner by shaking and tapping sides and bottom to loosen clinging materials. Empty residue into application equipment. Then dispose of liner om a sanitary landfill or by incineration as alllowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

Plastic Pail:

Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration as allowed by state and local authorities.

Household:

Do not reuse container. Rinse thoroughly with water to dissolve all material before discarding. Securely wrap container in several layers of newspaper and discard in trash.