

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by

ED CARTER'S SWIMMING POOL SERVICE
1544 N. E. 109th Street
Miami, FL 33161

EPA REG. NO. 37924-1 EPA EST. NO.
NET CONTENTS:

ACCEPTED

37924-1
27 NOV 1978

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBOTICIDE ACT
FOR ECONOMIC PESTION CONTROL
EPA UNDER NO. 37924-1

**ED CARTER'S
POOL SERVICE**

**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING."**

ACTIVE INGREDIENT
SODIUM HYPOCHLORITE 9.2%
INERT INGREDIENTS 90.8%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

**DIRECTIONS FOR
GENERAL CLASS**

IT IS A VIOLATION OF FEDERAL LAW
IN A MANNER INCONSISTENT WITH

DIRECTIONS FOR SWIMMING POOL
For a new pool or for spring start-up, superchlorinate this sodium hypochlorite solution for each 2500 gallons to 5 ppm available chlorine by weight.

For Pool Maintenance
A) Adjust pool water pH to 7.6 - 7.2 range and
B) Add manually or by a feeder device this stock solution to maintain an available chlorine residual of 0.6 ppm of this sodium hypochlorite solution for each 10 ppm available chlorine by weight. Frequency of application will depend upon temperature. Use test kit to make certain the pH and chlorine levels.

**DIRECTIONS FOR DISINFECTION
FOR HOME WELL WATER**

Dilute this sodium hypochlorite solution in the ratio of 1 part to 9 parts softened water. Mix thoroughly and begin feeding of solution with a hypochlorinator. Maintain a free available chlorine residual of at least 1.0 ppm throughout the distribution system, as determined by biological sampling must be conducted at a frequency of 1 per week. Contact your local Health Department for further information.

DIRECTIONS FOR SANITIZING FOOD PROCESSING EQUIPMENT

Clean equipment in the normal manner. Just before use, immerse in this sodium hypochlorite solution containing 200 ppm available chlorine for a minimum of 10 minutes. After treatment with sodium hypochlorite solution, rinse thoroughly with water. One fluid oz. (2 tablespoons) of this sodium hypochlorite solution provides approximately 200 ppm available chlorine.

NOTE: This product degrades with age. Use as necessary to obtain the required level of available chlorine.

STORAGE AND DISPOSAL

Store in original container, away from direct sunlight. In case of spill, flood area with water and dilute. Empty container thoroughly with water and dispose of by placing in trash collection or burying in an approved landfill. Do not use if container is damaged. Do not contaminate food or feed by storage, disposal, or use.

35