PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **DANGER**

Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage, May be tatal it swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT

Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, utc., or with animonia, acids, usuergents or other chemicals will release hazardous gases irritating to eyes, lungs and mucous membranes.

EPA Reg. No. 37982-1

EPA Est. No. 37982-Ca-1

Manufactured and Packaged by ALL PURE CHEMICAL CO. Trany, California 95376

DOT-F-6514 12.5% Sedium Hypochlorite

BEST DOCUMENT AVAILABLE



PURECLOR SANITIZER

12.5%

87.5%

KEEP OUT OF REACH OF CHILDREN!! DANGER!!

Active Ingredient: Sodium Hypochlorite Inert Ingredients:

FIRST AID

If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

See additional precautions on side panel.



DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


8½ ounces of Pure-Clor Samitizer per 10,000 gailons of pool water will provide approximately 1.0 ppm available chlorine. In unstabilized pools, maintain the chlorine residual between 0.6-3.0 ppm. In stabilized pools, the residual must be maintained in the 1.5-3.0. ppm range. For super hioritation, a id approximately 3 quarts Pure-Chilor per 10,000 gailons pool water. Do not use pool until the chlorine residual is less than 3.0 cpm. For best results, add Pure-Chilor at night while running filter. Check the residual in the morning with a test kit, and repeat dosage, if necessary, to obtain desired residual, Maintain pH between 7.2-7.6. Always use a reliable test kit with fresh test solutions.

NOTE

This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL

Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by clacing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, shou! I be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of





PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive, n ___ause severe skin irritation or cliemical buths to broken skin. Causes eye damage. May be fatal if swallowed, Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash hands after handling. Vacate poorly ventilated areas as soon as possible Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent cannot be discharged into lakes, streams, ponds or public waters unless a discharge permit is obtained. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT

Mix only with water according to label directions. Mixing this product with gross fifth such as feces, urine, i.tc., or with animonia, acids, i.e.ergents or other chemicals will release hazardous gases irrivating to eyes, lungs and mucous membranes.

EPA Reg. No. 37982-1

EPA Est. No. 37982-Ca-1

Manufactured and Packaged by

ALL PURE CHEMICAL CO.

Tracy, California 95376

DOT-R-6614 12.5% Sedium Hypochlerite

BEST DOCUMENT AVAILABLE



PURECLOR SANITIZER

KEEP OUT OF REACH OF CHILDREN!! DANGER!!

Active Ingredient: Sodium Hypochlorite

12.5%


Inert ingredients:

87.5%

FIRST AID

If on skin, wash with plenty of soap and water, if in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce variating. Get prompt medical attention.

See additional precautions on side panel.



96-2 our imately between ppm rapations bast rering with pM lacks.

This pn sary, to

> Store in quantiti manufa Product sanitary equipm



PURECLOR SANITIZER

KEEP OUT OF REACH OF CHILDREN!! DANGER!!

Active Ingredient: Sadium Hypochlorite

12.5%

inert ingredients:

37982-1

2 1979

Under the Federal Insectione Fungicide and Audienticide ace FOR ECONOMIC POISON LEGISTER

ED UNDER NO.

87.5%

in gross fifth remicals will

7982-Ca-1

ALS

in eyes, on noting this is possible.

rifluent Can arge permit

FIRST AID

If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. It swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do not give vinegar or other acids. Do not induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE

This product degrades with age. Use a chlorine test lut and increase dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL

Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsale that cannot be used, should be diluted with water and disposed of in a product or rinsale that cannot be used, should be diluted with water and disposed or sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

