

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

May 16, 2012

Pioneer Americas, LLC, D/B/A Olin Chlor Alkali Products c/o Cristina Griffin, Agent Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904

Subject:

Bacti-Chlor

EPA Registration Number: 37982-38

Letter Date: April 23, 2012

EPA Receipt Date: April 25, 2012

Dear Ms. Griffin:

This acknowledges receipt of the following notification, submitted in accordance with the provisions of PR Notice 98-10 under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c) 9.

Proposed amendments:

- · Delete mentions of Bill of Lading.
- Change "Net Wt: [See Bill of Lading]" to "Net Contents: __ Gallons".
- Adding reader's notes to bottom of page 2 (Non Ag Uses).

General comments:

Based on a review of the material submitted, the notification as referenced above is **acceptable.** A copy of the notification has been added to the product's file.

Should you have any questions or comments concerning this letter, please contact Eliza Blair via email at *blair.eliza@epa.gov* or by telephone at (703) 308-7279.

Sincerely,

Mohisha Harris

Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510P)





United States

Environmental Protection Agency Washington, DC 20460

	Registration
	Amendment
X	Other

MB No. 2070-0060.

OPP Identifier Number

		Washingto	on, DO 20400	X Other		NOTIF	
		Application for P	esticide - Section I				
1. Company/Product Number 37982-38			2. EPA Product Manager Monisha Harris		3. Proposed Classification ☐ None ☐ Restricted		
4. Company/Product (Name) Pioneer Americas, LLC, D/B/A Olin Chlor Alkali Products / Bacti-Chlor			РМ# 32				
5. Name and Address of Applicant (Include ZIP Code) Pioneer Americas, LLC, D/B/A Olin Chlor Alkali Products c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904 Check if this is a new address			6. Expedited Review. It is similar or identical in comp EPA Reg. No Product Name	osition and labeling	ng to:		
		Sect	tion - II				
□ Amendment - Explain below □ Resubmission in response to Agency le X Notification - Explain below. Explanation: Use additional page(s) if ne Notification under PR Notice 98	cessary. (For s	section I and Section II.)		el changes.			
This notification is consistent with the labeling or the confidential statement statement to EPA. I further understan in violation of FIFRA and I may be sul	of formula of	this product. I understand otification is not consister	d that it is a violation of 18 U nt with the terms of PR Notic	.S.C. Sec. 1001 e 98-10 and 40	to willfully	make any false	
		Sect	ion - III				
1. Material this Product will be Packag	ed in:						
Child-Resistant Packaging ☐ Yes* ☐ No	Unit Packaging □ Yes □ No		Water Soluble Packaging 2 ☐ Yes ☐ No		☐ Met	2. Type of Container □ Metal □ Plastic □ Glass	
* Certification must be submitted.	If "Yes," Unit Package	e wgt. No. per container	If "Yes," Unit Package wgt. No. pe	er container	□ Paper		
3. Location of Net Contents Information 4. Size(s) of Retail Contain		s. Location of Label Direction ☐ On Label ☐ On Labeling accompanying product					
6. Manner In Which Label Is Affixed to Pro	duct	☐ Lithograph ☐ Paper glued ☐ Stenciled	□ Other				
		Sect	ion - IV				
1. Contact Point (Complete items directly it	below for identii	fication of individual to be con	ntacted, if necessary, to process	s this application.)			
Name Cristina Griffin			Title Agent for Pioneer Americas, LLC, D/B/A Olin Chlor Alkali Products Telephoné No. (Inciude Area Code) 301-680-7971				
I certify that the statements I have made of knowingly false or misleading statement	n this form and may be punish	Certifi all attachments thereto are table by fine or imprisonment	true, accurate and complete. I a	acknowledge that	any kind	6. Date Application	
2. Signature persua -			3. Title Agent for Pioneer Am Olin Chlor Alkali Proc		D/B/A	cecco	
4. Typed Name Cristina Griffin			5. Date April 23, 2012		C 6		



April 23, 2012

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) Environmental Protection Agency One Potomac Yard 2777 S. Crystal Drive, Room S-4900 Arlington VA 22202

Attn: Monisha Harris, PM 32

Re: Notification under PR Notice 98-10 to add non pesticidal language and make minor label

changes.

Product: Bacti-Chlor, EPA Reg. No. 37982-38

Company: Pioneer Americas, LLC, D/B/A Olin Chlor Alkali Products

Dear Monisha:

On behalf of Pioneer Americas, LLC, D/B/A Olin Chlor Alkali Products, I am submitting a notification per PR Notice 98-10 to add non pesticidal language and make minor label changes, to the label for Bacti-Chlor, EPA Reg. No. 37982-38. All label changes are highlighted.

The changes are:

- Deleting the wording on page 1 after establishment numbers: "See Bill of Lading for specific establishment number," and replacing it with the master label reader's note: "[On production label, either only one est. number or the following note will appear: "Producing establishment is marked."]"
- Revising the wording on page 1 from "Net Wt: [See Bill of Lading]" to "Net Contents: ____ Gallons" (the
 product is a liquid. Net contents will be shown on labeling rather than on bill of lading.)
- Adding minor reader's notes at the bottom of page 2 Non Ag Uses

Enclosures

- EPA form 8570-1
- 1 copy of the label with all changes highlighted

If you have any questions regarding this submission, please contact me at 301-680-7971 or cgriffin@delta-ac.com.

Sincerely,

Cristina Griffin

Agent for Pioneer Americas, LLC, D/B/A Olin Chlor Alkali Products

cc: Vickie Ray, Olin Corporation

BACTI-CHLOR

ACTIVE INGREDIENT:	
Sodium Hypochlorite	0%
OTHER INGREDIENTS 89.	0%
TOTAL	0%

NOTIFICATION 2

KEEP OUT OF REACH OF CHILDREN

DANGER

	FIRST AID
Call a poison control center or do	octor immediately for treatment advice. Have the product container or label with you when you call a poison control center or doctor, or when going for treatment.
	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
If in eyes:	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
If on skin or clothing:	Take off contaminated clothing.
	 Rinse skin immediately with plenty of water for 15-20 minutes.
	Have person sip a glass of water if able to swallow.
If swallowed:	 Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
NOTE TO F	PHYSICIAN – Probable mucosal damage may contraindicate the use of gastric lavage.
FOR ALL	ACCIDENTS, CALL CHEMTREC AT 1-800-424-9300 (in USA)
	OR NEWALTA AT 1-800-567-7455 (in CANADA)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

DANGER. Corrosive. May cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin, or on clothing. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: 1) goggles or face shield, 2) long-sleeved shirt and long pants, 3) waterproof gloves, 4) shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

PHYSICAL OR CHEMICAL HAZARDS

Strong oxidizing agent. Use only according to label directions. Mixing this product with gross filth, such as feces, urine, etc. or with ammonia, acids, detergents, or other chemicals will release hazardous gases which are irritating to eyes, lungs and mucous membranes.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, ponds, streams, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL: Do not contaminate food or feed by storage, disposal or cleaning of equipment. Pesticide Storage: Store this product in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large amounts of water. Pesticide Disposal: Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer or other approved disposal facility. Container: Tank Cars and Tank Trucks: Refill with bleach OR triple or pressure rinse empty tank car or tank truck to remove bleach residues before filling with other product. Drums, Totes, and Intermediate Bulk Containers (IBC): Refill with bleach only. Triple or pressure rinse nonrefillable or cracked refillable containers and offer for recycling, reconditioning or disposal. Dispose of residue rinsates in a sanitary sewer or other approved disposal facility.

PIONEER AMERICAS, LLC D/B/A OLIN CHLOR ALKALI PRODUCTS 490 STUART ROAD N.E. CLEVELAND, TN 37312

Mot	Contents:	Gallons
Net	Contents:	Gallons

EPA Reg No.: 379	82-38	
EPA Est No.:		
72315-AL-001	61667-CA-001	CLEL
72315-GA-001	61667-CA-002	61667-WA-002
72315-NY-001	61667-LA-001	71207-CAN-002
72315-TN-001	61667-NV-0C1	2315-AL-001
[On production lab	el, either only o	ne est. number or
following note will	appear: "Produ	icing establishmen

is marked."]

Bacti-chlor

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Note - This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

AGRICULTURAL USES

AGRICULTURAL USE REQUIREMENT

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Workers Protection Standard.

The Restricted-Entry Interval (REI) is 0 days when using this product.

There are no posting or notification requirements when using this product.

Personal Protective Equipment should be worn as described under the "Precautionary Statements" section of this label.

DRIP IRRIGATION – This product is to be applied through drip/trickle sprinkler irrigation systems only for agricultural crops and only where this manner of use will not cause crop damage. The plugging of drip irrigation emitters is a universal problem that will cause a lack of water application uniformity. One of the primary causes of emitter plugging is the proliferation of bacteria and algae within the lines and emitters of a drip irrigation system. Bacti-chlor is an additive that controls both algae and bacterial growth resulting in a uniform distribution of water. The amount of Bacti-chlor required for injection into the irrigation water to supply a desired dosage in ppm can be calculated by the following equation:

I = (0.006) (ppm desired) (system flow rate in gallons per minute) / 11

With a chlorine test kit, determine the residual chlorine at the emitter farthest from the injection pump. The residual chlorine should be between 1.0 ppm and 2.0 ppm with a water pH of 7.2 - 7.6.

NOTE: This calculation, when applied to clean water which is free of amine nitrogen and organic nutrients, will give a result close to the actual product injection rate required. In actual practice, however, contaminants in the water may consume the product such that the available chlorine concentration is less than expected from the calculation. To correctly establish the product dose setting required, it is necessary to measure the available chlorine at the end of the treated increment in the field and adjust the dose setting until the desired available chlorine concentration is obtained. Only experience can establish the actual injector settings required to provide the desired level of available chlorine at the end of the farthest lateral.

Injection should be started during irrigation, near the end of the irrigation sequence, but early enough to establish the desired available chlorine concentration throughout the system being treated. Apply the product upstream of the filter to help keep the filter clean. Allow sufficient time to achieve a steady reading.

If the irrigation water has high levels of nutrients causing bacterial, algae, or other bio-fouling that reduces system performance, continuous use of this product may be necessary. The recommended level of free residual chlorine for continuous feed is 1 to 2 ppm, measured at the end of the farthest lateral using a good quality test kit for free chlorine (also called "free residual" or "free available" chlorine).

Periodic shock treatments at a higher chlorine rate of up to 20 ppm free residual may be appropriate where bacteria and/or algae clogging and build-up are not managed by maintaining a continuous residual. The frequency of the shock application depends upon the frequency and extent of bio-clogging.

Bringing concentrations to as much as 100 ppm total available chlorine, is recommended for reclaiming low-volume irrigation systems if clogged by algac and bacterial slimes. Deliver 100 ppm in the drip system and monitor the free chlorine residual at the end of the farthest lateral. As soon as it is established that the free residual reading is between 10 and 20 ppm, shut the system down and leave it undisturbed for up to 24 hours. Then flush all sub-mains and laterals with fresh water. Sodium Hypochlorite will not dissolve or remove scale or inorganic sediment fouling.

<u>DO NOT</u> apply when fertilizers, herbicides, and insecticides are being injected since they will consume the available chlorine and may produce toxic reaction products.

Shut down the feed as soon as the irrigation water is switched to the next irrigation sector. Leave the treated water residing in the section which has been shut down.

If its source water is connected to a potable water system, the irrigation water system must contain a functional reduced-pressure-principle back-flow prevention device approved by your state Department of Health, appropriately situated to prevent contamination of the potable water system. This device must be certified operational by an agent authorized for making certifications by the state Department of Health.

SENSITIVE PLANT SPECIES - Certain plants, including various species of trees, flowers, shrubs, agronomic crops, fruits and vegetables are adversely affected by chlorinated irrigation. The use of this product can impact the growth, appearance and health of the plants.

Begonias, geraniums and other ornamental plant species are known to be sensitive to continuous chlorination at levels of 1-2 ppm free chlorine. Plant species such as tomato, lettuce, broccoli, and petunia are sensitive to periodic chlorination levels of 10-20 ppm free chlorine.

If uncertain of a plant's tolerance, consult an agronomist or a support agency such as your local University Extension Service or your local agent of the US Department of Agriculture or use an alternate method to remove bio-fouling from the irrigation system.

CONTROLLING SEEDBORNE BAKANAE DISEASE OF RICE - To aid in surface sterilization of rice seed for prevention of bakanae disease Fusarium fujikuroi [syn. F. moniliforme] or Gibberella fujikuroi, mix 3 gallons of this product per 110 gallons of water to make a 3000 ppm available chlorine solution. Mix solution thoroughly, then apply to seeds. Soak the seeds for two hours, then drain solution and replace with fresh water. Continue seed soaking and draining as usual. Do not apply undiluted product directly to seed.

Alternatively, make a 1500 ppm available chlorine solution by mixing 1.5 gallons of this product with 110 gallons of water. Mix solution thoroughly, then apply to seeds. Soak and drain seed as usual. No rinsing is required. Do not apply undiluted product directly to seed.

Prepare a fresh solution for each batch of seed. Do not use treated seeds for food or feed.

Bacti-chlor

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Note - This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine.

[Non Agricultural Use]

SANITIZATION OF NONPOROUS FOOD CONTACT SURFACES

RINSE METHOD - A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 oz. of this product with 8 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2 oz. of this product with 8 gallons of water to provide approximately 200 ppm available chlorine by weight.

Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment and do not soak equipment overnight. Sanitizers used in automated systems may be used for general cleaning but may not be reused for sanitizing purposes.

IMMERSION METHOD - A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 oz. of this product with 8 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2 oz. of this product with 8 gallons of water to provide approximately 200 ppm available chlorine by weight.

Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for at least 2

minutes and allow the sanitizer to drain. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment.

Sanitizers used in automated systems may be used for general cleaning but may not be reused for sanitizing purposes.

FLOW/PRESSURE **METHOD** Disassemble equipment and thoroughly clean after use. Assemble equipment in operating position prior to use. Prepare a volume of 200 ppm available chlorine sanitizing solution equal to 110% of volume capacity of the equipment by mixing the product in a ratio of 2 oz. of product with 8 gallons of water. Pump solution through the system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 2 minutes to insure contact with all internal surfaces. Remove some cleaning solution from drain valve and test with a chlorine test kit. Repeat entire cleaning/sanitizing process if effluent contains less than 50 ppm available chlorine.

CLEAN-IN-PLACE METHOD - Thoroughly clean equipment after use. Prepare a volume of a 200 ppm available chlorine sanitizing solution equal to 110% of volume capacity of the equipment by mixing the product in a ratio of 2 oz. of product with 8 gallons of water. Pump solution through the system until full flow is obtained at all extremities, the system is completely filled with the sanitizer and all air is removed from the system. Close drain valves and hold under pressure for at least 10 minutes to insure contact with all internal surfaces. Remove some cleaning solution from drain valve and test with a chlorine test kit. Repeat entire cleaning/sanitizing process if effluent contains less than 50 ppm available chlorine.

SPRAY/FOG METHOD – Pre-clean all surfaces after use. Use a 200 ppm available chlorine solution to control bacteria, mold or fungi and a 600 ppm solution to control bacteriophage. Prepare a 200 ppm sanitizing solution of sufficient size by thoroughly mixing the product in a ratio of 2 oz. product with 8 gallons of water. Prepare a 600 ppm solution by thoroughly mixing the product in the ratio of 3 oz. product with 4 gallons of water. Use spray or fogging equipment which can resist hypochlorite solutions. Always empty and rinse spray/fog equipment

with potable water after use. Thoroughly spray or fog all surfaces until wet allowing excess sanitizer to drain. Vacate area for at least 2 hours. Prior to using equipment, rinse all surfaces treated with a 600 ppm solution with a 200 ppm solution.

CLEANING FORMULATIONS, BLEACHING, & NON-PESTICIDE CHEMICAL MANUFACTURING

This product may be used for cleaning formulations, bleaching and non-pesticide chemical manufacturing. Only specifically designed handling and dispensing equipment should be used in accordance with manufacturer's instructions and according to operating instructions or product formulations defined by the use facility.

Pioneer Americas, LLC d/b/a Olin Chlor Alkali Products 490 Stuart Road N.E. Cleveland, TN 37312

EPA Reg. No.: 37982-38

 $\label{eq:epa} \begin{tabular}{ll} EPA Est. No.: & [On production label, either only one est. number \underline{or} the following note will appear: "Producing establishment is marked."] \end{tabular}$

[The following may be used on labeling to assist in tracking production label dates:]

[ESL and/or ENL [insert date[s]]]

[Wording in brackets is instructional or optional]

F\shared\OLIN\37982-38\Labels\2012\notif label 041012, ENL 011110.doc 4/10/12