

DANGER:

FIRST AID:

Chronic irritation to eyes, nose, and upper respiratory system can result from repeated exposures to dust or vapor. Avoid contact with skin, eyes, and clothing. Harmful or fatal if swallowed. May be absorbed through skin. Do not breathe vapor or dust. Use only when inhalation will be minimal.

STATEMENT OF PRACTICAL TREATMENT:

Remove contaminated clothing. Flush contacted area with large volume of water. Irrigate eyes for at least 15 minutes and get medical attention. If swallowed, call a physician immediately. See Antidote statement.

ANTIDOTE:

Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Give milk, or white of egg beaten with water.

STORAGE AND DISPOSAL:

PROHIBITIONS:

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL:

Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL:

Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL:

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.


MAGCOCIDE MICROBIOCIDE

Active Ingredient:
Paraformaldehyde
Inert Ingredient:

Percent by Weight
91.0
9.0
100%

EPA Establishment No. 11558-TX-2
EPA Registration No. 38097-2

Net Weight 50 lbs.
Bag



MAGCOBAR

Dresser Industries, Inc.

P.O. Box 6504 Houston, Texas 77005

DANGER

Keep out of reach of children



Call a physician immediately. See Antidote statement and other precautionary statements on the left panel.

MAGCOCIDE will control growth of aerobic bacteria and anaerobic bacteria in oilwell drilling, completion and packer fluids.

USE DIRECTIONS:

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control the growth of bacteria use MAGCOCIDE as directed. The frequency of treatment depends on many factors which should be established by biological tests. To optimize the use of MAGCOCIDE, follow the procedure below:

1. Initial Dose: When system is noticeably fouled, apply .5 to 1-lb. of MAGCOCIDE per bbl (42 gallons) of water in the system. This treatment should be applied through a jet mixer. Repeat until control is achieved.
2. Subsequent Doses: When control of microbial growth is evident, add .1 to .25 lb of MAGCOCIDE per bbl (42 gallons) of water in system. This treatment should be added each week, or as needed to maintain control.

HANDLING INSTRUCTIONS:

When handling MAGCOCIDE, use respiratory filters for dust protection, rubber gloves, and chemical safety goggles.

This product is toxic to fish and wildlife. Treated fluid should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.



1287 1M Ltr in U S A