

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

EPA Reg. Number:

38810-8

DEC 2 9 1997

Term of Issuance: Conditional

Name of Pesticide Product:

1 527485

Green Grass M-14 with Rabon Oral Larvacide

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Southeastern Minerals, Inc. PO Box 1866 1100 Dothan Road

Bainbridge, GA 31717

NOTICE OF PESTICIDE: x Registration

Reregistration

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide. Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the following label changes: Revise the EPA Registration Number to read, "EPA Reg. No. 38110-8".
- 3. Submit two copies of the revised final printed label for the record. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

George T. LaRocca Product Manager (13) Insecticide Branch Registration Division (7505C)

Signature of Approving Official:

EPA Form 8570-6

Felen

NET WEIGHT 50 LBS. (22.68 Kg)

GREEN GRASS M-14 With RABON® Oral Larvicide

For control of fecal flies in the manure of treated cattle. Prevents development of face flies, horn flies, house flies, and stable flies in the manure of treated cattle.

ACTIVE INGREDIENT: BY WEIGHT *Tetrachlorvinphos: 2-Chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate 0.494% **INERT INGREDIENTS: 99.506%

*RABON Insecticide contains 2.24 g of Rabon® per pound. **Refers only to ingredients which are not larvicidal.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE REVERSE FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FOR FEEDING DIRECTIONS.

GUARANTEED ANALYSIS:

| Calcium (Ca) Min 11.35% |
|--------------------------|
| Calcium (Ca) Max |
| Phosphorus (P) Min |
| Salt (NaCl) Min 24.00% |
| Salt (NaCl) Max |
| Magnesium (Mg) Min |
| Fluorine (F) Max 0.01% |
| Cobalt (Co) Min 50 ppm |
| Copper (Cu) Min |
| Iodine (I) Min 50 ppm |
| Iron (Fe) Min 500 ppm |
| Manganese (Mn) Min |
| Selenium (Se) Min 26 ppm |
| Zinc (Zn) Min |
| Vitamin A IU/Lb., Min |
| Vitamin D-3 IU/Lb., Min |
| |

INGREDIENTS:

Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Rice Mill By-Product, Magnesium Oxide, Cobalt Carbonate, Basic Copper Chloride, Calcium Iodate, Ferrous Sulfate, Iron Oxide, Manganous Oxide, Sodium Selenite, Zinc Oxide, Vitamin A Supplement, Vitamin D-3 Supplement, Cane Molasses.

Manufactured by:

SOUTHEASTERN MINERALS, INC. Bainbridge, Georgia 31717

EPA Reg. No. 38110 - T EPA Est. No. 38110GA01

NET WEIGHT 50 LBS. (22.68 Kg) CONTINUED ON BACK OF TAG

ACCEPTED. WITH COMMENTS in EPA Letter Deted

DEC 29 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the posticide registered gode- ERA Reg. No.

. .

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. This product may cause skin sensitization reactions in certain individuals. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, get medical attention. Wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: Store in a dry place in original container.

CONTAINER DISPOSAL: Completely empty bag into feeding equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product
may be disposed of on-site or at an approved waste disposal
facility.

DIRECTIONS FOR USE

It is a violation of the federal law to use this product in a manner inconsistent with its labeling.

GREEN GRASS M-14 WITH RABON® ORAL LARVICIDE is formulated to be fed continuously on a free-choice basis to cattle to provide minerals, vitamins and Rabon® daily. Feed supplies (pasture or forage) and feeder locations should be adequate to assure mineral consumption in accordance with the intake levels below:

| ATTLE WEIGHT | RABON SUPPLEMENT Daily Intake | | RABON | |
|--------------|-------------------------------|---------|--------------|--|
| | | | Daily Intake | |
| (Lb.) | (Oz.) | (Lb.) | (Mg.) | |
| 500 | 2.5 | 0.15625 | 350 | |
| 600 | 3.0 | 0.18750 | 420 | |
| 700 | 3.5 | 0.21875 | 490 | |
| 800 | 4.0 | 0.25000 | 560 | |
| 900 | 4.5 | 0.28125 | 630 | |
| 1000 | 5.0 | 0.31250 | 700 | |
| 1100 | 5.₹5 | 0.34375 | 770 | |
| 1200 | 6.0 | 0.37500 | 840 | |
| | | | | |

If cattle consume more or less than these levels, feeders should be moved further from or closer to the general resting or watering area. If cattle still fail to consume the correct amount, discontinue feeding this free choice supplement. Feed GREEN GRASS M-14 WITH RABONO ORAL LARVICIDE as the only FREE CHOICE source of salt, other minerals and vitamins.

Fly Control Program

GREEN GRASS M-14 WITH RABON® ORAL LARVICIDE prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies. Supplemental fly control measures may be needed in and around buildings to control adult house flies and stable flies which breed not only in animal, manure but in other decaying matter on the premises. In roder to achieve optimum fly control GREEN GRASS M-14 WITH RABONO ORAL LARVICIDE should be used in conjunction with other good management. and sanitation practices. Start feeding GREEN GRASS M-14 WITH RABONO ORAL LARVICIDE early in the spring before flies begin 20 appear and continue feeding throughout the summer and into \$22 fall. GREEN GRASS M-14 WITH RABON® ORAL LARVICIDE may be fed to cattle up to slaughter and to lactating cows without withholding the milk from market either during or after treatment. Rabon® Oral Larvicide should be fed at a level to provide 70 milligrams Rabon® per 100 pounds of bodyweight.

Care should be taken to supply a clean, fresh source of water to all animals.