



WEED RHAP

LV-4D 2,4-D HERBICIDE

*DO NOT MIXTURES
In Accordance with EPA Notice 89-341
Based on Draft Labeling Dates*

ACTIVE INGREDIENT:		
2,4-D (as 2,4-D) (95% a.i.)	95.4	
INERT INGREDIENTS	4.6	
TOTAL	100.0	
EPA Reg. No. 434-024-D (2,4-D) (95% a.i.) (2,4-D) (95% a.i.)		
EPA Reg. No. 434-024-D (2,4-D) (95% a.i.) (2,4-D) (95% a.i.)		
EPA Reg. No. 39511-75		
EPA Reg. No. 39511-AH1		

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes and clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water except as specified on this label for aquatic weed control. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water intended for irrigation or domestic purposes. Do not apply when weather conditions favor drift from target area.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flames.

KEEP OUT OF REACH OF CHILDREN

CAUTION

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by tickling the back of the throat with finger. Do not give anything by mouth to an unconscious person. Get medical attention.

If On Skin: Wash contaminated areas thoroughly with soap and water. Do not reuse contaminated clothing until washed. Get medical attention if irritation persists.

If In Eyes: Flush with copious amounts of clean water for 10-15 minutes. Get medical attention.

See side panel for additional precautionary statements.



VERTAC CHEMICAL CORPORATION

MEMPHIS, TENNESSEE 38114

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

STORAGE AND DISPOSAL

STORAGE Do not contaminate water, food or feed by storage and disposal. Storage and disposal are prohibited. Do not store this product in containers which have been previously used for other products. Store in original container.

PESTICIDE DISPOSAL Contain, spray, mix, or dilute that cannot be reused should be disposed of according to federal and state regulations. Do not discharge into sewer, water, or drainage system.

CONTAINER DISPOSAL Wash containers, adding rinseate to spray tank if the container is to be reused for conditioning or disposal in a secondary container. Do not burn. Follow state and local authorities.

General Information Performance of this product may be affected by local conditions, crop varieties, and application method. Users should consult local extension service, agricultural experiment, or university weed specialists, or state regulatory agencies for recommendations in your area.

Best results are obtained when product is applied to young susceptible weeds that are actively growing. Application rates lower than recommended will be satisfactory on susceptible annual weeds. For perennial weeds and conditions such as the very dry areas of the western states, where control is difficult, the higher recommended rates should be used.

When product is used for weed control in crops, the growth stage of the crop must be considered.

Some plants and weeds, especially woody varieties, are difficult to control with this product. At harvest, the crop should be cut or mowed to remove the weeds. In some cases, the weeds may be cut or mowed before the product is applied. In some cases, the weeds may be cut or mowed after the product is applied. In some cases, the weeds may be cut or mowed before the product is applied.

Some plants and weeds, especially woody varieties, are difficult to control with this product. At harvest, the crop should be cut or mowed to remove the weeds. In some cases, the weeds may be cut or mowed before the product is applied.

Applications Annual Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Perennial Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

WHERE TO USE

Use Weed Bhat LV-40 in the following situations:

corn sorghum wheat and brush in rangeland pastures rights of way and other non-crop uses, and for aquatic weed control.

PLANTS CONTROLLED

Weed Bhat LV-40 will control the following plants:

- | | | |
|----------|---------------|-----------|
| Abutilon | Duck | Funk Weed |
| Achillea | Duckweed | Feverfew |
| Achillea | Elderberry | Flantern |
| Achillea | Goldenrod | Flaxweed |
| Achillea | Ground Ivy | Flaxweed |
| Achillea | Hemp | Flaxweed |
| Achillea | Hoary cress | Flaxweed |
| Achillea | Honeysuckle | Flaxweed |
| Achillea | Indigo | Flaxweed |
| Achillea | Ironweed | Flaxweed |
| Achillea | Jimson weed | Flaxweed |
| Achillea | Lambquarters | Flaxweed |
| Achillea | Lacweed | Flaxweed |
| Achillea | Mexican Weed | Flaxweed |
| Achillea | Mimosa | Flaxweed |
| Achillea | Mustard | Flaxweed |
| Achillea | Nutgrass | Flaxweed |
| Achillea | Parrotfeather | Flaxweed |
| Achillea | Pennywort | Flaxweed |
| Achillea | Pigweed | Flaxweed |
| Achillea | Plantain | Flaxweed |
| Achillea | Ragwort | Flaxweed |

CROPS

Some grains not under seed with a license. For more information, contact your local extension office.

Some grains not under seed with a license. For more information, contact your local extension office.

Some grains not under seed with a license. For more information, contact your local extension office.

Spring Planted Oats Use Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Fall Planted Oats Use Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Note Oats are best treated with 0.4 lb/A. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

Control of Weeds: Apply Weed Bhat LV-40 as a low water formulation at temperatures above 50°F. For best results, apply to young weeds.

