

PRECAUTIONARY STATEMENTS
Hazard To Humans and Domestic Animals

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge treated effluent into lakes, streams, ponds or public waters, unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

2. PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3. CONTAINER DISPOSAL

- a) Reseal container and offer for reconditioning, or
- b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

4. GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures.

 **NATCO
CHEMICALS**

MICROBIOCIDE RPC-3491

ACTIVE INGREDIENTS

1 - Hydroxyethyl - 1 - benzyl	
2 - alkyl* imidazolium chloride	
*alkyl as in fatty acid of coconut oil	50%
Isopropanol	50%
TOTAL	100%

This product weighs 7.76 pounds per gallon.

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**STATEMENT OF
PRACTICAL TREATMENT**

In case of contact, immediately flush eye or skin with plenty of water for at least 15 minutes, or eyes, call a physician. Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**See Side Panel For
Additional Precautionary Statements**

EPA ESTABLISHMENT NO 38231-OK-0
38231-CA-0

EPA REGISTRATION NO 38231-8

NET CONTENTS 55 Gallons Liquid

DII
G

It is a violation of
manner inconsis

MICROBIOCIDE
microbiocide for
fungi and bacteri
dary recovery sy

- 1 For the con
reducing bac
ppm (active)
lons per 30
Levels for ef
on condition
- 2 For intermit
(active) Micro
per 3000 ba
one to four t
control.

Add **MICROBIO**
drum with the p
This product w

MANUFACTURER

C-E Natco Ch
A Subsidiar
Combustion
P O Box 171
Tulsa, Oklah
918 584-5511

MICROBIOCIDE RPC-3491

ACTIVE INGREDIENTS

1 - Hydroxyethyl - 1 - benzyl	
2 - alkyl imidazolium chloride	
alkyl as in fatty acids of coconut oil	50%
Isopropanol	50%
TOTAL	100%

This product weighs 7.76 pounds per gallon

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eye or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

See Side Panel For Additional Precautionary Statements

EPA ESTABLISHMENT NO. 38231-OK-0
38231-CA-0

EPA REGISTRATION NO. 38231-8

NET CONTENTS 55 Gallons (Liquid)

DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

OILFIELD SYSTEMS

MICROBIOCIDE RPC-3491 is a highly effective microbiocide for use in controlling the growth of fungi and bacteria found in produced water, secondary recovery systems and disposal systems.

1. For the control of slime forming and sulfate reducing bacteria in oilfield systems, add 35-50 ppm (active) Microbiocide RPC-3491 (9"-13 gallons per 3000 barrels of water) continuously. Levels for effective control will vary depending on conditions at the site.
2. For intermittent use, dose at a rate of 35-70 ppm (active) Microbiocide RPC-3491 (9"-18 gallons per 3000 barrels of water) for 4-8 hours per day, one to four times a week as needed to maintain control.

Add **MICROBIOCIDE RPC-3491** directly from the drum with the proper type of metering equipment. This product weighs 7.76 lbs/gallon (at 20°C).

MANUFACTURED BY

C-E Natco Chemicals
A Subsidiary of
Combustion Engineering, Inc.
P.O. Box 1710
Tulsa, Oklahoma 74101
918-584-5511