PRECAUTIONARY STATEMENTS Hazard To Humans and Domestic Animals

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply in marine and/or estuarine oil fields. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge treated effluent into takes streams, ponds or public waters, unless in accordance with a NPDES permit. For guidance, contact your Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited

2. PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies

3. CONTAINER DISPOSAL

- a) Reseat container and offer for recondition-
- b) Triple rinse (or equivalent) and Offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place

4. GENERAL

Consult federal state or local disposal authorities for approved alternative procedures

BIOHIBIT B-708

ACTIVE INGREDIENTS

- 1 Hydroxyethyl 1 benz,t 2 - alkyl* imidazolinium chlor de
- falkyl as in fatty acids of coconut of

50% 50%

tsopropanol TOTAL

100%

This product weighs 7 % pounds per gallon

KEEP OUT OF REACH OF CHILDREN

DANGER

Corrosive causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid collamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact immediately flush tyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before use.

If swallowed drink promptly a large quartity of milkegg whites, getatin solution or if these are not available drink large quantities of water. Avoid alcohol-Call a physician immediately.

Note to Physician. Probable nacosal ramage may contraindicate the use of gastric lavage. Measures against car utation, shock respiration repression and convulsion may be needed.

See Side Panel For Additional Precautionary Statements

EPA ESTABLISHMENT NO 38231-OK 31 38231 CA 31

EPA REGISTRATION NO. 58231, 10

NET CONTENTS of Gallens Liquid

It is a violation o

for use in contitria found in prosystems and dis

- for the confeducing bits sall systems (708 (91 -15) continuous (vary dependent
- 2 For intermit (active) Bird barrels of a fourtimes

Add **BIOHIBI** the proper ty duct weighs 7

MANUFACT:

C-E Natco C A Subsider Conibuster P O Box 1 1 Tulsa Oklan 918 584-55



BIOHIBIT B-708

This product weighs 7.76 pounds per gallon

10

:0**t** ⊹s-

or

٠S

٦d

11-

DANGER

Corrosive causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flish eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before use.

If swallowed drink promptly a large quantity of milk egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol Call a physician immediately

Note to Physician. Probable mucosal camade may contraindicate the use of gastric layad. Measures against circulatory shock respiratory depression and convulsion may be needed.

See Side Panel For Additional Precautionary Statements

EPA ESTABLISHMENT NO 38231-OK 01 38231-CA-)1

EPA REGISTRATION NO. 38231-10

NET CONTENTS 55 Gallons Liquid

DIRECTIONS FOR USE General Classification

It is a violation of Federal Law to use this product in a manner of consistent with its labeling

OILFIELD SYSTEMS

BIOHIBIT B-708 is a highly effective microbiocide for use in controlling the growth of fungiand bacteria found in produced water, secondary recovery systems and disposal systems

- 1 For the control of slime forming and slifate reducing bacteria in cilfield water flood or disposal systems, add 35-50 ppm (active). Biohibit B-708 (9): 13 gallons per 3000 barrels of water continuously. Levels for effective control will vary depending on conditions at the site.
- 2 hor intermittent use dose at a rate of 35,70 ppm (active). Biohibit B-708 (9) -18 gallons per 3000 barrels of water) for 4-8 hours per day, one to four times a week as needed to maintain control.

Add **BIOHIBIT B-708** directly from the drum with the proper type of metering equipment. This product weighs 7.76 lbs gailon (at 20°C).

MANUFACTURED BY

C-E Natco Chemicals
A Subsidiary of
Combustion Engineering Inc
P O Box 1710
Tulsa Oklahoma 74101
918 584-5511

4