SUPER FOG SPRAY

Precautionary Statement Hezards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with pienty of water. Obtain medical attention if irritation persists.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAD OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool dry place. Keep container closed. PESTICIDE DISPOSAL (All except household): Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act. CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

NET CONTENTS ___ GALLONS

EPA. EST. NO. 38389 EPA. REG. NO. 38389-1 This is a highly concentrated contact insecticide designed especially for use in thermal fog generators, as B.V.I. and Dynafog for smoke fogging or Challenger as a wet mist vapor. For use in non-food areas of Supermarkets, Bottling Plants, Bakerles, Food Processing Plants, Restaurants, Meat Plants, Storage, Flour Mills, Dairles, and Cannerles. FOR CONTROL of flies, mosquitoes, and gnats, fleas, roaches, silverfish, exposed stages of Indian meal moth, angoumois grain moth, and Mediterranean flour moth, spiders.

ACCEPTED

KEEP OUT OF REACH OF CHILDREN

CAUTION

MAY 2 9 1981

Under the Federal Insectici : Fungicide, and Rodenticide / as amended, for the position registered under CARCELVI ACTIVITY

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

*Consists of (2.0%) (Butylcarbityl) (6-Propylpiperonyl) ether 0.4% related compounds.

DIRECTIONS

Thoroughly clean area to be fogged. Sweep all cracks and crevices. Remove all accumulated dirt and trash. When used in enclosed areas, do not remain in treated area. Ventilate the area after treatment is completed.

SMOKE FOGGING: For flying insects, fog ½ pint per each 20,000 cubic feet of space. For accessible crawling insects, use 1 pint for each 20,000 cubic feet.

WET MIST VAPOR: For flying insects, use 1 pint per each 20,000 cubic feet. For crawling insects, use 1 quart for each 20,000 cubic feet. Keep doors and windows closed for 20 minutes. Sweep up and destroy all fallen insects. Repeat as needed.

MANUFACTURED BY
ACTION PRESSURE CLEANING SYSTEMS, INC.
1107 Sunshine Avenue
Brandon, Florida 33511

14