

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.


ENVIRONMENTAL HAZARDS: This pesticide is highly toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS:
STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with organic matter such as feces, urine, etc., or with ammonia, acids, alcohols or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

manufactured by
NEJAME & SONS
29 Vassar Road
Red Oaks Mill
Poughkeepsie, NY 12603

EPA REG. NO. 38490-1 EPA EST. NO. 1000000000
NET CONTENTS

**SODIUM HYPOCHLORITE
SOLUTION**



**"FOR SWIMMING POOL CHLORINATION
AND SANITIZING"**

ACTIVE INGREDIENTS
SODIUM HYPOCHLORITE
INERT INGREDIENTS
**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution. If these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See back panel for first aid information. See back panel for first aid information.

**DIRECTIONS FOR USE
GENERAL CLASSIFICATION**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

DIRECTIONS FOR SWIMMING POOL CHLORINATION: For new pools, start up superchlorinate with one (1) pint (16 fluid oz.) of sodium hypochlorite solution for each 1000 gallons of water. This dosage is equivalent to 1.0 ppm available chlorine by weight.

DIRECTIONS FOR DISINFECTION OF POTABLE WATER FOR HOME WELL WATER SYSTEMS: Add one (1) part sodium hypochlorite solution to the ratio of one part sodium hypochlorite solution to ten parts water. Mix and use immediately. After treatment, aerate the water. Maintain a residual chlorine level of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system as determined by a DPD chlorine test kit. Bacteriological sampling should be conducted at the same locations as that prescribed by the National Sanitation Drinking Water Regulations. Test water frequently with a DPD chlorine test kit.

DIRECTIONS FOR SANITIZING FOOD PROCESSING OR DAIRY EQUIPMENT: Add one (1) part sodium hypochlorite solution to the ratio of one part sodium hypochlorite solution to ten parts water. Mix and use immediately. After treatment, aerate the water. Maintain a residual chlorine level of at least 0.2 ppm and no more than 0.6 ppm throughout the distribution system as determined by a DPD chlorine test kit. Bacteriological sampling should be conducted at the same locations as that prescribed by the National Sanitation Drinking Water Regulations. Test water frequently with a DPD chlorine test kit.

NOTE: For information on the use of this product, see the MSDS (Material Safety Data Sheet) on the back panel of this container. For information on the use of this product, see the MSDS (Material Safety Data Sheet) on the back panel of this container.

STORAGE AND DISPOSAL: Store in a cool, dry area away from heat, fire, and oxidizing materials. Do not store in plastic containers. Do not store in plastic containers. Do not store in plastic containers.

STORAGE AND DISPOSAL: Store in a cool, dry area away from heat, fire, and oxidizing materials. Do not store in plastic containers. Do not store in plastic containers. Do not store in plastic containers.