

# **PRECAUTIONARY STATEMENTS**

## **Hazards to Humans & Domestic Animals:**

**WARNING**-This product may be fatal if swallowed. Do not take internally. It can be absorbed through skin and may be injurious to both skin and eyes. Do not get on skin or into eyes. Wash thoroughly after handling. Wash contaminated clothing before reuse. Do not breathe vapors or spray mist. Do not allow spray to get on food crops. Keep away from food, feedstuffs and domestic water supplies. Keep container closed when not in use and handle concentrate only in a ventilated area.

## **Statement of Practical Treatment:**

**If Swallowed:** Do not induce vomiting. Call a physician immediately. **If On Skin:** In case of contact, remove contaminated clothing and immediately wash skin with soap and water. **If In Eyes:** Flush eyes with plenty of water for 15 minutes and call a physician.

**Note to Physician:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

## **Environmental Hazards:**

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from target area. Do not contaminate water by cleaning of equipment or disposal of wastes.

## **Physical or Chemical Hazards:**

**COMBUSTIBLE!** Do not use or store near heat or open flame.

## **STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap and put in trash collection.

EPA REG. NO. 33955-548

EPA EST. NO. 2217-K-1

929/381

**Gordon Corporation**

**ACME**

**DURSBAN**  
insecticide<sup>2,3</sup>  
for lawns & ornamentals

12-14

**Controls:** Chinch Bugs, Sod Webworms, Cutworms, Grasshoppers, Mealybugs, Leafhoppers and many other insects in home lawns and ornamental plants.

## **ACTIVE INGREDIENTS**

Chlorpyrifos (0,0-diethyl O-	8.70%
(3,5,6-trichloro-2-pyridyl) phosphorothioate	
Xylene-Range Aromatic Petroleum Solvent	88.70%
INERT INGREDIENTS	4.60%

This Product Contains: TOTAL 100.00%  
0.687 lb. Chlorpyrifos per gallon.

\*DURSBAN® is a registered trademark of The Dow Chemical Company U.S. Patent No. 3,244,586

**Keep Out of Reach of Children**  
**WARNING**

See side panels for additional precautions and statement of practical treatment.

**NET CONTENTS ONE PINT**

**ACCEPTED**  
MAY 21 1981  
Un... Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 33955-548

# **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

## **Home Lawns:**

For best results, lawn should be moist at time of treatment. Dilute Acme Dursban in enough water to obtain complete and uniform coverage. Apply as a coarse, low pressure spray, using suitable application equipment. Thoroughly water lawn after treatment to wash the insecticide into the grass, except as otherwise noted.

To control ants, armyworms, Brown dog ticks, chiggers, chinch bugs, clover mite, crickets, cutworms, earwigs, fleas, grasshoppers and sod webworms, use 4 1/2 fl. oz. or 9 tbs. and spray on 1,000 sq. ft. when pests first appear. Retreat when needed. For sod webworms, delay watering or mowing for 12 to 24 hours after treatment. To control turfgrass (Hypoxylon) weevil, use 9 fl. oz. or 18 tbs. and spray suspected problem area in mid-April and again in mid-May, or as recommended by the local Agricultural Extension Service specialist in your area.

## **Ornamentals:**

Treat flowers, shrubs, vines, shade and flowering trees and evergreens found to be infested. Dilute with water as instructed and apply using a suitable hand or power sprayer in a manner to provide complete and uniform coverage. For best results, apply a wetting spray to both upper and lower leaf surfaces and infested limb and trunk areas. Attempt to penetrate dense foliage but avoid over-spraying to the point of excessive run-off.

To control aphids, bagworms, Eastern tent caterpillar, Fall webworm, grasshoppers, ticks, Orange-striped caterpillar, spittlebugs, whiteflies, Yellow-necked caterpillar, use 1 1/2 fl. oz. or 3 tbs. in 3 gals. water. To control cutworms, leafhoppers, mealybugs, Mameuse webworm, Red-humped caterpillar, stink bugs (exposed), use 2 1/2 fl. oz. or 5 tbs. in 3 gals. water. To control Ash borer, Lilac borer, scale crawlers: Oak lecanium, pine needle, tea, white peach, use 6 fl. oz. or 12 tbs. in 3 gals. water.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

DISCLOSE  
4-13-81

#### SHAKE WELL BEFORE USING

This formulation gives rapid control of insects listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Spray residues kill insects after the spray deposit has dried.

Ants - Brown dog ticks - Clover mites - Crickets - Earwigs - Fleas - Millipede - Roaches - Scorpions - Silverfish - Spiders - Waterbugs.

#### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS & DOMESTIC ANIMALS**  
Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly with soap and warm water after handling. Avoid contamination of food, utensils and food preparation areas. Remove pets and cover fish bowls before spraying. If poisoning occurs, get prompt medical aid.

To Physician - Atropine sulfate only by injection is antidotal.

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. Get medical attention immediately. If inhaled: Remove to fresh air, if effects occur call physician. If on skin: Wash with soap & warm water. If in eyes: Flush with plenty of water, get medical attention if irritation occurs.

NET WT. 14 OZ.

EPA Est. No. 38664-AR-1  
EPA Reg. No. 38664-3



### BANISH Residual Insect Spray

SPRAY ONLY ON SURFACES -  
DO NOT USE AS A SPACE SPRAY

#### ACTIVE INGREDIENTS:

D-TRANS ALLETHRIN (allyl homolog of Cinerin I) .050%  
\*PIPERONYL BUTOXIDE TECHNICAL .100%  
N-octyl bicycloheptene dicarboximide .166%  
\*\*CHLORPYRIFOS (o, o, diethyl 0-13, 5, 6-trichloro-2-pyridyl) phosphorothioate .500%  
PETROLEUM DISTILLATE 63.866%  
AROMATIC PETROLEUM DISTILLATE .285%

#### INERT INGREDIENTS: 35.033%

\*Equivalent to .08% (butylcarbitol) (6-propylpiperonyl) ether and .02% related compounds  
-MGK-264, Insecticide Synergist  
\*\*U.S. Patent No. 3,244,586-Dow Chemical Co.

**CAUTION**  
KEEP OUT OF REACH OF CHILDREN  
CONTENTS UNDER PRESSURE  
SEE BACK PANEL FOR FURTHER CAUTIONS

#### PHYSICAL OR CHEMICAL HAZARDS

**CONTENTS UNDER PRESSURE:** Keep container away from stoves, radiators, or other hot surfaces. Temperatures exceeding 120° F may cause the container to burst. Do not puncture or incinerate. Do not use or store near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**General:** Spray surfaces to wetting. Point spray away from people, plants and pets.

**Indoor Use:** ants, cockroaches, crickets, silverfish, spiders, scorpions, waterbugs. Spray into cracks, crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste container. Repeat as needed. Do not spray foodstuffs or house plants. For ants, spray trails and places where ants enter premises. Do not allow children to contact treated surfaces until surfaces are completely dry.

**BROWN DOG TICKS:** Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying of pet area.

**Outdoor Use:** Ants, clover mites, crickets, earwigs, fleas, millipede, and brown dog ticks. Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. Repeat as necessary. Do not spray vegetation.

**CAUTION - KEEP OUT OF REACH OF CHILDREN**

ARCHEM, INC.

P.O. BOX 1122 CONWAY, AR 72032  
IN ARK. 1-800-482-5811  
OUTSIDE ARK. (501) 327-7797

