

Reg # 38664-8

PM-10

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

181
EPA

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food in commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in processing plants, wash all equipment benches, shelves, etc. Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal waste. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARD

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: Keep container tightly closed when not in use. Store in a cool, dry place. If container is damaged or product has leaked, contain all spillage. Soak up spilled material with sand or other inert absorbant and place in a closed container for proper disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water, then offer for reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.



**FAST KILL
FOOD & DAIRY SPRAY**

A Concentrated Pyrenone Product

ACTIVE INGREDIENTS

Pyrethrins	0.5%
Piperonyl Butoxide, Technical	5.0%
INERT INGREDIENTS	94.50%
TOTAL	100.00%

Equivalent to 4.0% (butylcarbityl(16-propylpiperonyl) ether and to 1.0% related compounds
PYRENONE Registered trademark of Fairfield American Corp.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Obtain medical attention, if irritation persists.

IF ON SKIN: Remove contaminated clothing and launder before reuse. Wash with soap and water.

IF SWALLOWED: Do not induce vomiting. Call a physician immediately.

See side panel for additional precautionary statements

Net Contents: 1 6 20 35 55 Gallons

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label directions.

SPACE SPRAY: For control of accessible, exposed stages of flies, including fruit flies, mosquitoes, small flying moths, gnats, wasps, hornets, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, angoumois grain moths, mediterianean flour moths, indian meal moths, tobacco moths, meal worms, and grain mites. Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct spray toward the ceiling and upper corners of the area and behind obstructions. For best control of wasps and hornets, apply directly to the nest in the evening where the insects have returned to the nests. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

SPACE AND CONTACT SPRAY: For control of acceptable, exposed stages of silverfish, crickets,

roaches, spiders, scorpions, clover mites, cheese mites, earwigs, and ants; use equipment which can deliver a pin spray, direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly in all ant trails. Do not allow spray to contact stored food. Then, shutting all doors and window, and shutting off all ventilating systems proceed with space spraying directions as given above. Use a dosage rate of 1 ounce per 1000 cubic feet of space. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

IN THE PRODUCTION AND PROCESSING OF MUSHROOMS: To control flies or fungus gnats in mushroom growing houses, apply at a rate of 1 ounce per 1000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use a rate of 1 ounce per 2000 cubic feet of space.

EPA Reg. No: 38664-8
EPA Est. No: 38664-AR-1

TO REORDER

INSIDE ARKANSAS 800-128-5811

OUTSIDE ARKANSAS 800-255-9029

EAST BOBINS STREET

CONWAY ARKANSAS 72032