

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations. For sanitizing food processing equipment, dairy equipment, food utensils, dishes, ware, glasses, sink tops, countertops, refrigerated storage and display cabinets and other hard nonporous surfaces. No Potable water rinse is required.

Wash and rinse all articles thoroughly, then apply a solution of 1 oz. COMPLETE in 4 gallons of water, (150ppm active). Surfaces should remain wet for at least one minute followed by exposure to drying and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, used solution may not be reused for sanitizing applications.

Apply to sink tops, countertops, refrigerated storage and display equipment and other stationary hard surfaces by siphon or brush or mechanical spray device. No Potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar size food processing equipment can be sanitized by immersion in a 1 oz. 4 gallon solution of COMPLETE. No Potable water rinse is required.

At 1 oz./4 gallons COMPLETE fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Service in waters up to 200 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. COMPLETE in 4 gallons of warm water. No Potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements
Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breathe spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Open Dumping is prohibited
- Do not reuse empty container

PESTICIDE DISPOSAL

Pesticide or fumigant that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.


CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

NET CONTENTS
BEST DOCUMENT AVAILABLE



Disinfectant Sanitizer and Fungicide with Organic Sulfur for Institutional, Industrial, School, Dairy and Home Use

Active Ingredients	Weight
Alkyl (C14, 50%, C12, 40%, C10, 10%) dimethyl benzyl ammonium chloride	2250g
Octyl decyl dimethyl ammonium chloride	1125g
Dibicyclodimethyl ammonium chloride	1125g
Quaternary dimethyl ammonium chloride	92,500g
Inert Ingredients	100,000g

KEEP OUT OF REACH OF CHILDREN
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, or water. If these are not available, drink large quantities of water. Avoid a cough. Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contribute to the use of extreme care. Measures against circulatory shock, respiratory depression, and convulsions may be required.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 27584-10
EPA Establishment No. 29681-AR-1
ARCHEM, INC.
P. O. Box 1122 - East Rutherford, N.J. 07073
1-800-482-5811 1-800-255-9020 327-7797
In Ark. Outside Ark. Local

ARCHEM
COMPLETE

Disinfectant Sanitizer and Fungicide
with Organic Solvent for use in
Institutional, Industrial, School, and
Other Areas

Under Federal for
Fungicide and Rodenticide
as amended, for the purposes
registered under 38664-10
EPA Reg. No.

Active Ingredients:
Alkyl (C14, 50%; C12, 40%; C10, 10%) d-methyl
benzyl ammonium chloride 2.250%
D-ethyl d-methyl ammonium chloride 1.125%
D-decyl d-methyl ammonium chloride 1.125%
D-ethyl d-methyl ammonium chloride 1.125%
Total Ingredients 5.625%

KEEP OUT OF REACH OF CHILDREN
DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, or water, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.
SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 22584-10
EPA Establishment No. 23664-AR-1

ARCHEM, INC.
P. O. Box 1122 East Robins St. - Conroe, TX 77385
1-800-437-5911 1-800-255-9020 327-7797
In Ark. O. tude Ark. Local

BEST DOCUMENT AVAILABLE
Directions for Use
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply COMPLETE with a cloth, mop or mechanical spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Free solution should be prepared daily or when the used solution becomes visibly dirty.

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions. For disinfecting floors, walls, countertops, bathing areas, lavatories, bed frames, tables, chairs, garbage pails and hard non-porous surfaces.

Add 3.5 oz. of COMPLETE to 4.5 gallons of water. Apply to previously cleaned hard surfaces. At this dilution, COMPLETE is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Dilution Test.

Disinfection in Institutions, Industry and Schools. Add 2 oz. of COMPLETE to 4.5 gallons of water. At 0.5 oz. to 2.75 gallons of water use level, the fungicidal effectiveness of COMPLETE in the presence of 5% blood serum against *Trichosporon aspergilloides* has been shown utilizing the AOAC Fungicidal Test.

Disinfection of Barber Tools. Precleaned barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 0.5 oz./gallon solution of COMPLETE.

Disinfection of Poultry Equipment, Animal Quarters and Kennels. Poultry brooders, watering fountains, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz. COMPLETE to 4.5 gallons of water. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, tanks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals, or empty equipment until treatment has been absorbed, wet or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

FOR SALE FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY.

2072

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND ANIMALS**

WARNING

Concentrated solutions are corrosive and cause severe eye and skin damage. Do not get in eyes, skin or on clothing. **MAY BE FATAL OR HARMFUL IF SWALLOWED.** Precautions should include the use of eye shields, rubber gloves and protective clothing. Do not breathe spray mist. Use with adequate ventilation. Wash thoroughly after handling.

In case of severe burns medical attention should be obtained immediately. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with a NPDES permit. For guidance contact your Regional Office of the EPA.

A

Un
Fur
as
reg
EP.

STORAGE AND DISPOSAL

1. PROHIBITIONS

Do not contaminate water, food or feed by storage, use or disposal

2. PESTICIDE DISPOSAL

Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

3. CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities

4. STORAGE INSTRUCTIONS

Product should be stored in an area that is not subject to extreme temperatures. Proper protective equipment, as indicated above, should be worn when opening, transferring and using product. Close drum bungs tightly when not in use. Spill-leak procedures and additional handling information is contained in the Material Safety Data Sheet.

BEST AVAILABLE COPY

PM 31

2-27-82 - 10

BEST AVAILABLE COPY

Sanitizing of Food Processing Equipment and Other Hard Surfaces in Food Contact Locations: For sanitizing floors, walls, ceilings, dairy equipment, food lines, stainless steel tables, sinks, tubs, countertops, refrigerated display equipment and other hard nonporous surfaces. No Potable water rinse is required.

Rinse and wash articles thoroughly, then apply a solution of 1 oz. COMPLETE in 4 gallons of water. (150ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, used solution may not be recycled for sanitizing applications.

Apply to stainless steel countertops, refrigerated storage and display equipment and other stationary hard surfaces by brush or brush or mechanical spray device. No Potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar food processing equipment can be sanitized by immersion in a 1 oz./4 gal. solution of COMPLETE. No Potable water rinse is required.

At 1 oz./4 gallons COMPLETE fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinances 1978 Recommendations of the U.S. Public Health Services in waters up to 500 ppm of hardness calculated as CaCO₃ when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udders, flanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. COMPLETE in 4 gallons of warm water. No Potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution with dirt. Do not dip used towel back into sanitizing solution. When solution becomes visibly dirty, discard and use a fresh solution.

Precautionary Statements
Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breathe spray, mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Open Dumping is prohibited.
- Do not reuse empty container.

PESTICIDE DISPOSAL

Pesticide or insecticide that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

NET CONTENTS

BEST DOCUMENT AVAILABLE

ARCHEM
COMPLETE

Disinfectant Sanitizer Fungicide
with Organic Solid Tolerance for Hospital
Institutional, Industrial, School, Dairy
Other Food Use

Under Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the purpose of registration under FIFRA.

2-27-82

Active Ingredients

- A kyl (C14, 50%, C12, 40%, C10, 10%) dimethyl benzyl ammonium chloride
- Octyl (decyl) dimethyl ammonium chloride
- Octyl dimethyl ammonium chloride
- Dodecyl dimethyl ammonium chloride

Inert Ingredients

**KEEP OUT OF REACH OF CHILDREN
DANGER**

Statement of Practical Treatment

In case of contact, immediately wash eyes or skin with water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites or water. If these are not available, drink large quantity of water. Avoid alcohol. Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory depression and convulsion may be needed. SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Registration No. 285-3766
EPA Establishment No. 285-3766

ARCHEM, INC.
P. O. Box 1122, Earlsboro, Oklahoma 74632
1-800-482-5811, 1-800-255-9020
In Ark. Outside Ark.