Not Reviewed. Registrant claims to be in acada ace with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12 Active to Inert Change in Status

PY-3 FOGGER

CONTAINS PYRENONE®

Super Strength - Highly Active Solvent System - Non-Aqueous For Control of Residential, Industrial and Gargen Insect Pests.

ACTIVE NGREDIENTS:
Pyrethrins
*Piperonyl Butoxide, Technical2.4%
INERT INGREDIENTS
TOTAL
*Equivalent to 2% (butylcarbityl)(6-propylpiperonyl) ether

and 0.4% related compounds. PYRENONE Registered trademark of Fairfield American Corporation

EPA Reg. No. 38664-25

EPA Est. No. 38664-AR 1

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing vapor. Avoid contact with skin and eyes. When using this product as a space spray in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when facility is not in operation. Do not remain in treated areas and ventilate the area after treatment is completed.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. incineration of container may cause explosion.

NET WEIGHT: 14 ounces

Marchael and by

ARCHEM, INC.

P.O. Box 1490, Conway AR 72032

DIRECTIONS FOR USE: It is a violation of Federal Lav product in a manner inconsistent with its labeling.

Hold container upright with nozzle away from you. Press valve down and spray as directed. Keep nozzle at least 36 inches from Surfaces or fabric to avoid possible staining.

FLIES, MOSQUITOES, GNATS, WASPS AND FLYING MOTHS. Close all doors and windows and spray room at the rate of 2-3 seconds per 1000 cu. ft. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as necessary.

ROACHES, WATERBUGS, SILVERFISH, CRICKETS, SPIDERS, CEN-TIPEDES AND SOWBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

INDIAN MEAL MOTHS, ANGOUMOIS GRAIN MOTHS: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pattets and darkened areas. Spray 7 to 10 seconds for each 1000 cu. ft. of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

Exposed stages of CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, RED FLOUR BEATLES, RICE WEEVILS, GRANARY WEEVILS, GRAIN MITES: Spray into cracks or cravices, processing and handling equipment, around carton or containers or other areas where these insects tend to congregate Spray 30 seconds for each 100 sq. ft. of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

FLEAS: Spray sleeping quarters, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles hit by spray, as well as aphids, exposed thrips and spider mites. May be used on plants. as a multi-purpose spray in small garden and for spot treatments of incipient insect infestations to prevent spreading in large garden areas. May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymous, fushia, geraniums, crassula, grape vine, kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias. Effective when used as directed against aphids, spider mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, clover mites and army worms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Do not wet foliage or blossoms.

STORAGE AND DISPOSAL

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY