

Page 2700 113

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (FS-767) WASHINGTON DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION REREGISTRATION <i>Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended.</i>	EPA REGISTRATION NO. _____	DATE OF ISSUANCE 16 OCT 1987
	TERM OF ISSUANCE _____	
	NAME OF PESTICIDE PRODUCT _____	
NAME AND ADDRESS OF REGISTRANT (Include ZIP code) _____ _____		
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>_____</p> <p>_____</p> <p>1. _____</p> <p>2. _____</p> <p>3. _____</p> <p>4. _____</p> <p>5. _____</p> <p>6. _____</p> <p>7. _____</p> <p>8. _____</p> <p>9. _____</p> <p>10. _____</p> <p>11. _____</p> <p>12. _____</p> <p>13. _____</p> <p>14. _____</p> <p>15. _____</p> <p>16. _____</p> <p>17. _____</p> <p>18. _____</p> <p>19. _____</p> <p>20. _____</p> <p>21. _____</p> <p>22. _____</p> <p>23. _____</p> <p>24. _____</p> <p>25. _____</p> <p>26. _____</p> <p>27. _____</p> <p>28. _____</p> <p>29. _____</p> <p>30. _____</p> <p>31. _____</p> <p>32. _____</p> <p>33. _____</p> <p>34. _____</p> <p>35. _____</p> <p>36. _____</p> <p>37. _____</p> <p>38. _____</p> <p>39. _____</p> <p>40. _____</p> <p>41. _____</p> <p>42. _____</p> <p>43. _____</p> <p>44. _____</p> <p>45. _____</p> <p>46. _____</p> <p>47. _____</p> <p>48. _____</p> <p>49. _____</p> <p>50. _____</p> <p>51. _____</p> <p>52. _____</p> <p>53. _____</p> <p>54. _____</p> <p>55. _____</p> <p>56. _____</p> <p>57. _____</p> <p>58. _____</p> <p>59. _____</p> <p>60. _____</p> <p>61. _____</p> <p>62. _____</p> <p>63. _____</p> <p>64. _____</p> <p>65. _____</p> <p>66. _____</p> <p>67. _____</p> <p>68. _____</p> <p>69. _____</p> <p>70. _____</p> <p>71. _____</p> <p>72. _____</p> <p>73. _____</p> <p>74. _____</p> <p>75. _____</p> <p>76. _____</p> <p>77. _____</p> <p>78. _____</p> <p>79. _____</p> <p>80. _____</p> <p>81. _____</p> <p>82. _____</p> <p>83. _____</p> <p>84. _____</p> <p>85. _____</p> <p>86. _____</p> <p>87. _____</p> <p>88. _____</p> <p>89. _____</p> <p>90. _____</p> <p>91. _____</p> <p>92. _____</p> <p>93. _____</p> <p>94. _____</p> <p>95. _____</p> <p>96. _____</p> <p>97. _____</p> <p>98. _____</p> <p>99. _____</p> <p>100. _____</p>		
<input type="checkbox"/> ATTACHMENT IS APPLICABLE		SIGNATURE OF APPROVING OFFICIAL _____
DATE _____		DATE _____

91939; I; Pringle; P-5; KENCO; 10/13/87; 10/22/87; DD; LF; EX; CB

Pringle 10/14

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Jeff Kempter
Product Manager (32)
Disinfectants Branch
Registration Division (TS-767C)

Enclosures

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION INFORMATION

For use on hard, non-porous, inanimate surfaces (glass, stainless steel, galvanized metal, porcelain, linoleum, tile, enameled and finished wood surfaces). Use on walls, floors, appliances, furnishings, and utensils.

Prepare fresh solutions daily. Do not reuse solutions. Discard solutions that are visibly soiled. Apply use solutions by flooding, immersion, swabbing, mopping or brushing to thoroughly wet all surfaces.

FOR DISINFECTION: In Hospitals, Nursing Homes, Food Plants, Commercial Freezers, Restrooms, Restaurants, and Veterinary Clinics, Farm Premises and Poultry Houses. Use 1 oz. of this Disinfectant in 2 gallons of water for one-step cleaning and disinfecting light and moderately soiled surfaces. Heavily soiled surfaces should be cleaned and rinsed before disinfecting. For effective action, surfaces must remain wet for at least 10 minutes.

Food contact surfaces and all surfaces in edible food processing areas of Federally inspected meat and poultry plants must be rinsed with potable water before reuse when using the product at this concentration. Always carefully protect or remove food and packaging materials from the area before disinfecting.

For Farms and Poultry use, remove all animals, poultry and feed from premises. Remove all litter and manure from surfaces occupied or traversed by livestock. Empty all troughs, racks, and other feeding and watering equipment. Then, clean and disinfect as above. Ventilate buildings, coops, and other closed spaces. Do not house animals or poultry until treatment has been absorbed, set or dried.

DISINFECTING TOILET BOWLS AND URINALS: Remove gross soils from surfaces with bowl brush. Add 1 oz. of this Disinfectant to the bowl water. Use brush or swab to thoroughly clean bowl surfaces, especially under the rim. Flush commode or urinal several times and rinse bowl brush well.

SANITIZING OF NON-FOOD CONTACT SURFACES such as walls, floors, desk and counter tops, telephone receivers, door knobs, chairs, toilet seats, bathroom sinks, tubs, and shower stalls, in offices, hotels, industrial and commercial buildings, and non-critical areas of hospitals and nursing homes: clean and sanitize in one operation by spraying or wiping a solution of 1 oz. of this Disinfectant in 5 gallons of water onto the surfaces to be sanitized. Allow solution contact for 5 minutes before wiping clean or rinsing. If surfaces are heavily soiled, pre-clean before sanitizing.

EQUINOX IODINE DISINFECTANT

Bactericide - *Virucide

Food Plants-Livestock Buildings-Hospitals-Veterinary Clinics
NO RINSE FOOD PLANT SANITIZER
POULTRY DRINKING WATER SANITIZER

*Kills Herpes Simplex Type II when used as directed for disinfection.

ACTIVE INGREDIENTS:

alpha-(P-nonyl phenyl)-omega-hydroxypoly
(oxyethylene)-iodine complex: 18.07%
(Providing 1.75% titratable iodine)

INERT INGREDIENTS: 81.93%
TOTAL INGREDIENTS: 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

Practical Treatment: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory, shock, respiratory depression, and convulsion may be needed.

FOR MEDICAL, INDUSTRIAL, COMMERCIAL, AND AGRICULTURAL USE ONLY.

A Product of

Walter Louis Chemical Co.
530 South 5th St.
Quincy, IL 62301

NET CONTENTS:

1 Gallon

EPA Reg. No. 38723-
EPA Est. No. 38723-IL-1

BEST AVAILABLE COPY

SANITIZATION OF EQUIPMENT AND UTENSILS: Flush, scald, or flush with 1 oz. of this Disinfectant in 5 gallons of water (providing 1.75% available iodine). Sanitizing 1-2 minutes. Drain required. *permitted.*
HAND SANITIZING: PROCESSING PLANT handlers, rinse hands (1 oz. per 5 gallons of titratable iodine) for

IN RETORT COOKING OPERATIONS: Deposition of Disinfectant in each retort to control odor or slime and as needed thereafter. Reading of 12-25 ppm

SANITIZATION OF BATHING WATER: 1 ounce of disinfectant per gallon of water. Regular use to control slime and mildew.

SHOE BATH SANITIZING: disease organisms in shoe disinfectant per gallon of water. Scrape off shoes outdoors for 30 seconds prior to use.

FOR CLEANING SWINE: farrowing pens or other areas with a lukewarm solution of 1 ounce per gallon of water. Drain dry and do not reuse.

DEODORANT: This disinfectant sanitizes and disinfects garbage pails and other containers (garbage pails) solution of 1 ounce per gallon of water.

STORAGE: Store in a cool, dry container.

DISPOSAL: Do not pour into water. Store in a cool, dry container and put in

PRECAUTIONS: HAZARDOUS TO HEALTH

Harmful or fatal if swallowed. Causes skin irritation or on clothing. Wear gloves when handling. Wash hands with water after handling. Wash clothing before reuse.



walter louis chemicals

EQUINOX IODINE DISINFECTANT

HOSPITAL STRENGTH FOR ONE-STEP CLEANING AND DISINFECTION

Bactericide-Virucide

Food Plants-Livestock Buildings-Hospitals-Veterinary Clinics
NO RINSE FOOD PLANT SANITIZER
POULTRY DRINKING WATER SANITIZER

*Kills Herpes Simplex Type 2 when used as directed for disinfection

ACTIVE INGREDIENTS:

phosphoric acid	16.00%
alpha (P-nonyl phenyl) omega hydroxypolyoxyethylene-iodine complex (Providing 1.75% titratable iodine)	18.05%

INERT INGREDIENTS	65.95%
TOTAL INGREDIENTS	100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

Practical Treatment: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

FOR MEDICAL, INDUSTRIAL, COMMERCIAL, AND AGRICULTURAL USE ONLY.

Manufactured by:
Walter Louis Chemicals
5th and Ohio
Company, IL 62304

NET CONTENTS:



EPA Reg. No. 38723-12
EPA Est. No. 38723-IL-1

In accordance with PR Notice 82-2.

Based on Draft Labeling Dated 10/16/77

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INFORMATION

For use on hard, non-porous, non-metallic surfaces (glass, stainless steel, galvanized metal, porcelain, polyurethane, enameled and finished wood surfaces). Use on walls, floors, appliances, linings and utensils.

Prepare fresh solutions daily. Use 1 ounce per gallon of water for surfaces that are visibly soiled. Apply solution to surfaces by immersion, swabbing, spraying, or mopping. Rinse well with water.

FOR DISINFECTION: In Hospitals, Nursing Homes, Food Plants, Commercial Freezers, Restrooms, Restaurants, and Veterinary Clinics, Farm Premises and Poultry Houses. Use 1 ounce of this Disinfectant in 2 gallons of water for one-step cleaning and disinfection of light and moderately soiled surfaces. Heavily soiled surfaces should be cleaned with a detergent solution. For effective disinfection, surfaces must remain wet for at least 10 minutes.

Food contact surfaces should be cleaned with a detergent solution. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use 1 ounce of this Disinfectant in 2 gallons of water for one-step cleaning and disinfection of light and moderately soiled surfaces. Heavily soiled surfaces should be cleaned with a detergent solution. For effective disinfection, surfaces must remain wet for at least 10 minutes.

In Farms and Poultry Houses, use 1 ounce of this Disinfectant in 2 gallons of water for one-step cleaning and disinfection of light and moderately soiled surfaces. Heavily soiled surfaces should be cleaned with a detergent solution. For effective disinfection, surfaces must remain wet for at least 10 minutes.

DISINFECTING TOILET BOWLS AND URINALS: Use 1 ounce of this Disinfectant in 2 gallons of water for one-step cleaning and disinfection of toilet bowls and urinals. Use a soft-bristled brush to scrub the bowl and urinal thoroughly. Rinse well with water.

SANITIZING OF NON-FOOD CONTACT SURFACES: Such as walls, floors, desk and counter tops, telephone receivers, door knobs, chairs, toilet seats, bathroom sinks, tubs, and shower stalls, in homes, hotels, industrial and commercial buildings, and non-critical areas of hospitals and nursing homes. Use 1 ounce of this Disinfectant in 2 gallons of water for one-step cleaning and disinfection of light and moderately soiled surfaces. Heavily soiled surfaces should be cleaned with a detergent solution. For effective disinfection, surfaces must remain wet for at least 10 minutes.

SANITIZATION OF MEAT AND FOOD PROCESSING EQUIPMENT AND UTENSILS: Remove gross soils by flushing, scraping, or mopping. Pre-clean surfaces with 1 oz. of this Disinfectant per gallon of water or with another suitable cleaner. Rinse well. Sanitize with 1 oz. of Disinfectant in 5 gallons of water (25 ppm titratable iodine). Sanitizing solution should contact surfaces for 1-2 minutes. Drain well and air dry. Rinsing is not required.

HAND SANITIZATION IN MEAT AND POULTRY PROCESSING PLANTS: For sanitizing hands of food handlers, rinse hands with water and immerse hands in a 1 oz. per 5 gallons of water sanitizing solution (25 ppm titratable iodine) for 30 to 60 seconds.

IN RETORT COOLING WATER FOR CANNING OPERATIONS: Depending on the need, use 1 oz. of this Disinfectant in each 5-10 gallons of retort cooling water to control odor or slime. Add at the start of operations and as needed thereafter to maintain a titratable iodine reading of 12-25 ppm in the cooling water.

SANITIZATION OF POULTRY DRINKING WATER: Add 1 ounce of disinfectant to every 10 gallons of drinking water. Regular use in the drinking water also helps control slime and mineral deposits in waterers.

SHOE BATH SANITIZATION: To help prevent tracking disease organisms into poultry houses, farrowing houses, and hog barns, place a shoe bath with 3 ounces of disinfectant per gallon of water inside the doorway. Scrape off shoes outside doorway and stand in shoe bath for 30 seconds prior to entering.

FOR CLEANING SOWS: Before placing sows in farrowing pens or crates, scrub down flanks and udder with a lukewarm solution of 1 ounce of disinfectant per gallon of water. Use a soft-bristled brush. Let sow drain dry and do not rinse until just before farrowing.

DEODORANT: This Disinfectant destroys many odors as it sanitizes and disinfects. For general deodorant applications (garbage pails, refuse containers, etc.), swab on a solution of 1 ounce of disinfectant per gallon of water.

STORAGE: Store only in tightly closed, original container.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Harmful or fatal if swallowed. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Avoid contamination of food.