

DIRECTIONS FOR USE (Cont.)

INSECT CONTROL FOR LIVESTOCK

Precautions—Do not use on dairy animals or poultry. Do not use on emaciated, overheated or sick animals. Do not spray animals within 30 days of slaughter. Do not treat animals under 3 months of age. For animals 3 to 6 months of age use a 0.03% solution by mixing 13 ounces in 40 gallons of water. Do not treat sows within 2 weeks of farrowing or for at least 3 weeks thereafter. Avoid treating animals in cold stormy weather.

HORNFLIES on Beef Cattle—Mix 5 tsp. per 2½ gallon water (13 ounces per 40 gallons water). Use a power sprayer to thoroughly treat animals. Treat when flies appear and repeat as needed for control.

LICE & TICKS on Beef Cattle, Horses, Sheep & Goats—Mix 5 tsp. per 2½ gallon water (13 ounces per 40 gallons water). Use a power sprayer to thoroughly wet animals' hide. Repeat as needed for control.

SARCOPTIC MANGE MITE, LICE, TICKS on Hogs—Mix 3 tbsp. per 2½ gallon water (13 ounces in 20 gallons water). Use a power sprayer to thoroughly wet hide of animals. Do not apply to young animals. Repeat as needed.

SARCOPTIC MANGE on Beef Cattle and PSOROPTIC MANGE (SHEEP SCABIES) on Sheep and Goats—Mix 5 tsp. per 2½ gallon water (13 ounces in 40 gallon water). Use a power sprayer to thoroughly wet animals. Use 2 or more treatments at 7 to 10 day intervals as needed for control. Observe good sanitation practices and spray pens and shelters to prevent reinfestation. Treat infested animals before adding to herd.

PREMISE SPRAY AND TREATMENTS

Precautions—Do not apply in poultry houses, dairy barns or milkrooms.

For FLIES, ROACHES, SPIDERS, ANTS and MOSQUITOES in Livestock Pens & Buildings—Spray with 3% spray solution by mixing 3¼ ounce per 1 gallon of water (13 ounces per 4 gallons water).

Apply 1 gallon of spray mixture to cover 500 sq. ft. of surface. Spray to point of runoff. For crawling insects treat their hiding cracks, crevices, baseboards and other hiding places. Remove animals before spraying. Do not contaminate milk or milking equipment, feed or drinking water. Repeat as needed for control.

To make a PAINT—mix 13 oz. per 1 quart of water. Apply with a brush as a spot treatment to cracks and crevices and other hiding places. Do not use on painted surfaces as it will blister the paint. Do not use in the home. Remove or do not treat or contaminate milk, milking equipment, feed or drinking water.

For TICKS & CHIGGERS on Lawns, Recreation areas, Camp Grounds, Golf Courses and Play Grounds—Mix 4 pints in 50 gallons water and apply at the rate of 50 gallons of the mixture per acre. (Equivalent actual Lindane per acre). For smaller areas apply 1 gallon of the spray mixture per 1,000 sq. ft. A hand-pumped sprayer or power sprayer should be used to insure thorough vegetation coverage.



LINDANE 12½%

CONCENTRATE

INSECT CONTROL
FOR ORNAMENTALS, FRUIT TREES, FLOWERS,
BULBS, VEGETABLES, LIVESTOCK
& RESIDUAL SPRAY

ACTIVE INGREDIENTS:

| | |
|--|-------|
| Lindane (Gamma Isomer of Benzene Hexachloride) | 12.5% |
| Xylene Range Aromatic Solvent | 77.5% |
| INERT INGREDIENTS | 10.0% |
| Total | 100% |

Keep Out of Reach of Children

CAUTION

STATEMENT OF PRACTICAL TREATMENTS

If Swallowed—Call a physician or Poison Control Center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

If On Skin—Wash area immediately with plenty of soap and water.

If In Eyes—Flush with plenty of water and get prompt medical attention.

If Inhaled—Remove victim to fresh air. Apply respiration if indicated.

EPA Reg. No. 38733-22

EPA Est. No. 38733-FL-1

NET CONTENTS

BILCO ASSOCIATES
AGRICULTURAL CHEMICALS

1140 West 50th Street, Hialeah, FL 33512

MADE IN U.S.A.
NET CONTENTS

MAR 19 1980

38733-22

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

May be absorbed through the skin. Harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. Wash immediately with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treated area. Application should be timed to provide maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not pour, use, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage—Do not allow to freeze.

Pesticide Disposal—Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

Container Disposal—Do not reuse this container. Wrap container and put in trash collection.

NOTE: Buyer assumes all risks of use, storage and handling of this product not in strict accordance with directions given herewith.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**INSECT CONTROL
FOR ORNAMENTALS, FRUIT TREES, FLOWERS, BULBS, VEGETABLES**

| PLANTS | INSECTS | DOSAGE | COMMENTS |
|--|---|---|---|
| Elm, Birch, Locust | Leaf Miners | 2 tsp gal water | Apply when small miners appear in early & mid-May. Treat when small miners appear in July. |
| Pine | Pine Bark Beetles | 26 oz 5 gal water | Spray trunks thoroughly to point of run-off. |
| Pine Spruce | White Pine Weevil | 5 tsp gal water | Thoroughly spray entire tree in late April when buds swell. |
| Taxus Hemlock | Taxus Weevil | 5 tsp gal water | Apply in May or early June to the trunks & around tree base. Soak the bark and soil surface. |
| Dogwood, Linden, Rhododendron | Dogwood Borer, Linden Borer, Rhodod Borer | 5 tsp gal water | Make 3 applications: May 1st; June 1st; July 1st. Treat limbs, twigs and base of trunk. |
| Apple, Peach, Cherry | Bark Beetles, Flat & Roundhead Borers (Bark & Trunk Treatment Only) | 5 tsp gal water 5 pts 100 gal water | Do not apply to fruit or foliage. Apply in spring to trunk and limbs before fruit is formed. Bark & Trunk Treatment Only. |
| Maple, Aspen, Poplar, Ash, White Elm, Locust | Aphids, Bark Beetles, Borers | 3 tbspgal water 5 pts 50 gal water | Apply in spring when buds begin to break. Repeat in 10-14 days. For Aphids, apply when present in summer and fall. |
| Peaches | Peach Tree Borer (Trunkbase & Soil Treatment Only) | 5 tsp gal water 5 pts 100 gal water | Do not apply to fruit or foliage. Make 3 treatments: July 1st, Aug 1st, Sept. 1st. Soak bark. |
| Birch | Bronze Birch Borer | 5 tsp gal water | Make 3 treatments: May 1st, June 1st, July 1st. Soak bark. |
| Bulbs: Tulp, Iris, Gladiolus, Lilies | Aphids, Bulb Fly, Iris Borer, Thrips | 5 tsp gal water | Treat when insects appear. For Iris Borer, soak soil around tuberos roots May and June. |
| Vegetable Sets (Cabbage, Melon, Peppers, Okra, Tomatoes) | White Grubs, Cutworms, Wire worms, (Soil Treatment Only) | 5 tsp 2 1/2 gal water 12 oz 250 sq ft of soil area | Do not treat plant foliage. Do not use in soil to be used for root crops. Apply in spring after plants are set. |
| Flowers: Roses, Fetarias, Carnations, etc. | Aphids, Thrips, White Flies, Leafhoppers | 5 tsp 2 1/2 gal water 13 oz 40 gal water | Apply when insects appear. Repeat sprays as needed for control. Thoroughly spray. |

2%

ERS,

12.5%
77.5%
10.0%
100%

Do not in-

ation.

ACCEPTED
with COMMENTS
in EPA Letter dated:

MAR 8 1983

Registered under EPA Reg. No.
38733-22

| | | |
|---|---------------------------|------------------|
| U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAM REGISTRATION DIVISION 800-517 WASHINGTON, D.C. 20460 | EPA REGISTRATION NO. | DATE OF ISSUANCE |
| | TERM OF ISSUANCE | |
| | NAME OF PESTICIDE PRODUCT | |
| NOTICE OF PESTICIDE: <i>Under the Federal Insecticide, Fungicide, and Rodenticide Act, 7 U.S.C. 136</i> | | |
| NAME AND ADDRESS OF REGISTRANT (Include ZIP Code) | | |
| 161/90406 18/1 | | |
| <p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> | | |
| <input type="checkbox"/> ATTACHMENT IS APPLICABLE | | |
| SIGNATURE OF APPROVING OFFICIAL | | DATE |

- 2 -

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (45-767)

Enclosure